

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY



REGION III  
CENTRAL REGIONAL LABORATORY  
201 DEFENSE HIGHWAY  
SUITE 200  
ANNAPOLIS, MARYLAND 21401

ARSS  
O V Z  
3 D  
*file*  
114101

QUALITY  
ASSURANCE  
BRANCH

DATE : June 28, 1994

SUBJECT: Region III Data QA Review

FROM : *fir* Cynthia E. Caporale *Sue Stover*  
Region III ESAT RPO (3ES30)

TO : Chris Corbett  
Regional Project Manager (3HW24)

Attached is the inorganic data validation report for the Keystone Sanitation Site (Case 21843) completed by the Region III Environmental Services Assistance Team (ESAT) contractor under the direction of Region III ESD.

If you have any questions regarding this review, please call me at (410) 573-6832.

Attachment

cc: Marion Murphy, Roy F. Weston

TID File: 03940606

EPA202925

AR312319

Printed on Recycled Paper



ENVIRONMENTAL SYSTEMS & TECHNOLOGIES INC.

Environmental Services Assistance Teams  
Region 3  
1419 Forest Drive, Suite 104  
Annapolis, Maryland 21403

Phone: (410) 268-7705  
Fax: (410) 268-8472

**DATE:** June 23, 1994

**SUBJECT:** Inorganic Data Validation for Case 21843  
**Site:** Keystone Sanitation

**FROM:** Mahmoud Hamid *MH* Mahboobeh Mecanic  
Senior Oversight Chemist Senior Oversight Chemist  
Helen German *HG*  
Inorganic Data Reviewer

**TO:** Cynthia E. Caporale  
ESAT Regional Project Officer

**THROUGH:** Dale S. Boshart *DSB*  
ESAT Team Manager

**OVERVIEW**

The set of samples for Case 21843 was analyzed by ITAS Pittsburgh (ITPA) for total metals and cyanide (CN) according to the Contract Laboratory Program (CLP) Routine Analytical Services (RAS) Statement of Work (SOW) ILM02.1. The sample set consisted of thirty-three (33) unfiltered aqueous, thirty-two (32) filtered aqueous, and thirty (30) soil samples in six (6) Sample Delivery Groups (SDGs). Included in the case were one (1) unfiltered rinsate blank, two (2) each unfiltered and filtered field blanks, and one (1) field duplicate pair for each sample matrix.

One aqueous sample, MCQY11, exceeded the 20 µg/L Chemical Health Advisory Level for the analyte lead (Pb), with a reported concentration of 43.0 µg/L.

**SUMMARY**

All analytes were successfully analyzed in all samples. Areas of concern with respect to data usability are listed according to the seriousness of the problem in the following paragraphs.

AR312320

EPA202928

The samples were analyzed under six (6) SDGs (MCQY00 and MCQY18, unfiltered aqueous; MCQA71 and MCQA88, filtered aqueous; MCQX79 and MCQY33, soil). Validation was performed on a SDG basis; field blank results were applied to aqueous samples based on matrix, and the rinsate blank results were applied to the soil samples.

#### MINOR ISSUES

Field (FB), preparation (PB), and continuing calibration (CCB) blanks had reported results greater than the Instrument Detection Limit (IDL) for the analytes listed below. Reported results for these analytes which are less than five times (<5X) the blank concentrations may be biased high and have been qualified "B".

<u>SDG</u>	<u>Type Blank</u>	<u>Analyte</u>
MCQY00	PB	Calcium (Ca), iron (Fe), sodium (Na), zinc (Zn)
	CCB	Copper (Cu), thallium (Tl)
MCQY18	PB	Ca, Zn
	CCB	Beryllium (Be), Cu
MCQA71	PB	Aluminum (Al), Fe, Na, Zn
	FB	Al, Cu, Fe, mercury (Hg)
MCQA88	PB	Fe, magnesium (Mg), Na, Zn
	FB	Al, Cu, Fe, Hg, Zn
MCQX79	CCB	Antimony (Sb), silver (Ag)
MCQY33	PB	Sb, potassium (K)
	CCB	Ag

The ICP serial dilution results were outside of the 10% control limit for the analytes Fe in SDG MCQA88 and Zn in SDGs MCQX79 and MCQY33. Reported results for these analytes in these SDGs are estimated and have been qualified "J", except where superseded by the previously mentioned "B" qualifier.

The soil laboratory duplicate results were outside the control limits (35% RPD) for the analyte cyanide (CN) in SDG MCQY33. Quantitation limits and reported results for this analyte in this SDG are estimated and have been qualified "UJ" and "J", respectively.

AR312321

EPA202927

The CRDL standard recoveries were high and the matrix spike recoveries were low for the analyte antimony (Sb) in SDGs MCQX79 and MCQY33, resulting in opposing bias effects. Affected samples with reported results <2X CRDL are estimated and have been qualified "J"; the "J" qualifier has been superseded by the previously mentioned "B" qualifier.

CRDL standard recoveries were mixed (both high and low) for the analyte Cd in SDGs MCQX79 and MCQY33, resulting in opposing bias effects. Quantitation limits in the affected soil samples are estimated and have been qualified "UJ".

The CRDL standard recoveries were high for several analytes as listed below. The reported results which are <2XCRDL for these analytes may be biased high and have been qualified "K". The "K" qualifier has been superseded by the "B" qualifier for the Zn analyte in SDG MCQA88.

<u>Analyte</u>	<u>SDG Number</u>
Pb	MCQY18, MCQA88
Selenium (Se)	MCQY33
Tl	MCQA71, MCQY18
Zn	MCQA88

The CRDL standard recoveries were low for several analytes as listed below. The quantitation limits and reported results <2X CRDL for these analytes may be biased low and have been qualified "UL" and "L", respectively.

<u>Analyte</u>	<u>SDG Number</u>
Arsenic (As)	MCQY00, MCQY18, MCQA71, MCQA88, MCQX79, MCQY33
Pb	MCQY00
Silver (Ag)	MCQY18

The matrix spike recoveries were low for the CN analyte in SDG MCQY00 and for the Sb analyte in SDGs MCQX79 and MCQY33. Quantitation limits and reported results may be biased low and have been qualified "UL" and "L", respectively. The "L" qualifier has been superseded by the previously mentioned "B" qualifier for the Sb analyte in SDGs MCQX79 and MCQY33.

NOTES

The laboratory marked results for the Al analyte in SDG MCQX79 on Form Is with an \* denoting laboratory duplicate results outside of the contractual control limits (20% RPD). For soil samples, however, the technical control limit of 35% RPD was not exceeded for this analyte. The affected data were not qualified during validation.

Field duplicate results for unfiltered aqueous samples MCQY09 and MCQY10 and for filtered aqueous samples MCQA80 and MCQA81 were within the control limits (20% RPD,  $\pm$  CRDL). Field duplicate results for the soil samples MCQY41 and MCQY42 were within the technical control limits of 35% RPD or  $\pm$  2X CRDL.

Soil sample reported results are calculated on the basis of the raw data values (in  $\mu\text{g}/\text{L}$ ), the gram weight of sample used, the volume of the digestate, and the %solids according to the following equation:

$$\text{mg/Kg} = \frac{(\text{raw value, } \mu\text{g/L})(\text{digestate volume, L})}{(\text{weight, g})(\%\text{solids}/100)}$$

To obtain quantitation limits, insert the IDL (Form X) for the raw value; refer to Form XIII to obtain each sample preparation weight and volume used. The quantitation limits thus obtained are specific for each sample and preparation method.

The data were reviewed in accordance with the National Functional Guidelines for Evaluating Inorganic Analyses, with modifications for use within Region III.

AR312323

EPA202942A

**INFORMATION REGARDING REPORT CONTENT**

Table 1A is a summary of qualifiers added to the laboratory's results during evaluation.

**ATTACHMENTS**

TABLE 1A            SUMMARY OF QUALIFIERS ON DATA SUMMARY AFTER DATA VALIDATION

TABLE 1B            CODES USED IN COMMENTS COLUMN

TABLE 2            GLOSSARY OF DATA QUALIFIER CODES

TABLE 3            DATA SUMMARY FORMS

APPENDIX A        RESULTS REPORTED BY LABORATORY FORM IS

APPENDIX B        TPO REPORT

APPENDIX C        SUPPORT DOCUMENTATION

MH406012.KSS

AR312324

EPA202943

**TABLE 1A**  
**SUMMARY OF QUALIFIERS ON DATA SUMMARY**  
**AFTER DATA VALIDATION**

<b>ANALYTE SDG#</b>	<b>SAMPLES AFFECTED</b>	<b>NON- POSITIVE DETECTED VALUES VALUES</b>		<b>BIAS</b>	<b>COMMENTS*</b>
		<b>B</b>	<b>UL</b>		
Al MCQA71	MCQA71-MCQA76, MCQA78- MCQA84, MCQA86, MCQA87, MCQY55-MCQY57	B		HIGH	A (34.2 µg/L)
	MCQA77	B		HIGH	B (20.5 µg/L)
MCQA88	MCQA88-MCQA91, MCQA94- MCQA96, MCQA98, MCQA99	B		HIGH	A (34.2 µg/L)
Sb MCQX79	MCQX79, MCQX80, MCQX82	B		C	(13.6 µg/L)
	MCQX81, MCQX83-MCQX86, MCQY53, MCQY54		UL	LOW	E (52.9%)
	MCQY33	MCQY33-MCQY35, MCQY38, MCQY45, MCQY48, MCQY52	B	HIGH	B (3.69 mg/Kg) D (53.7%, 111.7%)
	MCQY36, MCQY37, MCQY39- MCQY44, MCQY46, MCQY47, MCQY49-MCQY51		UL	LOW	E (53.7%)
As MCQY00	All samples	L	UL	LOW	F (86.2%)
	MCQY18	All samples	UL	LOW	F (84.1%, 87.9%)
	MCQA71	All samples	UL	LOW	F (84.1%, 87.9%, 89.1%)
	MCQA88	All samples	UL	LOW	F (86.3%)
	MCQX79	All samples	L	LOW	F (85.6%, 88.9%, 76.4%)
	MCQY33	MCQY33-MCQY39, MCQY41, MCQY42, MCQY44-MCQY52	L	LOW	F (78.8%, 80.0%)
Be MCQY18	MCQY19, MCQY22-MCQY27, MCQY29	B		HIGH	C (0.2 µg/L)

\* See explanation of Comments on Table 1B.

AR312325

EPA202943A

**TABLE 1A**  
**SUMMARY OF QUALIFIERS ON DATA SUMMARY**  
**AFTER DATA VALIDATION**

<u>ANALYTE</u>	<u>SDG#</u>	<u>SAMPLES AFFECTED</u>	<u>NON- POSITIVE DETECTED VALUES</u>	<u>DETECTED VALUES</u>	<u>BIAS</u>	<u>COMMENTS*</u>
Cd	MCQX79	All samples		UJ	G	(88.3%, 114%)
	MCQY33	All samples		UJ	G	(88.3%, 114%)
Ca	MCQY00	MCQY05, MCQY21	B		HIGH B	(12.9 µg/L)
	MCQY18	MCQY32	B		HIGH B	(12.8 µg/L)
Cu	MCQY00	MCQY05-MCQY10, MCQY12, MCQY17	B		HIGH C	(1.2 µg/L)
	MCQY18	All samples	B		HIGH C	(1.2 µg/L)
Fe	MCQA71	MCQA71, MCQA72, MCQA76, MCQA82, MCQA84, MCQA85, MCQA87, MCQY56, MCQY57	B		HIGH A	(4.8 µg/L)
	MCQA88	MCQA88-MCQA91, MCQA93- MCQA99	B		HIGH A	(4.8 µg/L)
Fe	MCQY00	MCQY05, MCQY21	B		HIGH B	(12.5 µg/L)
	MCQA71	MCQA73-MCQA75, MCQA79 MCQA83, MCQY55, MCQY56	B		HIGH A	(17.9 µg/L)
Fe		MCQA77	B		HIGH B	(8.4 µg/L)
	MCQA88	MCQA88-MCQA91, MCQA93, MCQA94, MCQA96-MCQA99	J		H	(16.3%)
Pb		MCQA92	B		HIGH B	(11.6 µg/L)
		MCQA95	B		HIGH A	(17.9 µg/L)
					H	(16.3%)
Pb	MCQY00	MCQY01-MCQY10, MCQY12, MCQY13, MCQY17, MCQY20, MCQY21	L	UL	LOW F	(88.0%, 80.8%)

See explanation of Comments on Table 1B.

AR312326

EPA202944

**TABLE 1A**  
**SUMMARY OF QUALIFIERS ON DATA SUMMARY**  
**AFTER DATA VALIDATION**

<u>ANALYTE</u>	<u>SDG#</u>	<u>SAMPLES AFFECTED</u>	<u>NON- POSITIVE VALUES</u>	<u>DETECTED VALUES</u>	<u>BIAS</u>	<u>COMMENTS*</u>
Pb	MCQY18	MCQY23, MCQY27	K		HIGH I	(113.3%, 118.7%)
	MCQA88	MCQA92	K		HIGH I	(127.0%, 128.5%)
Mg	MCQA88	MCQA92	B		HIGH B	(13.1 µg/L)
Hg	MCQA71	MCQA79-MCQA82, MCQA84, MCQY56, MCQY57	B		HIGH A	(0.31 µg/L)
	MCQA88	MCQA88, MCQA89, MCQA91, MCQA93-MCQA99	B		HIGH A	(0.31 µg/L)
K	MCQY33	MCQY33-MCQY37, MCQY39- MCQY44, MCQY46, MCQY47, MCQY50-MCQY52	B		HIGH B	(82.1 mg/Kg)
	MCQY33	MCQY33, MCQY34, MCQY36- MCQY42, MCQY44-MCQY49, MCQY51, MCQY52	K		HIGH I	(115%, 118%)
Ag	MCQY18	All samples		UL	LOW F	(89.4%)
	MCQX79	MCQX79, MCQX80, MCQX82- MCQX84, MCQY53	B		HIGH C	(3.4 µg/L)
	MCQY33	MCQY33, MCQY34, MCQY37, MCQY43-MCQY45, MCQY48, MCQY49	B		HIGH C	(2.9 µg/L)
Na	MCQY00	MCQY05, MCQY21	B		HIGH B	(35.7 µg/L)
	MCQA71	MCQA77	B		HIGH B	(31.0 µg/L)
	MCQA88	MCQA92	B		HIGH B	(51.8 µg/L)
Tl	MCQY00	MCQY07-MCQY09, MCQY12, MCQY13, MCQY15	B		HIGH C	(5.1 µg/L)
	MCQY18	MCQY19, MCQY24	K		HIGH I	(115.0%)
	MCQA71	MCQA78, MCQA83	K		HIGH I	(115.0%)

\* See explanation of Comments on Table 1B.

AR312327

EPA 202944A

**TABLE 1A**  
**SUMMARY OF QUALIFIERS ON DATA SUMMARY**  
**AFTER DATA VALIDATION**

<b>ANALYTE SDG#</b>	<b>SAMPLES AFFECTED</b>	<b>NON- POSITIVE DETECTED VALUES VALUES</b>		<b>BIAS COMMENTS*</b>
		<b>POSITIVE VALUES</b>	<b>NON- DETECTED VALUES</b>	
Zn MCQY00	MCQY01-MCQY10, MCQY12, MCQY14, MCQY15, MCQY17, MCQY20, MCQY21	B		HIGH B (12.9 µg/L)
	MCQY18 All samples	B		HIGH B (8.0 µg/L)
	MCQA71 All samples	B		HIGH B (17.3 µg/L)
	MCQA88 MCQA88	B		HIGH A (14.7 µg/L)
	MCQA89-MCQA91, MCQA93- MCQA99	B		HIGH A (14.7 µg/L) I (111.2%, 112.3%)
	MCQA92	B		HIGH B (8.6 µg/L) I (111.2%, 112.3%)
	MCQX79 All samples	J		H (39.9%)
	MCQY33 All samples	J		H (123.1%)
CN MCQY00	All samples	L	UL	LOW E (74.0%)
	MCQY33 All samples	J	UJ	J (119.4)

\* See explanation of Comments on Table 1B.

AR312328

EPA202945

TABLE 1B  
CODES USED IN COMMENTS COLUMN

- A = The field blank had a result >IDL (the result is in parentheses) and the reported results were <5x the blank concentration. The reported results may be biased high.
- B = The preparation blank had a result >IDL (the result is in parentheses) and the reported results were <5x the blank concentration. The reported results may be biased high.
- C = The CCB had a result >IDL (the result is in parentheses) and the reported results were <5x the blank concentration. The reported results may be biased high.
- D = The matrix spike recovery was low and the CRDL standard recovery was high (% recoveries are in parentheses), resulting in opposing bias effects. The reported results <2X CRDL are estimated.
- E = The matrix spike recovery was low (% recovery is in parentheses). Quantitation limits and reported results may be biased low.
- F = The CRDL standard recovery was low (% recovery is in parentheses). Quantitation limits and reported results <2X CRDL may be biased low.
- G = CRDL standard recoveries were both high and low (% recoveries are in parentheses). Quantitation limits are estimated.
- H = The ICP serial dilution result was outside of the control limit (the result is in parentheses); quantitation limits and reported results are be estimated.
- I = The CRDL standard recovery was high (% recovery is in parentheses). Reported results <2X CRDL may be biased high.
- J = The laboratory duplicate result was outside of the control limit (actual RPD is in parentheses). Quantitation limits and reported results are estimated.

AR312329

EPA 20294SA

TABLE 2

GLOSSARY OF DATA QUALIFIER CODES (INORGANIC)

CODES RELATED TO IDENTIFICATION

(confidence concerning presence or absence of analytes):

U = Not detected. The associated number indicates approximate sample concentration necessary to be detected.

(NO CODE) = Confirmed identification.

B = Not detected substantially above the level reported in laboratory or field blanks.

R = Unusable result. Analyte may or may not be present in the sample. Supporting data necessary to confirm result.

CODES RELATED TO QUANTITATION

(can be used for both positive results and sample quantitation limits):

J = Analyte Present. Reported value may not be accurate or precise.

K = Analyte present. Reported value may be biased high. Actual value is expected to be lower.

L = Analyte present. Reported value may be biased low. Actual value is expected to be higher.

[] = Analyte present. As values approach the IDL the quantitation may not be accurate.

UJ = Not detected, quantitation limit may be inaccurate or imprecise.

UL = Not detected, quantitation limit is probably higher.

OTHER CODES

Q = No analytical result.

AR312330

EPA202946

## DATA SUMMARY FORM: INORGANICS

Page 1 of 11

Site Name: Keystone Sanitation

Case #: 21843 Sampling Date(s): 04/11/94 - 04/15/94

WATER SAMPLES (ug/L) (UNFILTERED)

SDG MCQY00

233

233

+ Due to dilution, sample quantitation limit is affected.  
See dilution table for specifics.

TABLE 3

Sample No.	MCQY00	MCQY01	MCQY02	MCQY03	MCQY04	MCQY05	MCQY06	MCQY07	MCQY08	MCQY09
Dilution Factor	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
Location	SW/SDSEEP1	SW/SD2	SW/SD3	SW/SD4	SW/SD5	FB-1	SW/SD1	SW/SD19	SW/SDSEER2	SW/SD20
Unfilt. of	Unfilt. of	Unfilt. of	Unfilt. of	Unfilt. of	Unfilt. of	Unfilt. of	Unfilt. of	Unfilt. of	Unfilt. of	Unfilt. of
MCQA71	MCQA72	MCQA73	MCQA74	MCQA75	MCQA77	MCQA76	MCQA78	MCQA79	MCQA80	Field Dup. of MCQY10
ANALYTE					FIELD BLANK.					
200	Aluminum	8740	221	2190	3670	[116]	[146]	230	[91.9]	[142]
60	Antimony									
10	*Arsenic	[2.21]	L	UL	UL	UL	UL	UL	UL	UL
200	Barium	[187]	[104]	[106]	[86.4]	[41.01]	[27.3]	[16.21]	[15.61]	[10.21]
5	Beryllium	[0.53]								
5	*Cadmium									
5000	Calcium	19600	108000	38200	10800	20700	[34.5]	B	22300	12300
10	*Chromium	18.51		[1.61]	[5.1]					
50	Cobalt	215	[36.11]	61.1	[6.11]	[2.01]		[2.51]		
25	Copper	[21.81]	[4.81]	[5.11]	[8.51]	[1.01]	B	[1.91]	B	[2.61]
100	Iron	12600	2860	3400	5670	258	[7.11]	B	420	510
3	*Lead	18.4		UL	.3.0	L	5.0	UL	UL	UL
5000	Magnesium	12300	18300	16900	7160	7950	[33.6]		8710	[47501]
15	Manganese	10000	8590	10400	45.6	442			226	55.2
0.2	Mercury				0.23					56.7
40	*Nickel	54.3	[11.01]	[8.81]	[8.01]					19.6
5000	Potassium	9480	13700	[27601]	[22601]	[21901]	[3340]		[11301]	[10301]
5	Selenium	[3.4]								
10	Silver									
5000	Sodium	77600	61700	20100	7560	12100	[32.31]	B	23600	[48501]
10	Titanium									
	Vanadium	[11.31]			[2.5]	[5.4]				
	Zinc	93.3	59.1	B	43.8	B	[15.61]	B	[4.71]	B
	*Cyanide		UL		UL	UL	UL	UL	UL	UL

Contract Required Detection Limit

SEE NARRATIVE FOR CODE DEFINITIONS

revised 07/90

## DATA SUMMARY FORM: INORGANICS

Page \_\_\_\_\_ 2 of \_\_\_\_\_ 11

Site Name: Keystone Sanitation  
 Case #: 21843 Sampling Date(s): 04/11/94 - 04/15/94  
 SDG MCQY00

TABLE 3

WATER SAMPLES  
(ug/L)

(UNFILTERED)

+ Due to dilution, sample quantitation limit is affected.

See dilution table for specifics.

CRDL	ANALYTE	Sample No.	MCQY10	MCQY11	MCQY12	MCQY13	MCQY14	MCQY15	MCQY16	MCQY17	MCQY20	MCQY21
Dilution Factor		1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
Location	SW/SD25	SW/SD17	SW/SD9	SW/SD7	SW/SD15	SW/SD6	SW/SD8	SW/SD14	SW/SD1	SW/SD21	FB-2	
Unfilt. of		Unfilt. of										
MCQA81	MCQA82	MCQA83	MCQA84	MCQA85	MCQA86	MCQA87	MCQA88	MCQA89	MCQA91	MCQA92	MCQA93	
Field Dup.	of MCQY09											
200   Aluminum		[140]	13200	2320	3370	6600	3340	9370	332	472		
60   Antimony												
10   *Arsenic		UL	[7.3]	L	UL	UL	[2.2]	L	[2.7]	L	UL	UL
200   Barium		[10.1]	[108]	[61.5]	[48.0]	[93.1]	[79.5]	[109]	[27.4]	[21.2]		
5   Beryllium		[0.70]					[0.36]		[0.38]			
5   *Cadmium												
5000   Calcium		13000	11800	7100	17600	10900	8510	20000	8160	14000	[19.4]	B
10   *Chromium			13.0	[2.4]	[4.5]	[5.5]	[2.6]	[2.6]	[9.0]			
50   Cobalt			[20.0]	[4.9]	[4.4]	[9.7]	[8.4]	[13.6]				
25   Copper		[1.3]	B	[23.2]	[5.5]	[9.4]	[11.5]	[9.1]	[15.3]	[5.2]	B	[3.6]
100   Iron		418	30200	3760	6110	11500	6700	17400	593	921	[6.0]	B
3   *Lead		UL	43.0	[2.9]	L	4.2	[1.7]	10.7	9.6	10.5	UL	UL
5000   Magnesium		7380	5300	[4520]	6700	[4910]	[4670]	7570	[3450]	5260		
15   Manganese		18.8	711	203	245	572	219	844	21.3	60.1		
0.2   Mercury												
40   *Nickel			[16.2]		[7.5]			[6.6]	[11.9]			
5000   Potassium		[2130]	[2040]	[1690]	[4790]	[1980]	[2540]	[1650]	[2130]			
5   Selenium												
10   Silver		UL										
5000   Sodium		[5670]	[4140]	[3540]	5310	[2900]	[3720]	5640	[3390]	[4660]	[27.3]	B
Thallium												
Vanadium			[18.5]	B	[3.7]	B	[5.0]	B				
Zinc			[16.1]	B	[112]	[58.6]	[106]	[56.7]	B	[110]	[5.4]	B
Cyanide					UL	UL	[5.3]	L	UL	UL	UL	UL

Contract Required Detection Limit

\*Action Level Exists

SEE NARRATIVE FOR CODE DEFINITIONS  
revised 07/90AR312332  
PA202949

## DATA SUMMARY FORM: INORGANICS

Page 3 of 11

Site Name: Keystone Sanitary Landfill  
 Case #: 21843 Sampling Date(s): 04/11/94 - 04/15/94  
 SDG MCQY18

TABLE 3  
 WATER SAMPLES  
 (UNFILTERED)

MCQY18

+ Due to dilution, sample quantitation limit is affected.  
 See dilution table for specifics.

Sample No.	MCQY18	MCQY19	MCQY22	MCQY23	MCQY24	MCQY25	MCQY26	MCQY27	MCQY28	MCQY29
Dilution Factor	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
Location	SW/SD18	SW/SD24	SW/SD13	SW/SD26	SW/SDEEP3	SW/SDBK	SW/SD12	SW/SD10	SW/SD22	SW/SD27
Unfiltered or Unfiltered of	Unfiltered of									
MCQA89	MCQA90	MCQA93	MCQA94	MCQA95	MCQA96	MCQA97	MCQA98	MCQA99	MCQA99	MCQA99
CRDL ANALYTE										
200   Aluminum	284	899	[63.9]	1520	459	400	1830	1610	[183]	681
60   Antimony										
10   *Arsenic		[UL]	[UL]				[UL]		[UL]	
200   Barium	[15.0]	[31.6]	[30.9]	[49.0]	[101]	[27.7]	[68.7]	[60.5]	[23.1]	[37.3]
5   Beryllium		[0.12]	B	[0.10]	B	[0.14]	B	[0.12]	B	[0.14]
5   *Cadmium										
5000   Calcium	10800	15900	8490	11200	7000	10600	9400	7090	11800	6470
10   *Chromium										
50   Cobalt	[3.0]	[2.1]	[2.2]	[1.8]	[2.6]	[3.7]	[3.0]	[3.2]		
25   Copper	[4.8]	[5.2]	B	[4.9]	B	[4.5]	B	[5.6]	B	[4.5]
100   Iron	513	1610	274	3400	629	892	2340	2530	471	931
3   *Lead										
5000   Magnesium	[290]	5540	[3650]	[3890]	6000	[4110]	[3180]	[4040]	5590	[3690]
15   Manganese	55.8	123	52.2	147	58.2	73.3	448	176	79.0	48.9
0.2   Mercury										
40   *Nickel										
5000   Potassium	[802]	[3890]	[3230]	[3260]	[1270]	[1280]	[3230]	[1170]	5070	[1290]
5   Selenium										
10   Silver										
15000   Sodium	[3280]	6550	[4430]	[4530]	[4480]	10700	[3140]	[3260]	5480	[3990]
Thallium		[3.9]	K		[4.5]	K				
Vanadium										
Zinc	[13.0]	B	20.8	[12.9]	B	20.8	B	21.7	B	21.8
*Cyanide										8.7

Contract Required Detection Limit

\*Action Level Exists

SEE NARRATIVE FOR CODE DEFINITIONS  
revised 0790

EPA202950

AR312333

## DATA SUMMARY FORM: INORGANICS

Page 4 of 11

Site Name: Keystone Sanitary Landfill  
 Case #: 21843 Sampling Date(s): 04/11/94 - 04/15/94  
 SNG MCAY18

TABLE 3  
 WATER SAMPLES  
 (ug/L)  
 (UNFILTERED)

+ Due to dilution, sample quantitation limit is affected.  
 See dilution table for specifics.

Sample No.	MCAY30	MCAY31	MCAY32
Dilution Factor	1.0	1.0	1.0
Location	SW/SD16	SW/SD11	RB-1
Unfiltered of	Unfiltered of		
MCAY56	MCAY55		
		RINSEATE BLANK.	
200	Aluminum	236	[66.2]
60	Antimony		
10	*Arsenic	UL	UL
200	Barium	[21.7]	[41.2]
5	Beryllium		
5	*Cadmium		
5000	Calcium	19000	5210
10	*Chromium		[30.2]
50	Cobalt		B
25	Copper	[4.0]	[2.3]
100	Iron	531	125
3	*Lead		[9.4]
5000	Magnesium	6940	[4440]
15	Manganese	41.3	[8.2]
0.2	Mercury		
40	*Nickel		
5000	Potassium	[2750]	[1720]
5	Selenium		
10	Silver	UL	UL
5000	Sodium	5210	[3130]
	Thallium		[49.4]
	Vanadium		
	Zinc	[16.5]	B
	*Cyanide	7.3	[6.0]

Contract Required Detection Limit

\*Action Level Exists

EPA202951

## Site Name: Keystone Sanitation

Case #: 21843 Sampling Date(s): 04/11/94 - 04/15/94

SDG MCQA71

TABLE 3  
WATER SAMPLES  
( $\mu\text{g/L}$ )  
(FILTERED)

+ Due to dilution, sample quantitation limit is affected.  
See dilution table for specifics.

		Sample No.	MCQA71	MCQA72	MCQA73	MCQA74	MCQA75	MCQA76	MCQA77	MCQA78	MCQA79	MCQA80
Dilution Factor	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
Location	SW/SDSEEP1	SW/SD2	SW/SD3	SW/SD4	SW/SD5	SW/SD6	SW/SD7	FB-1	SW/SD19	SW/SDSEP2	SW/SD20	
Filtered of	MCQA01	MCQA02	MCQA03	MCQA04	MCQA05	MCQA06	MCQA07	MCQA08	MCQA09	MCQA09	MCQA09	
CRDL ANALYTE												
200	Aluminum	[90.2]	B	[54.2]	B	[37.6]	B	[25.1]	B	[47.8]	B	[34.9]
60	Antimony									[34.2]	B	[37.6]
10	*Arsenic											[14.8]
200	Barium	[71.5]		[104]		[35.7]		[61.8]		[14.6]		[9.1]
5	Beryllium											
5	*Cadmium											
5000	Calcium	17800		113000		38600		10900		20100		22600
10	*Chromium											
50	Cobalt	108		[33.7]		[25.2]						
25	Copper	[2.1]	B	[5.2]	B							
100	Iron	[91.6]		231		[59.11]	B	[28.9]		[79.01]	B	[99.8]
3	*Lead											
5000	Magnesium	10900		19300		17100		6940		7770		8880
15	Manganese	6420		8890		7700		[10.0]		415		183
0.2	Mercury	9.2		25.7		1.6		4.2		3.8		1.8
40	*Nickel	[27.3]		[12.0]		[6.4]						
5000	Potassium	7940		14400		[24.10]		[154.0]		[2020]		[3700]
5	Selenium	[4.8]		5.7								
10	Silver											
5000	Sodium	81300		65900		20800		7510		12000		24100
	Tin											
	Vanadium											
Zinc	30.7	B	[12.6]	B	[18.7]	B	[13.5]	B	[12.4]	B	[11.7]	B
Cyanide		Q		Q		Q		Q		Q		Q

\*Action Level Exists

Intract Required Detection Limit

SEE NARRATIVE FOR CODE DEFINITIONS

revised 07/90

## DATA SUMMARY FORM: INORGANICS

Page 6 of 11

Site Name: Keystone Sanitation  
 Case #: 21843 Sampling Date(s): 04/11/94 - 04/15/94  
 SDG MCQA71

TABLE 3

WATER SAMPLES  
(ug/L)  
(FILTERED)

+ Due to dilution, sample quantitation limit is affected.

See dilution table for specifics.

Sample No.	MCQA81	MCQA82	MCQA83	MCQA84	MCQA85	MCQA86	MCQA87	MCQA88	MCQA89	MCQA90	MCQA91	MCQA92	MCQA93	MCQA94	MCQA95	MCQA96	MCQA97		
Dilution Factor	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0		
Location	SI/SD25	SI/SD17	SI/SD9	SI/SD7	SI/SD15	SI/SD6	SI/SD8	SI/SD11	SI/SD16	SI/SD27	SI/SD12	SI/SD10	SI/SD13	SI/SD14	SI/SD18	SI/SD26	SI/SD28		
Filtering	Filtered	Filtered	Filtered	Filtered	Filtered	Filtered	Filtered	Filtered	Filtered	Filtered	Filtered	Filtered	Filtered	Filtered	Filtered	Filtered	Filtered		
CRDL	ANALYTE	MCQA10	MCQA11	MCQA12	MCQA13	MCQA14	MCQA15	MCQA16	MCQA17	MCQA18	MCQA19	MCQA20	MCQA21	MCQA22	MCQA23	MCQA24	MCQA25		
200	Aluminum	[17.5]	B	[106]	B	[49.7]	B	[80.4]	B	[189]	B	[75.6]	B	[127]	B	[22.8]	B	[41.4]	B
60	Antimony																	[119]	B
10	*Arsenic																		UL
200	Barium	[9.2]		[13.1]		[38.0]		[22.2]		[23.4]		[46.3]		[31.4]		[39.1]		[18.6]	[30.9]
5	Beryllium																		UL
5	*Cadmium																		UL
5000	Calcium	13000		8300		6760		16500		9910		7990		18000		5240		19400	6380
10	*Chromium																		
50	Cobalt																		
25	Copper																		
100	Iron	133		248		[79.5]	B	152		450		144		503		[14.0]		[85.8]	B
3	*Lead																		146
5000	Magnesium	7410		[3160]		[4240]		6070		[3890]		5810		[4370]		6860		[3630]	
15	Manganese	[10.3]		119		63.2		41.4		96.0		88.5		427		[7.0]		17.2	22.3
0.2	Mercury	0.84	B	1.1	B	1.6		1.2	B	3.2		1.6		5.6		0.48	B	1.4	B
40	*Nickel																		
5000	Potassium	[2150]		[1280]		[1210]		[4900]		[1910]		[1940]		11700		[1110]		[2900]	[959]
5	Selenium																		
10	Silver																		
	Sodium	5770		[3720]		[3390]		5210		[2690]		[3470]		5560		[2660]		[4890]	[3700]
	Thallium																		
	Vanadium																		
	Zinc	[13.5]	B	[12.7]	B	[15.8]	B	[17.5]	B	[17.3]	B	[18.8]	B	21.1	B	23.1	B	21.1	B
	*Cyanide															q	q	q	q
	Contract Required Detection Limit																		
	*Action Level Exists																		

SEE NARRATIVE FOR CODE DEFINITIONS  
revised 07/90

EPA202953

AR312336

**TABLE 3**  
**WATER SAMPLES**  
( $\mu\text{g/L}$ )  
CENTERED

Case #: 21843 Samonina Date(s): 06/11/84 - 06/15/84

SDC MCBA88

### Contract Required Detection Limit

### \*Action Level Exists

SEE NARRATIVE FOR CODE DEFINITIONS  
REVISED 07/80

## DATA SUMMARY FORM: INORGANICS

TABLE 3

Site Name: Keystone Sanitation  
 Case #: 21843 Sampling Date(s): 04/11/94 - 04/15/94  
 SPC MCQA88

+ Due to dilution, sample quantitation limit is affected.  
 See dilution table for specifics.

CRDL	ANALYTE	Sample No.		MCQA98		MCQA99		MCQA99	
		Dilution Factor	Location	1.0	SW/SD10	1.0	SW/SD22	1.0	SW/SD22
		Filtered of		Filtered of		Filtered of		Filtered of	
200	Aluminum	[88.2]	B	[23.3]	B	[23.3]	B	[23.3]	B
60	Antimony	[16.8]		[16.8]		[16.8]		[16.8]	
10	*Arsenic		UL		UL		UL		UL
200	Barium	[40.0]		[20.5]		[20.5]		[20.5]	
5	Beryllium								
5	*Cadmium								
5000	Calcium	6630		12000		12000		12000	
10	*Chromium								
50	Cobalt								
25	Copper	[1.3]	B	[2.7]	B	[2.7]	B	[2.7]	B
100	Iron	126	J	[92.8]	J	[92.8]	J	[92.8]	J
3	*Lead								
5000	Magnesium	[3940]		5670		5670		5670	
15	Manganese	27.6		50.6		50.6		50.6	
0.2	Mercury	0.56	B	0.62	B	0.62	B	0.62	B
40	*Nickel								
5000	Potassium	[1020]		5030		5030		5030	
5	Selenium								
10	Silver								
5000	Sodium	[3260]		5380		5380		5380	
	Thallium								
	Vanadium			[1.8]		[1.8]		[1.8]	
	Zinc	[19.8]	B	[15.3]	B	[15.3]	B	[15.3]	B
	Cyanide	Q		Q		Q		Q	

Intract Required Detection Limit

\*Action Level Exists

SEE NARRATIVE FOR CODE DEFINITIONS

revised 07/90

Site Name: Keystone Sanitation

Case #: 21843 Sampling Date(s): 04/11/94 - 04/15/94

SDG MCQX79

TABLE 3  
SOIL SAMPLES  
(mg/kg)

+ Due to dilution, sample quantitation limit is affected.  
See dilution table for specifics.

		Sample No.	MCQX79	MCQX80	MCQX81	MCQX82	MCQX83	MCQX84	MCQX85	MCQX86	MCQY53	MCQY54
	Dilution Factor	[1.0]	[1.0]	[1.0]	[1.0]	[1.0]	[1.0]	[1.0]	[1.0]	[1.0]	[1.0]	[1.0]
% Solids	[49.5]	[47.6]	[25.4]	[45.9]	[42.2]	[29.9]	[36.5]	[29.6]	[28.1]	[28.1]	[29.7]	[29.7]
Location	SH/SD SEEP 3	SH/SD 10	SH/SD BK	SH/SD 16	SH/SD 27	SH/SD 12	SH/SD 22	SH/SD 11	SH/SD 13	SH/SD 11	SH/SD 13	SH/SD 26
CRDL ANALYTE												
40 Aluminum	11100	13900	13800	13000	11700	12800	13400	13400	8750	10900	13100	13100
12 Antimony	[8.0]	B	[8.5]	B	[7.1]	B	[U]	[U]	[U]	[U]	[U]	[U]
2 Arsenic	[1.8]	L	[4.7]	L	[5.8]	L	[1.9]	L	[3.9]	L	[4.3]	L
40 Barium	120	128	[136]	[77.2]	[84.2]	[74]	[100]	[104]	[104]	[174]	[174]	[190]
1 Beryllium	[0.61]	[0.62]	[0.7]	[0.47]	[0.65]	[0.57]	[0.42]	[0.42]	[0.56]	[0.57]	[0.57]	[0.65]
1 Cadmium	[U]	[U]	[U]	[U]	[U]	[U]	[U]	[U]	[U]	[U]	[U]	[U]
1000 Calcium	[85.8]	3260	6340	7590	[1100]	[2610]	2860	[1400]	[1400]	[1400]	[1400]	[18300]
2 Chromium	11.7	14.6	20.4	16.4	13.6	11.9	16.5	14.8	12.7	12.7	12.6	[12.6]
10 Cobalt	[13.7]	[21.6]	[31.5]	[20.0]	[18.4]	[30.9]	[19.4]	[21.6]	[19.5]	[19.5]	[19.5]	[20.3]
5 Copper	[12.1]	[12.6]	[30.7]	[18.7]	[14.3]	[13.6]	[21.1]	[14.7]	[15.5]	[15.5]	[15.5]	[16.6]
20 Iron	17300	23100	35100	31500	21400	24200	31200	21600	25400	25400	27100	27100
0.6 *Lead	[16.7]	[23.9]	[28.2]	[17.8]	[20.8]	[13.4]	[19.4]	[25.1]	[20.9]	[20.9]	[20.9]	[20.2]
1000 Magnesium	[1200]	[1930]	[3470]	[4190]	[1870]	[1700]	[3320]	[1330]	[1440]	[1440]	[1510]	[1510]
3 Manganese	185	1080	1980	759	433	2070	913	297	760	760	760	769
0.1 Mercury												
8 Nickel	[13.3]	[16.8]	[31.8]	[17.5]	[16.0]	[11.5]	[20.0]	[16.1]	[15.5]	[15.5]	[15.5]	[15.7]
1000 Potassium	[579]	[767]	[809]	[390]	[677]	[969]	[490]	[264]	[783]	[783]	[783]	[637]
1 Selenium	[1.4]	[1.5]	[1.5]									
2 Silver	[0.75]	B	[1.1]	B	[0.85]	B	[0.88]	B	[1.9]	B	[2.11]	B
1000 Sodium	[1011]	[107]	[218]	[83.8]	[101]	[103]	[129]	[116]	[177]	[177]	[177]	[232]
Hallium												
1 Vanadium	[14.5]	20.5	[20.0]	[16.1]	[15.5]	[18.2]	[15.6]	[12.3]	[15.8]	[15.8]	[17.5]	[17.5]
EPA202956 Inc	[55.8]	J	[74.9]	J	[95.5]	J	[88.4]	J	[71.8]	J	[74.6]	J
Venide												

\*Action Level Exists

SEE NARRATIVE FOR CODE DEFINITIONS

revised 07/90

AR312339

## DATA SUMMARY FORM: INORGANICS

Page \_\_\_\_\_ 10 of \_\_\_\_\_ 11

TABLE 3  
SOIL SAMPLES  
(mg/Kg)

Site Name: Keystone Sanitation

Sampling Date(s): 04/11/94 - 04/15/94

SDG MCQY33

+ Due to dilution, sample quantitation limit is affected.  
See dilution table for specifics.

CRDL	ANALYTE	Sample No.	MCQY33	MCQY34	MCQY35	MCQY36	MCQY37	MCQY38	MCQY39	MCQY40	MCQY41	MCQY42
4.0	Aluminum	1.0	[1.0]	[1.0]	[1.0]	[1.0]	[1.0]	[1.0]	[1.0]	[1.0]	[1.0]	[1.0]
12	Antimony	[8.2]	B	[6.1]	B	[8.8]	B	[8.8]	UL	[7.5]	B	UL
2	Arsenic	[3.5]	L	[2.1]	L	[3.6]	L	[2.7]	L	[2.7]	L	[4.9]
40	Barium	126	[90.0]	[258]	[132]	[90.1]	[68.6]	[96.0]	[117]	[60.6]	[69.9]	[69.9]
1	Beryllium	[0.61]	[0.72]	[0.59]	[0.70]	[0.53]	[0.72]	[0.53]	[0.53]	[0.84]	[0.30]	[0.35]
1	Cadmium	[1060]	WJ									
1000	Calcium	[5550]	[5470]	[1170]	[4750]	[1170]	[1030]	[1830]	[1640]	[1170]	[1270]	[1270]
2	Chromium	14.1	[20.6]	[14.4]	[20.9]	[14.7]	[16.7]	[15.4]	[23.4]	[12.0]	[14.8]	[14.8]
10	Cobalt	[149]	[36.1]	[125]	[118.4]	[24.1]	[25.1]	[20.9]	[33.3]	[12.3]	[14.9]	[14.9]
5	Copper	[18.0]	[34.9]	[18.6]	[29.5]	[19.4]	[27.7]	[18.4]	[22.1]	[22.1]	[27.1]	[27.1]
20	Iron	[19200]	[38400]	[24700]	[30000]	[23800]	[36100]	[28300]	[37700]	[21300]	[27200]	[27200]
0.6	*Lead	[16.9]	[35.9]	[26.3]	[38.0]	[22.2]	[20.7]	[24.0]	[28.5]	[15.8]	[20.1]	[20.1]
1000	Magnesium	[2130]	[5050]	[2830]	[2930]	[3780]	[2560]	[2490]	[12770]	[2570]	[3040]	[3040]
3	Manganese	[3470]	[899]	[9420]	[9420]	[197]	[1010]	[633]	[1140]	[808]	[331]	[379]
0.1	Mercury					[0.30]						
8	Nickel	[37.1]	[29.5]	[19.6]	[23.6]	[16.9]	[21.9]	[15.1]	[21.2]	[14.0]	[15.9]	[15.9]
1000	Potassium	[753]	B	[867]	B	[961]	B	[892]	B	[1190]	B	[551]
1	Selenium	[1.7]	K	[1.4]	K	[2.1]	K	[1.8]	K	[2.0]	K	[1.6]
2	Silver	[1.7]	B	[0.97]	B	[0.97]	B	[184]	[1191]	[150]	[142]	[142]
1000	Sodium	[282]	[173]	[182]	[197]	[145]						
2	Thallium											
anadium	anadium	[14.4]	[15.4]	[17.7]	[22.7]	[15.0]	[18.6]	[27.1]	[12.0]	[15.1]	[15.1]	[15.1]
inc	inc	[76.2]	J	[113]	J	[88.9]	J	[80.9]	J	[65.9]	J	[81.0]
vanide	vanide		UJ		UJ		UJ		UJ		UJ	

tract Required Detection Limit

\*Action Level Exists

SEE NARRATIVE FOR CODE DEFINITIONS

revised 07/90

EPA202957  
091

AR3 | 2340

TABLE 3  
SOIL SAMPLES  
(mg/Kg)

Site Name: Keystone Sanitation

Case #: 21843 Sampling Date(s): 04/11/94 - 04/15/94

SDG MCQY33

+ Due to dilution, sample quantitation limit is affected.  
See dilution table for specifics.

CRDL	ANALYTE	Sample No.	MCQY43	MCQY44	MCQY45	MCQY46	MCQY47	MCQY48	MCQY49	MCQY50	MCQY51	MCQY52
40	Aluminum	Dilution Factor	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
12	Antimony	% Solids	29.2	45.1	49.7	34.9	38.8	40.6	47.6	37.5	48.8	48.1
		Location	SW/SD17	SW/SD9	SW/SD7	SW/SD15	SW/SD8	SW/SD6	SW/SD14	SW/SD18	SW/SD24	SW/SD21
40	Lead											
12	Cadmium											
1000	calcium											
2	chromium											
10	cobalt											
5	copper											
20	Iron											
0.6	*Lead											
1000	Magnesium											
3	Manganese											
0.1	Mercury											
8	Nickel											
1000	Potassium											
1	Selenium											
2	Silver											
---	Sodium											
	Thallium											
	Vanadium											
	Zinc											
	Cyanide											

ntract Required Detection Limit

\*Action Level Exists

SEE NARRATIVE FOR CODE DEFINITIONS

revised 07/90

**APPENDIX A**

**RESULTS REPORTED BY LABORATORY**

**FORM IS**

AR312342

EPA202960

**APPENDIX A**  
**RESULTS REPORTED BY LABORATORY**  
**FORM Is**  
**SDG MCQY00**

AR312343

00004

EPA SAMPLE NO.

## INORGANIC ANALYSES DATA SHEET

Lab Name: ITAE\_PITTSBURGH

Contract: 68-02-0044

MCQY00

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQY00

Matrix (soil/water): WATER

Lab Sample ID: MCQY00

Level (low/med): LOW

Date Received: 04/15/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): ug/L

CAS No.	Analyte	Concentration	Cl	Q	M	P
17429-90-5	Aluminum	87401	I	I	P	
17440-36-0	Antimony	13.2101	I	P		
17440-38-2	Arsenic	2.21B1	I	P		
17440-39-3	Barium	1871B1	I	P		
17440-41-7	Beryllium	0.531B1	I	P		
17440-43-9	Cadmium	2.6101	I	P		
17440-70-2	Calcium	196001	I	P		
17440-47-3	Chromium	8.51B1	I	P		
17440-48-4	Cobalt	2151	I	P		
17440-50-8	Copper	21.81B1	I	P		
17439-89-6	Iron	126001	I	P		
17439-92-1	Lead	18.41	I	P		
17439-95-4	Magnesium	123001	I	P		
17439-96-5	Manganese	100001	I	P		
17439-97-6	Mercury	0.20101	I	CV		
17440-02-0	Nickel	54.31	I	P		
17440-09-7	Potassium	94801	I	P		
17782-49-8	Selenium	3.41B1	I	P		
17440-22-4	Silver	1.9101	I	P		
17440-23-5	Sodium	776001	I	P		
17440-28-0	Thallium	3.7101	I	P		
17440-62-3	Vanadium	11.31B1	I	P		
17440-66-6	Zinc	93.31	I	P		
	Cyanide	5.0101	N	AS		

Color Before: BROWN

Clarity Before: CLOUDY

Texture: \_\_\_\_\_

Color After: BROWN

Clarity After: CLOUDY

Artifacts: \_\_\_\_\_

Comments: \_\_\_\_\_

J00005

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

Lab Name: ITAS\_PITTSBURGH

Contract: 68-02-0044

MCQY01

Lab Code: ITFA

Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No.: MCQY00

Matrix (soil/water): WATER

Lab Sample ID: MCQY01

Level (low/med): LOW

Date Received: 04/15/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): ug/L

CAS No.	Analyte	Concentration	C	Q	M	P
17429-90-5	Aluminum	221	I	I	I	P
17440-36-0	Antimony	13.21	I	I	I	P
17440-38-2	Arsenic	2.21	I	I	I	P
17440-39-3	Barium	1041	I	I	I	P
17440-41-7	Beryllium	0.101	I	I	I	P
17440-43-9	Cadmium	2.61	I	I	I	P
17440-70-2	Calcium	108000	I	I	I	P
17440-47-3	Chromium	1.51	I	I	I	P
17440-48-4	Cobalt	36.11	I	I	I	P
17440-50-8	Copper	4.81	I	I	I	P
17439-89-6	Iron	2860	I	I	I	P
17439-92-1	Lead	1.41	I	I	I	P
17439-95-4	Magnesium	18300	I	I	I	P
17439-96-5	Manganese	8590	I	I	I	P
17439-97-6	Mercury	0.201	I	I	I	CV
17440-02-0	Nickel	11.01	I	I	I	P
17440-09-7	Potassium	13700	I	I	I	P
17782-49-2	Selenium	3.01	I	I	I	P
17440-22-4	Silver	1.91	I	I	I	P
17440-23-5	Sodium	61700	I	I	I	P
17440-28-0	Thallium	3.71	I	I	I	P
17440-62-2	Vanadium	1.51	I	I	I	P
17440-66-6	Zinc	59.1	I	I	I	P
	Cyanide	5.01	I	I	N	IASI

Color Before: COLORLESS

Clarity Before: CLOUDY

Texture: \_\_\_\_\_

Color After: COLORLESS

Clarity After: CLOUDY

Artifacts: \_\_\_\_\_

Comments:

AR312345

EPA202961A

## INORGANIC ANALYSES DATA SHEET

Lab Name: ITAS PITTSBURGH \_\_\_\_\_

Contract: 68-DE-0044

MCQY02

Lab Code: ITPA \_\_\_\_\_

Case No.: 21843 \_\_\_\_\_

SAS No.: \_\_\_\_\_

SDG No.: MCQY00

Matrix (soil/water): WATER

Lab Sample ID: MCQY02

Level (low/med): LOW

Date Received: 04/15/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	C	Q	IM
17429-90-5	Aluminum	21901	I	P	
17440-36-0	Antimony	13.21U1	I	P	
17440-38-2	Arsenic	2.21U1	I	P	
17440-39-3	Barium	1061B1	I	P	
17440-41-7	Beryllium	0.101U1	I	P	
17440-43-9	Cadmium	2.61U1	I	P	
17440-70-2	Calcium	382001	I	P	
17440-47-3	Chromium	1.61B1	I	P	
17440-48-4	Cobalt	61.11	I	P	
17440-50-8	Copper	5.11B1	I	P	
17439-89-6	Iron	34001	I	P	
17439-92-1	Lead	3.01	I	P	
17439-95-4	Magnesium	169001	I	P	
17439-96-5	Manganese	104001	I	P	
17439-97-6	Mercury	0.201U1	I	CV	
17440-02-0	Nickel	8.81B1	I	P	
17440-09-7	Potassium	27601B1	I	P	
17782-49-2	Selenium	3.01U1	I	P	
17440-22-4	Silver	1.91U1	I	P	
17440-23-5	Sodium	201001	I	P	
17440-28-0	Thallium	3.71U1	I	P	
17440-62-2	Vanadium	2.51B1	I	P	
17440-66-6	Zinc	43.81	I	P	
	Cyanide	5.01U1	N	IASI	

Color Before: COLORLESS

Clarity Before: CLOUDY

Texture: \_\_\_\_\_

Color After: COLORLESS

Clarity After: CLOUDY

Artifacts: \_\_\_\_\_

Comments:

J00007

EPA SAMPLE NO.

## INORGANIC ANALYSES DATA SHEET

Lab Name: ITAG\_PITTSBURGH Contract: 68-DE-0044 MCQY03

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQY00

Matrix (soil/water): WATER Lab Sample ID: MCQY03

Level (low/med): LOW Date Received: 04/15/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	C	Q	M	P
17429-90-5	Aluminum	36701	I	I	I	I
17440-36-0	Antimony	13.21	U	I	I	I
17440-38-2	Arsenic	2.21	U	I	I	I
17440-39-3	Barium	86.41	B	I	I	I
17440-41-7	Beryllium	0.101	U	I	I	I
17440-43-9	Cadmium	2.61	U	I	I	I
17440-70-2	Calcium	109001	I	I	I	I
17440-47-3	Chromium	5.11	B	I	I	I
17440-48-4	Cobalt	6.11	B	I	I	I
17440-50-8	Copper	8.51	B	I	I	I
17439-89-6	Iron	56701	I	I	I	I
17439-92-1	Lead	5.01	I	I	I	I
17439-95-4	Magnesium	71601	I	I	I	I
17439-96-5	Manganese	45.61	I	I	I	I
17439-97-6	Mercury	0.231	I	C	V	I
17440-02-0	Nickel	8.01	B	I	I	I
17440-09-7	Potassium	22601	B	I	I	I
17782-49-2	Selenium	3.01	U	I	I	I
17440-22-4	Silver	1.91	U	I	I	I
17440-23-5	Sodium	73601	I	I	I	I
17440-28-0	Thallium	3.71	U	I	I	I
17440-62-2	Vanadium	5.41	B	I	I	I
17440-66-6	Zinc	37.41	I	I	I	I
	Cyanide	5.01	U	N	A	S

Color Before: COLORLESS Clarity Before: CLOUDY Texture: \_\_\_\_\_

Color After: COLORLESS Clarity After: CLOUDY Artifacts: \_\_\_\_\_

Comments:

J00008

U.S. EPA - CLP

EPA SAMPLE NO.

## INORGANIC ANALYSES DATA SHEET

Lab Name: ITAS\_PITTSBURGH

Contract: 68-DE-0044

MCQY04

Lab Code: ITPA

Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No.: MCQY00

Matrix (soil/water): WATER

Lab Sample ID: MCQY04

Level (low/med): LOW

Date Received: 04/15/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): ug/L

CAS No.	Analyte	Concentration	C	Q	IM
17429-90-5	Aluminum	1161B1			IP
17440-36-0	Antimony	13.21U1			IP
17440-38-2	Arsenic	2.21U1			IP
17440-39-3	Barium	41.01B1			IP
17440-41-7	Beryllium	0.101U1			IP
17440-43-9	Cadmium	2.61U1			IP
17440-70-2	Calcium	207001			IP
17440-47-3	Chromium	1.51U1			IP
17440-48-4	Cobalt	2.01B1			IP
17440-50-8	Copper	0.901U1			IP
17439-89-6	Iron	2581			IP
17439-92-1	Lead	1.41U1			IP
17439-95-4	Magnesium	79501			IP
17439-96-5	Manganese	4421			IP
17439-97-6	Mercury	0.201U1			CV
17440-02-0	Nickel	5.91U1			IP
17440-09-7	Potassium	21901B1			IP
17782-49-2	Selenium	3.01U1			IP
17440-22-4	Silver	1.91U1			IP
17440-23-5	Sodium	121001			IP
17440-28-0	Thallium	3.71U1			IP
17440-62-2	Vanadium	1.51U1			IP
17440-66-6	Zinc	15.61B1			IP
	Cyanide	5.01U1	N		IAS

Color Before: COLORLESS

Clarity Before: CLEAR

Texture: \_\_\_\_\_

Color After: COLORLESS

Clarity After: CLEAR

Artifacts: \_\_\_\_\_

Comments:

FORM T IN  
AR312348

ILM02.1

RPA202963

J0009

## INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

Lab Name: ITAS\_PITTSBURGH

Contract: 68-DE-0044

MCQY05

Lab Code: ITPA

Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No.: MCQY00

Matrix (soil/water): WATER

Lab Sample ID: MCQY05

Level (low/med): LOW

Date Received: 04/15/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): ug/L

CAS No.	Analyte	Concentration (C)	Q	M
17429-90-5	Aluminum	10.9	I	P
17440-36-0	Antimony	13.2	I	P
17440-38-2	Arsenic	2.2	I	P
17440-39-3	Barium	0.60	I	P
17440-41-7	Beryllium	0.10	I	P
17440-43-9	Cadmium	2.6	I	P
17440-70-2	Calcium	34.5	I	P
17440-47-3	Chromium	1.5	I	P
17440-48-4	Cobalt	1.6	I	P
17440-50-8	Copper	1.0	I	P
17439-89-6	Iron	7.1	I	P
17439-92-1	Lead	1.4	I	P
17439-95-4	Magnesium	33.6	I	P
17439-96-5	Manganese	0.50	I	P
17439-97-6	Mercury	0.20	I	CV
17440-02-0	Nickel	5.9	I	P
17440-09-7	Potassium	244	I	P
17782-49-2	Selenium	3.0	I	P
17440-22-4	Silver	1.9	I	P
17440-23-5	Sodium	32.3	I	P
17440-28-0	Thallium	3.7	I	P
17440-62-2	Vanadium	1.5	I	P
17440-66-6	Zinc	4.7	I	P
	Cyanide	5.0	I	AS

Color Before: COLORLESS

Clarity Before: CLEAR

Texture: \_\_\_\_\_

Color After: COLORLESS

Clarity After: CLEAR

Artifacts: \_\_\_\_\_

Comments:

EPA SAMPLE NO.

## INORGANIC ANALYSES DATA SHEET

Lab Name: ITAS\_PITTSBURGH Contract: 6B-D2-0044 MCQY06

Lab Code: ITPA Case No.: E1843 SAS No.: SDG No.: MCQY00

Matrix (soil/water): WATER Lab Sample ID: MCQY06

Level (low/med): LOW

Date Received: 04/15/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): ug/L

CAS No.	Analyte	Concentration	CL	Q	IM	IP
17429-90-5	Aluminum	146	IBI			IP
17440-36-0	Antimony	13.2	IUI			IP
17440-38-2	Arsenic	2.2	IUI			IP
17440-39-3	Barium	27.3	IBI			IP
17440-41-7	Beryllium	0.10	IUI			IP
17440-43-9	Cadmium	2.6	IUI			IP
17440-70-2	Calcium	22300	I			IP
17440-47-3	Chromium	1.5	IUI			IP
17440-48-4	Cobalt	2.5	IBI			IP
17440-50-8	Copper	1.9	IBI			IP
17439-89-6	Iron	420	I			IP
17439-92-1	Lead	1.4	IUI			IP
17439-95-4	Magnesium	8710	I			IP
17439-96-5	Manganese	226	I			IP
17439-97-6	Mercury	0.20	IUI			ICVI
17440-02-0	Nickel	5.9	IUI			IP
17440-09-7	Potassium	3340	IBI			IP
17782-49-2	Selenium	3.0	IUI			IP
17440-22-4	Silver	1.9	IUI			IP
17440-23-5	Sodium	23600	I			IP
17440-28-0	Thallium	3.7	IUI			IP
17440-62-2	Vanadium	1.5	IUI			IP
17440-66-6	Zinc	26.1	I			IP
	Cyanide	5.0	IUI	N	IASI	

Color Before: COLORLESS Clarity Before: CLEAR Texture: \_\_\_\_\_

Color After: COLORLESS Clarity After: CLEAR Artifacts: \_\_\_\_\_

Comments: \_\_\_\_\_

J0011

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

MCQY07

Lab Name: ITAG PITTSBURGH Contract: 68-DE-0044

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQY00

Matrix (soil/water): WATER Lab Sample ID: MCQY07

Level (low/med): LOW Date Received: 04/15/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): ug/L

CAS No.	Analyte	Concentration	Q	M
17429-90-5	Aluminum	230	I	P
17440-36-0	Antimony	13.21	U	P
17440-38-2	Arsenic	2.21	U	P
17440-39-3	Barium	16.21	B	P
17440-41-7	Beryllium	0.10	U	P
17440-43-9	Cadmium	2.61	U	P
17440-70-2	Calcium	12300	I	P
17440-47-3	Chromium	1.51	U	P
17440-48-4	Cobalt	1.61	U	P
17440-50-8	Copper	2.61	B	P
17439-89-6	Iron	510	I	P
17439-92-1	Lead	1.41	U	P
17439-95-4	Magnesium	4750	B	P
17439-96-5	Manganese	55.21	I	P
17439-97-6	Mercury	0.20	U	CV
17440-02-0	Nickel	5.91	U	P
17440-09-7	Potassium	1130	B	P
17782-49-2	Selenium	3.01	U	P
17440-22-4	Silver	1.91	U	P
17440-23-5	Sodium	4850	B	P
17440-28-0	Thallium	7.31	B	P
17440-62-2	Vanadium	1.51	U	P
17440-66-6	Zinc	29.71	I	P
	Cyanide	5.01	U	N
				AS

Color Before: COLORLESS Clarity Before: CLEAR Texture: \_\_\_\_\_

Color After: COLORLESS Clarity After: CLEAR Artifacts: \_\_\_\_\_

Comments:

---



---



---



---

J00012

EPA SAMPLE NO.

## INORGANIC ANALYSES DATA SHEET

Lab Name: ITAS\_PITTSBURGH

Contract: 68-02-0044

MCQY08

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQY00

Matrix (soil/water): WATER

Lab Sample ID: MCQY08

Level (low/med): LOW

Date Received: 04/15/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): ug/L

CAS No.	Analyte	Concentration	CL	Q	IM
17429-90-5	Aluminum	91.91B1			IP
17440-36-0	Antimony	13.21U1			IP
17440-38-2	Arsenic	2.21U1			IP
17440-39-3	Barium	15.61B1			IP
17440-41-7	Beryllium	0.101U1			IP
17440-43-9	Cadmium	2.61U1			IP
17440-70-2	Calcium	1000001			IP
17440-47-3	Chromium	1.51U1			IP
17440-48-4	Cobalt	1.61U1			IP
17440-50-8	Copper	2.91B1			IP
17439-89-6	Iron	1751			IP
17439-92-1	Lead	1.41U1			IP
17439-95-4	Magnesium	48601B1			IP
17439-96-5	Manganese	56.71			IP
17439-97-6	Mercury	0.201U1			ICV
17440-02-0	Nickel	5.91U1			IP
17440-09-7	Potassium	10301B1			IP
17782-49-2	Selenium	3.01U1			IP
17440-22-4	Silver	1.91U1			IP
17440-23-5	Sodium	51201			IP
17440-28-0	Thallium	4.01B1			IP
17440-62-2	Vanadium	1.51U1			IP
17440-66-6	Zinc	24.41			IP
	Cyanide	5.81B1	N		IASI

Color Before: COLORLESS Clarity Before: CLEAR Texture: \_\_\_\_\_

Color After: COLORLESS Clarity After: CLEAR Artifacts: \_\_\_\_\_

Comments: \_\_\_\_\_

AR312352

J00013

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

Lab Name: ITAS PITTSBURGH Contract: 68-DE-0044

MCQY09

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQY00

Matrix (soil/water): WATER Lab Sample ID: MCQY09

Level (low/med): LOW Date Received: 04/15/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	Q	M
17429-90-5	Aluminum	1421B1	IP	
17440-36-0	Antimony	13.21U1	IP	
17440-38-2	Arsenic	2.21U1	IP	
17440-39-3	Barium	10.21B1	IP	
17440-41-7	Beryllium	0.101U1	IP	
17440-43-9	Cadmium	2.61U1	IP	
17440-70-2	Calcium	130001	IP	
17440-47-3	Chromium	1.51U1	IP	
17440-48-4	Cobalt	1.61U1	IP	
17440-50-8	Copper	3.41B1	IP	
17439-89-6	Iron	4141	IP	
17439-92-1	Lead	1.41U1	IP	
17439-95-4	Magnesium	73101	IP	
17439-96-5	Manganese	19.61	IP	
17439-97-6	Mercury	0.201U1	ICV	
17440-02-0	Nickel	5.91U1	IP	
17440-09-7	Potassium	20801B1	IP	
17782-49-2	Selenium	3.01U1	IP	
17440-22-4	Silver	1.91U1	IP	
17440-23-5	Sodium	58701	IP	
17440-28-0	Thallium	4.01B1	IP	
17440-62-2	Vanadium	1.51U1	IP	
17440-66-6	Zinc	40.31	IP	
	Cyanide	5.01U1	N	IASI

Color Before: COLORLESS Clarity Before: CLEAR Texture: \_\_\_\_\_

Color After: COLORLESS Clarity After: CLEAR Artifacts: \_\_\_\_\_

Comments:

## INORGANIC ANALYSES DATA SHEET

Lab Name: ITAS\_PITTSBURGH Contract: 68-DE-0044 MCQY10

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQY00

Matrix (soil/water): WATER Lab Sample ID: MCQY10

Level (low/med): LOW Date Received: 04/15/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	C	Q	M
17429-90-5	Aluminum	1401B1			IP
17440-36-0	Antimony	13.21U1			IP
17440-38-2	Arsenic	2.21U1			IP
17440-39-3	Barium	10.11B1			IP
17440-41-7	Beryllium	0.101U1			IP
17440-43-9	Cadmium	2.61U1			IP
17440-70-2	Calcium	130001			IP
17440-47-3	Chromium	1.51U1			IP
17440-48-4	Cobalt	1.61U1			IP
17440-50-8	Copper	1.31B1			IP
17439-89-6	Iron	4181			IP
17439-92-1	Lead	1.41U1			IP
17439-95-4	Magnesium	73801			IP
17439-96-5	Manganese	18.81			IP
17439-97-6	Mercury	0.201U1			ICV
17440-02-0	Nickel	5.91U1			IP
17440-09-7	Potassium	21301B1			IP
17782-49-2	Selenium	3.01U1			IP
17440-22-4	Silver	1.91U1			IP
17440-23-5	Sodium	56701			IP
17440-28-0	Thallium	3.71U1			IP
17440-62-2	Vanadium	1.51U1			IP
17440-66-6	Zinc	16.11B1			IP
	Cyanide	5.01U1	N		IASI

Color Before: COLORLESS Clarity Before: CLEAR Texture: \_\_\_\_\_

Color After: COLORLESS Clarity After: CLEAR Artifacts: \_\_\_\_\_

Comments:

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

MCQY11

Lab Name: ITAS PITTSBURGH Contract: 68-DE-0044

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQY00

Matrix (soil/water): WATER Lab Sample ID: MCQY11

Level (low/med): LOW Date Received: 04/15/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	Q	IM
17429-90-5	Aluminum	132001	IP	
17440-36-0	Antimony	13.2101	IP	
17440-38-2	Arsenic	7.31B1	IP	
17440-39-3	Barium	1081B1	IP	
17440-41-7	Beryllium	0.701B1	IP	
17440-43-9	Cadmium	2.6101	IP	
17440-70-2	Calcium	118001	IP	
17440-47-3	Chromium	13.01	IP	
17440-48-4	Cobalt	20.01B1	IP	
17440-50-8	Copper	23.21B1	IP	
17439-89-6	Iron	302001	IP	
17439-92-1	Lead	43.01	IP	
17439-95-4	Magnesium	53001	IP	
17439-96-5	Manganese	7111	IP	
17439-97-6	Mercury	0.20101	ICV	
17440-02-0	Nickel	16.21B1	IP	
17440-09-7	Potassium	20401B1	IP	
17782-49-2	Selenium	3.0101	IP	
17440-22-4	Silver	1.9101	IP	
17440-23-5	Sodium	41401B1	IP	
17440-28-0	Thallium	3.7101	IP	
17440-62-2	Vanadium	18.51B1	IP	
17440-66-6	Zinc	1121	IP	
	Cyanide	5.0101	N	IASI

Color Before: BROWN Clarity Before: OPAQUE Texture:

Color After: BROWN Clarity After: OPAQUE Artifacts:

Comments:

J00016

EPA SAMPLE NO.

## INORGANIC ANALYSES DATA SHEET

Lab Name: ITAS PITTSBURGH

Contract: 68-DE-0044

MCQY12

Lab Code: ITPA

Case No.: 21843

SAS No.:

SDG No.: MCQY00

Matrix (soil/water): WATER

Lab Sample ID: MCQY12

Level (low/med): LOW

Date Received: 04/15/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): ug/L

CAS No.	Analyte	Concentration	C	Q	M
17429-90-5	Aluminum	23201	I	P	
17440-36-0	Antimony	13.21U1	I	P	
17440-38-2	Arsenic	2.21U1	I	P	
17440-39-3	Barium	61.51B1	I	P	
17440-41-7	Beryllium	0.101U1	I	P	
17440-43-9	Cadmium	2.61U1	I	P	
17440-70-2	Calcium	71001	I	P	
17440-47-3	Chromium	2.41B1	I	P	
17440-48-4	Cobalt	4.91B1	I	P	
17440-50-8	Copper	5.51B1	I	P	
17439-89-6	Iron	37601	I	P	
17439-92-1	Lead	2.91B1	I	P	
17439-95-4	Magnesium	45201B1	I	P	
17439-96-5	Manganese	2031	I	P	
17439-97-6	Mercury	0.201U1	I	CV	
17440-02-0	Nickel	5.91U1	I	P	
17440-09-7	Potassium	16901B1	I	P	
17782-49-2	Selenium	3.01U1	I	P	
17440-22-4	Silver	1.91U1	I	P	
17440-23-5	Sodium	35401B1	I	P	
17440-28-0	Thallium	3.71B1	I	P	
17440-62-2	Vanadium	2.71B1	I	P	
17440-66-6	Zinc	58.61	I	P	
	Cyanide	5.01U1	N	AS1	

Color Before: BROWN

Clarity Before: CLOUDY

Texture: \_\_\_\_\_

Color After: BROWN

Clarity After: CLOUDY

Artifacts: \_\_\_\_\_

Comments:

J00017

EPA SAMPLE NO.

## INORGANIC ANALYSES DATA SHEET

MCQY13

Lab Name: ITAS PITTSBURGH Contract: 6B-DE-0044

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQY00

Matrix (soil/water): WATER Lab Sample ID: MCQY13

Level (low/med): LOW Date Received: 04/15/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	Q	M
17429-90-5	Aluminum	33701	IP	
17440-36-0	Antimony	13.2101	IP	
17440-38-2	Arsenic	2.2101	IP	
17440-39-3	Barium	48.0101	IP	
17440-41-7	Beryllium	0.10101	IP	
17440-43-9	Cadmium	2.6101	IP	
17440-70-2	Calcium	176001	IP	
17440-47-3	Chromium	4.5101	IP	
17440-48-4	Cobalt	4.4101	IP	
17440-50-8	Copper	9.4101	IP	
17439-89-6	Iron	61101	IP	
17439-92-1	Lead	4.21	IP	
17439-95-4	Magnesium	67001	IP	
17439-96-5	Manganese	2451	IP	
17439-97-6	Mercury	0.20101	ICV	
17440-02-0	Nickel	7.5101	IP	
17440-09-7	Potassium	4790101	IP	
17782-49-2	Selenium	3.0101	IP	
17440-22-4	Silver	1.9101	IP	
17440-23-5	Sodium	53101	IP	
17440-28-0	Thallium	3.9101	IP	
17440-62-2	Vanadium	3.8101	IP	
17440-66-6	Zinc	1061	IP	
	Cyanide	5.3101	N	IASI

Color Before: BROWN Clarity Before: CLOUDY Texture:

Color After: BROWN Clarity After: CLOUDY Artifacts:

Comments:

JU0018

EPA SAMPLE NO.

## INORGANIC ANALYSES DATA SHEET

Lab Name: ITAS\_PITTSBURGH

Contract: 68-DE-0044

MCQY14

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQY00

Matrix (soil/water): WATER

Lab Sample ID: MCQY14

Level (low/med): LOW

Date Received: 04/15/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): ug/L

CAS No.	Analyte	Concentration	C	O	M
17440-90-5	Aluminum	66001	I	P	
17440-36-0	Antimony	13.2101	I	P	
17440-38-2	Arsenic	2.2101	I	P	
17440-39-3	Barium	93.1181	I	P	
17440-41-7	Beryllium	0.361B1	I	P	
17440-43-9	Cadmium	2.6101	I	P	
17440-70-2	Calcium	109001	I	P	
17440-47-3	Chromium	5.51B1	I	P	
17440-48-4	Cobalt	9.71B1	I	P	
17440-50-8	Copper	11.51B1	I	P	
17439-89-6	Iron	115001	I	R	
17439-92-1	Lead	10.71	I	P	
17439-95-4	Magnesium	49101B1	I	P	
17439-96-5	Manganese	5721	I	P	
17439-97-6	Mercury	0.20101	I	CV	
17440-02-0	Nickel	5.9101	I	P	
17440-09-7	Potassium	19801B1	I	P	
17782-49-2	Selenium	3.0101	I	P	
17440-22-4	Silver	1.9101	I	P	
17440-23-5	Sodium	29001B1	I	P	
17440-28-0	Thallium	3.7101	I	P	
17440-62-2	Vanadium	7.41B1	I	P	
17440-66-6	Zinc	56.71	I	P	
	Cyanide	5.0101	N	AS	

Color Before: BROWN Clarity Before: CLOUDY Texture: \_\_\_\_\_

Color After: BROWN Clarity After: CLOUDY Artifacts: \_\_\_\_\_

Comments: \_\_\_\_\_

J00019

## INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

MCQY15

Lab Name: ITAS PITTSBURGH Contract: 68-D2-0044

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQY00

Matrix (soil/water): WATER Lab Sample ID: MCQY15

Level (low/med): LOW Date Received: 04/15/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): ug/L

CAS No.	Analyte	Concentration	C	Q	M
17429-90-5	Aluminum	33401	I	P	
17440-36-0	Antimony	13.21	U	I	P
17440-38-2	Arsenic	2.21	B	I	P
17440-39-3	Barium	79.51	B	I	P
17440-41-7	Beryllium	0.10	I	U	P
17440-43-9	Cadmium	2.61	U	I	P
17440-70-2	Calcium	85101	I	P	
17440-47-3	Chromium	2.61	B	I	P
17440-48-4	Cobalt	8.41	B	I	P
17440-50-8	Copper	9.11	B	I	P
17439-89-6	Iron	67001	I	P	
17439-92-1	Lead	9.61	I	P	
17439-95-4	Magnesium	46701	B	I	P
17439-96-5	Manganese	2191	I	P	
17439-97-6	Mercury	0.20	I	U	CV
17440-02-0	Nickel	6.61	B	I	P
17440-09-7	Potassium	25401	B	I	P
17782-49-2	Selenium	3.01	U	I	P
17440-22-4	Silver	1.91	U	I	P
17440-23-5	Sodium	37201	B	I	P
17440-28-0	Thallium	5.01	B	I	P
17440-62-2	Vanadium	4.11	B	I	P
17440-66-6	Zinc	58.01	I	P	
	Cyanide	5.01	U	N	AS

Color Before: BROWN Clarity Before: CLOUDY Texture: \_\_\_\_\_

Color After: BROWN Clarity After: CLOUDY Artifacts: \_\_\_\_\_

Comments:

JJ0020

EPA SAMPLE NO.

## INORGANIC ANALYSES DATA SHEET

Lab Name: ITAS PITTSBURGH Contract: 68-D2-0044 MCQY16

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQY00

Matrix (soil/water): WATER

Lab Sample ID: MCQY16

Level (low/med): LOW

Date Received: 04/15/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): ug/L

CAS No.	Analyte	Concentration	Cl	Q	M	
17429-90-5	Aluminum	93701			IP	
17440-36-0	Antimony	13.21U1			IP	
17440-38-2	Arsenic	2.71B1			IP	
17440-39-3	Barium	1091B1			IP	
17440-41-7	Beryllium	0.381B1			IP	
17440-43-9	Cadmium	2.61U1			IP	
17440-70-2	Calcium	200001			IP	
17440-47-3	Chromium	9.01B1			IP	
17440-48-4	Cobalt	13.61B1			IP	
17440-50-8	Copper	15.31B1			IP	
17439-89-6	Iron	174001			IP	
17439-92-1	Lead	10.51			IP	
17439-95-4	Magnesium	75701			IP	
17439-96-5	Manganese	8441			IP	
17439-97-6	Mercury	0.201U1			ICVI	
17440-02-0	Nickel	11.91B1			IP	
17440-09-7	Potassium	124001			IP	
17782-49-2	Selenium	3.01U1			IP	
17440-22-4	Silver	1.91U1			IP	
17440-23-5	Sodium	56401			IP	
17440-28-0	Thallium	3.71U1			IP	
17440-62-2	Vanadium	11.81B1			IP	
17440-66-6	Zinc	1101			IP	
	Cyanide	5.01U1	N		IASI	

Color Before: BROWN Clarity Before: OPAQUE Texture:

Color After: BROWN Clarity After: OPAQUE Artifacts:

Comments:

J0021

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

Lab Name: ITAS PITTSBURGH Contract: 68-D2-0044

MCQY17

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQY00

Matrix (soil/water): WATER Lab Sample ID: MCQY17

Level (low/med): LOW Date Received: 04/15/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): ug/L

CAS No.	Analyte	Concentration	C	O	M	P
17429-90-5	Aluminum	3321				
17440-36-0	Antimony	13.21	U	I	P	
17440-38-2	Arsenic	2.21	U	I	P	
17440-39-3	Barium	27.41	B	I	P	
17440-41-7	Beryllium	0.10	U	I	P	
17440-43-9	Cadmium	2.61	U	I	P	
17440-70-2	Calcium	81601	I	P		
17440-47-3	Chromium	1.51	U	I	P	
17440-48-4	Cobalt	1.61	U	I	P	
17440-50-8	Copper	5.21	B	I	P	
17439-89-6	Iron	5931	I	P		
17439-92-1	Lead	1.41	U	I	P	
17439-95-4	Magnesium	34501	B	I	P	
17439-96-5	Manganese	21.31	I	P		
17439-97-6	Mercury	0.201	U	I	CV	
17440-02-0	Nickel	5.91	U	I	P	
17440-09-7	Potassium	16501	B	I	P	
17782-49-2	Selenium	3.01	U	I	P	
17440-22-4	Silver	1.91	U	I	P	
17440-23-5	Sodium	33901	B	I	P	
17440-28-0	Thallium	3.71	U	I	P	
17440-62-2	Vanadium	1.51	U	I	P	
17440-66-6	Zinc	24.81	I	P		
	Cyanide	5.01	U	N	AS	

Color Before: COLORLESS Clarity Before: CLEAR Texture: \_\_\_\_\_

Color After: COLORLESS Clarity After: CLEAR Artifacts: \_\_\_\_\_

Comments:

JU0022

EPA SAMPLE NO.

## INORGANIC ANALYSES DATA SHEET

Lab Name: ITAS PITTSBURGH

Contract: 68-D2-0044

MCQY20

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQY00

Matrix (soil/water): WATER

Lab Sample ID: MCQY20

Level (low/med): LOW

Date Received: 04/20/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): ug/L

CAS No.	Analyte	Concentration	CL	Q	M	P
17439-90-5	Aluminum	4721	I		P	
17440-36-0	Antimony	13.21	U	I	P	
17440-36-2	Arsenic	2.21	U	I	P	
17440-39-3	Barium	21.21	B	I	P	
17440-41-7	Beryllium	0.10	U	I	P	
17440-43-9	Cadmium	2.61	U	I	P	
17440-70-2	Calcium	14000	I		P	
17440-47-3	Chromium	1.51	U	I	P	
17440-48-4	Cobalt	3.61	B	I	P	
17440-50-8	Copper	6.11	B	I	P	
17439-89-6	Iron	9211	I		P	
17439-92-1	Lead	1.41	U	I	P	
17439-95-4	Magnesium	52601	I		P	
17439-96-5	Manganese	60.11	I		P	
17439-97-6	Mercury	0.201	U	I	CV	
17440-02-0	Nickel	5.91	U	I	P	
17440-09-7	Potassium	21301	B	I	P	
17782-49-2	Selenium	3.01	U	I	P	
17440-22-4	Silver	1.91	U	I	P	
17440-23-5	Sodium	46601	B	I	P	
17440-28-0	Thallium	3.71	U	I	P	
17440-62-2	Vanadium	2.01	B	I	P	
17440-66-6	Zinc	22.71	I		P	
	Cyanide	5.01	U	N	AS	

Color Before: COLORLESS Clarity Before: CLOUDY Texture:

Color After: COLORLESS Clarity After: CLOUDY Artifacts:

Comments:

J00023

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

MCQY21

Lab Name: ITAS PITTSBURGH Contract: 68-DE-0044

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQY00

Matrix (soil/water): WATER Lab Sample ID: MCQY21

Level (low/med): LOW Date Received: 04/20/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

I	CAS No.	Analyte	Concentration	Q	M	I
I	17429-90-5	Aluminum	10.91	U	I	P
I	17440-35-0	Antimony	13.21	U	I	P
I	17440-38-2	Arsenic	2.21	U	I	P
I	17440-39-3	Barium	0.60	U	I	P
I	17440-41-7	Beryllium	0.10	U	I	P
I	17440-43-9	Cadmium	2.61	U	I	P
I	17440-70-2	Calcium	9.41	B	I	P
I	17440-47-3	Chromium	1.51	U	I	P
I	17440-48-4	Cobalt	1.61	U	I	P
I	17440-50-8	Copper	0.90	U	I	P
I	17439-89-6	Iron	6.01	B	I	P
I	17439-92-1	Lead	1.41	U	I	P
I	17439-95-4	Magnesium	12.11	U	I	P
I	17439-96-5	Manganese	0.50	U	I	P
I	17439-97-6	Mercury	0.20	U	I	CV
I	17440-02-0	Nickel	5.91	U	I	P
I	17440-09-7	Potassium	244	U	I	P
I	17782-49-2	Selenium	3.01	U	I	P
I	17440-22-4	Silver	1.91	U	I	P
I	17440-23-5	Sodium	27.31	B	I	P
I	17440-28-0	Thallium	3.71	U	I	P
I	17440-62-2	Vanadium	1.51	U	I	P
I	17440-66-6	Zinc	5.41	B	I	P
I		Cyanide	5.01	U	N	IAS

Color Before: COLORLESS Clarity Before: CLEAR Texture: \_\_\_\_\_

Color After: COLORLESS Clarity After: CLEAR Artifacts: \_\_\_\_\_

Comments:

EPA202970  
AR312363

**APPENDIX A**  
**RESULTS REPORTED BY LABORATORY**  
**FORM IS**  
**SDG MCQY18**

**AR312364**

EPA202972

000003

EPA SAMPLE NO.

## INORGANIC ANALYSES DATA SHEET

Lab Name: ITAS\_PITTSBURGH Contract: 68-D2-0044 MCQY18

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQY18

Matrix (soil/water): WATER Lab Sample ID: MCQY18

Level (low/med): LOW Date Received: 04/20/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	C	Q	M
17429-90-5	Aluminum	284	I	P	
17440-36-0	Antimony	13.2	I	U	I
17440-38-2	Arsenic	2.2	I	U	I
17440-39-3	Barium	15.0	I	B	I
17440-41-7	Beryllium	0.10	I	U	I
17440-43-9	Cadmium	2.6	I	U	I
17440-70-2	Calcium	10800	I		I
17440-47-3	Chromium	1.5	I	U	I
17440-48-4	Cobalt	3.0	I	B	I
17440-50-8	Copper	4.8	I	B	I
17439-89-6	Iron	513	I		I
17439-92-1	Lead	1.4	I	U	I
17439-95-4	Magnesium	2950	I	B	I
17439-96-5	Manganese	55.8	I		I
17439-97-6	Mercury	0.20	I	U	CV
17440-02-0	Nickel	5.9	I	U	I
17440-09-7	Potassium	802	I	B	I
17782-49-2	Selenium	3.0	I	U	I
17440-22-4	Silver	1.9	I	U	I
17440-23-5	Sodium	3280	I	B	I
17440-28-0	Thallium	3.7	I	U	I
17440-62-2	Vanadium	1.5	I	U	I
17440-66-6	Zinc	13.0	I	B	I
	Cyanide	5.0	I	U	IASI

Color Before: COLORLESS Clarity Before: CLOUDY Texture:

Color After: COLORLESS Clarity After: CLOUDY Artifacts:

Comments:

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

MCQY19

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQY18

Matrix (soil/water): WATER

Lab Sample ID: MCQY19

Level (low/med): LOW

Date Received: 04/20/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): ug/L

CAS No.	Analyte	Concentration	C	Q	IM
17429-90-5	Aluminum	899			IP
17440-36-0	Antimony	13.21	UI		IP
17440-38-2	Arsenic	2.21	UI		IP
17440-39-3	Barium	31.61	BI		IP
17440-41-7	Beryllium	0.121	BI		IP
17440-43-9	Cadmium	2.61	UI		IP
17440-70-2	Calcium	15900	1		IP
17440-47-3	Chromium	1.51	UI		IP
17440-48-4	Cobalt	2.11	BI		IP
17440-50-8	Copper	5.21	BI		IP
17439-89-6	Iron	1610	1		IP
17439-92-1	Lead	1.41	UI		IP
17439-95-4	Magnesium	5540	1		IP
17439-96-5	Manganese	1231	1		IP
17439-97-6	Mercury	0.20	UI		ICV
17440-02-0	Nickel	5.91	UI		IP
17440-09-7	Potassium	3890	1		IP
17782-49-2	Selenium	3.0	01		IP
17440-22-4	Silver	1.9	1		IP
17440-23-5	Sodium	6550	1		IP
17440-28-0	Thallium	3.9	1		IP
17440-62-2	Vanadium	1.5	1		IP
17440-66-6	Zinc	20.81	1		IP
	Cyanide	5.0	01		IASI

Color Before: COLORLESS

Clarity Before: CLOUDY

Texture: \_\_\_\_\_

Color After: COLORLESS

Clarity After: CLOUDY

Artifacts: \_\_\_\_\_

Comments:

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

Lab Name: ITAS\_PITTSBURGH Contract: 68-D2-0044 MCQY22

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQY18

Matrix (soil/water): WATER Lab Sample ID: MCQY22

Level (low/med): LOW Date Received: 04/20/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	Q	M
17429-90-5	Aluminum	63.91	I	P
17440-36-0	Antimony	13.21	I	P
17440-38-2	Arsenic	2.21	I	P
17440-39-3	Barium	30.91	I	P
17440-41-7	Beryllium	0.10	I	P
17440-43-9	Cadmium	2.61	I	P
17440-70-2	Calcium	8490	I	P
17440-47-3	Chromium	1.51	I	P
17440-48-4	Cobalt	1.61	I	P
17440-50-8	Copper	3.41	I	P
17439-89-6	Iron	2741	I	P
17439-92-1	Lead	1.41	I	P
17439-95-4	Magnesium	3650	I	P
17439-96-5	Manganese	52.21	I	P
17439-97-6	Mercury	0.20	I	CV
17440-02-0	Nickel	5.91	I	P
17440-09-7	Potassium	3230	I	P
17782-49-2	Selenium	3.01	I	P
17440-22-4	Silver	1.91	I	P
17440-23-5	Sodium	4430	I	P
17440-28-0	Thallium	3.71	I	P
17440-62-2	Vanadium	1.51	I	P
17440-66-6	Zinc	12.91	I	P
	Cyanide	5.01	I	ASI

Color Before: COLORLESS Clarity Before: CLEAR Texture:

Color After: COLORLESS Clarity After: CLEAR Artifacts:

Comments:

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

MCQY23

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQY18

Matrix (soil/water): WATER

Lab Sample ID: MCQY23

Level (low/med): LOW

Date Received: 04/20/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): ug/L

CAS No.	Analyte	Concentration	C	Q	M
17429-90-5	Aluminum	1530	I	P	
17440-36-0	Antimony	13.21	U	I	P
17440-38-2	Arsenic	2.21	U	I	P
17440-39-3	Barium	49.01	B	I	P
17440-41-7	Beryllium	0.14	I	B	I
17440-43-9	Cadmium	2.61	U	I	P
17440-70-2	Calcium	11200	I	B	I
17440-47-3	Chromium	1.61	I	B	I
17440-48-4	Cobalt	2.21	I	B	I
17440-50-8	Copper	4.91	I	B	I
17439-89-6	Iron	3400	I	B	I
17439-92-1	Lead	2.81	I	B	I
17439-95-4	Magnesium	3890	I	B	I
17439-96-5	Manganese	1471	I	B	I
17439-97-6	Mercury	0.20	I	U	CV
17440-02-0	Nickel	5.91	I	U	P
17440-09-7	Potassium	3260	I	B	I
17782-49-2	Selenium	3.0	I	U	P
17440-22-4	Silver	1.91	I	U	P
17440-23-5	Sodium	4530	I	B	I
17440-28-0	Thallium	3.71	I	U	P
17440-62-2	Vanadium	2.61	I	U	P
17440-66-6	Zinc	20.81	I	U	P
	Cyanide	5.01	I	U	ASI

Color Before: BROWN Clarity Before: CLOUDY Texture: \_\_\_\_\_

Color After: BROWN Clarity After: CLOUDY Artifacts: \_\_\_\_\_

Comments:

000007

U.S. EPA - CLP

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

MCQY24

Lab Name: ITAS\_PITTSBURGH Contract: 68-D2-0044

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQY18

Matrix (soil/water): WATER Lab Sample ID: MCQY24

Level (low/med): LOW Date Received: 04/20/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	Q	IM	
17429-90-5	Aluminum	459	I	P	
17440-36-0	Antimony	13.21	U	P	
17440-38-2	Arsenic	2.21	U	P	
17440-39-3	Barium	101	B	P	
17440-41-7	Beryllium	0.12	B	P	
17440-43-9	Cadmium	2.61	U	P	
17440-70-2	Calcium	7000	I	P	
17440-47-3	Chromium	1.51	U	P	
17440-48-4	Cobalt	1.81	B	P	
17440-50-8	Copper	3.61	B	P	
17439-89-6	Iron	629	I	P	
17439-92-1	Lead	1.41	U	P	
17439-95-4	Magnesium	6000	I	P	
17439-96-5	Manganese	58.21	I	P	
17439-97-6	Mercury	0.20	U	CV	
17440-02-0	Nickel	5.91	U	P	
17440-09-7	Potassium	1270	B	P	
17782-49-2	Selenium	3.01	U	P	
17440-22-4	Silver	1.91	U	P	
17440-23-5	Sodium	4480	B	P	
17440-28-0	Thallium	4.51	B	P	
17440-62-2	Vanadium	1.61	B	P	
17440-66-6	Zinc	21.71	I	P	
	Cyanide	5.01	U	AS	
			I	I	

Color Before: COLORLESS Clarity Before: CLOUDY Texture:

Color After: COLORLESS Clarity After: CLOUDY Artifacts:

Comments:

FORM I - IN

ILM02.1

AR312369

EPA202974A

000008

EPA SAMPLE NO.

## INORGANIC ANALYSES DATA SHEET

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

MCQY25

Lab Code: ITPA

Case No.: 21843

SAS No.:

SDG No.: MCQY18

Matrix (soil/water): WATER

Lab Sample ID: MCQY25

Level (low/med): LOW

Date Received: 04/20/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	CL	Q	IM
17429-90-5	Aluminum	400	I	P	I
17440-36-0	Antimony	13.21	U	P	I
17440-38-2	Arsenic	2.21	U	P	I
17440-39-3	Barium	27.71	B	P	I
17440-41-7	Beryllium	0.12	B	P	I
17440-43-9	Cadmium	2.61	U	P	I
17440-70-2	Calcium	10600	I	P	I
17440-47-3	Chromium	1.51	U	P	I
17440-48-4	Cobalt	2.61	B	P	I
17440-50-8	Copper	4.51	B	P	I
17439-89-6	Iron	892	I	P	I
17439-92-1	Lead	1.41	U	P	I
17439-95-4	Magnesium	4110	B	P	I
17439-96-5	Manganese	73.31	I	P	I
17439-97-6	Mercury	0.20	U	CV	I
17440-02-0	Nickel	5.91	U	P	I
17440-09-7	Potassium	1280	B	P	I
17782-49-2	Selenium	3.01	U	P	I
17440-22-4	Silver	1.91	U	P	I
17440-23-5	Sodium	10700	I	P	I
17440-28-0	Thallium	3.71	U	P	I
17440-62-2	Vanadium	1.51	U	P	I
17440-66-6	Zinc	15.81	B	P	I
	Cyanide	5.01	U	AS	I

Color Before: COLORLESS

Clarity Before: CLEAR

Texture: \_\_\_\_\_

Color After: COLORLESS

Clarity After: CLEAR

Artifacts: \_\_\_\_\_

Comments: \_\_\_\_\_

30009

U.S. EPA - CLP

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

Lab Name: ITAS\_PITTSBURGH Contract: 68-D2-0044

MCQY26

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQY18

Matrix (soil/water): WATER Lab Sample ID: MCQY26

Level (low/med): LOW Date Received: 04/20/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

I	CAS No.	Analyte	Concentration	Cl	Q	IM
	17429-90-5	Aluminum	1830	I	P	
	17440-36-0	Antimony	13.2	I	P	
	17440-38-2	Arsenic	2.2	I	P	
	17440-39-3	Barium	68.7	I	P	
	17440-41-7	Beryllium	0.14	I	P	
	17440-43-9	Cadmium	2.6	I	P	
	17440-70-2	Calcium	9400	I	P	
	17440-47-3	Chromium	1.5	I	P	
	17440-48-4	Cobalt	3.7	I	P	
	17440-50-8	Copper	5.6	I	P	
	17439-89-6	Iron	2340	I	P	
	17439-92-1	Lead	1.4	I	P	
	17439-95-4	Magnesium	3180	I	P	
	17439-96-5	Manganese	448	I	P	
	17439-97-6	Mercury	0.20	I	CV	
	17440-02-0	Nickel	5.9	I	P	
	17440-09-7	Potassium	3230	I	P	
	17782-49-2	Selenium	3.0	I	P	
	17440-22-4	Silver	1.9	I	P	
	17440-23-5	Sodium	3140	I	P	
	17440-28-0	Thallium	3.7	I	P	
	17440-62-2	Vanadium	2.6	I	P	
	17440-66-6	Zinc	22.8	I	P	
		Cyanide	5.0	I	AS	
				I		

Color Before: BROWN Clarity Before: CLOUDY Texture:

Color After: BROWN Clarity After: CLOUDY Artifacts:

Comments:

FORM I - IN

ILM02.1

AR31237

EPA202975A

000010

U.S. EPA - CLP

1

EPA SAMPLE NO.

## INORGANIC ANALYSES DATA SHEET

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

MCQY27

Lab Code: ITPA

Case No.: 21843

SAS No.:

SDG No.: MCQY18

Matrix (soil/water): WATER

Lab Sample ID: MCQY27

Level (low/med): LOW

Date Received: 04/20/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	C	Q	IM
17429-90-5	Aluminum	1610	I	P	
17440-36-0	Antimony	13.21	U	P	
17440-38-2	Arsenic	2.21	U	P	
17440-39-3	Barium	60.51	B	P	
17440-41-7	Beryllium	0.14	I	B	P
17440-43-9	Cadmium	2.61	U	P	
17440-70-2	Calcium	7090	I	P	
17440-47-3	Chromium	3.21	B	P	
17440-48-4	Cobalt	3.01	B	P	
17440-50-8	Copper	5.61	B	P	
17439-89-6	Iron	2530	I	P	
17439-92-1	Lead	2.61	B	P	
17439-95-4	Magnesium	4040	I	B	P
17439-96-5	Manganese	1761	I	P	
17439-97-6	Mercury	0.20	U	C	V
17440-02-0	Nickel	5.91	U	P	
17440-09-7	Potassium	1170	I	B	P
17782-49-2	Selenium	3.01	U	P	
17440-22-4	Silver	1.91	U	P	
17440-23-5	Sodium	3260	I	B	P
17440-28-0	Thallium	3.71	U	P	
17440-62-2	Vanadium	1.81	B	P	
17440-66-6	Zinc	29.01	I	P	
	Cyanide	5.01	U	I	AS

Color Before: COLORLESS

Clarity Before: CLOUDY

Texture: \_\_\_\_\_

Color After: COLORLESS

Clarity After: CLOUDY

Artifacts: \_\_\_\_\_

Comments: \_\_\_\_\_

FORM I - IN

ILM02.1

AR312372

EPA2000-2

J00011

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

Lab Name: ITAS_PITTSBURGH	Contract: 68-D2-0044	MCQY28
Lab Code: ITPA	Case No.: 21843	SAS No.: SDG No.: MCQY18
Matrix (soil/water): WATER	Lab Sample ID: MCQY28	
Level (low/med): LOW	Date Received: 04/20/94	
% Solids:	0.0	

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	Q	M
17429-90-5	Aluminum	1831B1	IP	
17440-36-0	Antimony	13.21U1	IP	
17440-38-2	Arsenic	2.21U1	IP	
17440-39-3	Barium	23.11B1	IP	
17440-41-7	Beryllium	0.101U1	IP	
17440-43-9	Cadmium	2.61U1	IP	
17440-70-2	Calcium	118001	IP	
17440-47-3	Chromium	1.51U1	IP	
17440-48-4	Cobalt	1.61U1	IP	
17440-50-8	Copper	4.21B1	IP	
17439-89-6	Iron	4711	IP	
17439-92-1	Lead	1.41U1	IP	
17439-95-4	Magnesium	55901	IP	
17439-96-5	Manganese	79.01	IP	
17439-97-6	Mercury	0.201U1	ICV	
17440-02-0	Nickel	5.91U1	IP	
17440-09-7	Potassium	50701	IP	
17782-49-2	Selenium	3.01U1	IP	
17440-22-4	Silver	1.91U1	IP	
17440-23-5	Sodium	54801	IP	
17440-28-0	Thallium	3.71U1	IP	
17440-62-2	Vanadium	2.01B1	IP	
17440-66-6	Zinc	14.91B1	IP	
	Cyanide	8.71	AS	

Color Before: COLORLESS Clarity Before: CLOUDY Texture: \_\_\_\_\_

Color After: COLORLESS Clarity After: CLOUDY Artifacts: \_\_\_\_\_

Comments:  

---

---

---

EPA202976A

J00012

1

EPA SAMPLE NO.

## INORGANIC ANALYSES DATA SHEET

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

MCQY29

Lab Code: ITFA

Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No.: MCQY18

Matrix (soil/water): WATER

Lab Sample ID: MCQY29

Level (low/med): LOW

Date Received: 04/20/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): ug/L

CAS No.	Analyte	Concentration	C	Q	M
17429-90-5	Aluminum	681	I	P	
17440-36-0	Antimony	13.21	U	I	P
17440-38-2	Arsenic	2.21	U	I	P
17440-39-3	Barium	37.31	B	I	P
17440-41-7	Beryllium	0.14	1	B	I
17440-43-9	Cadmium	2.61	U	I	P
17440-70-2	Calcium	6470	1	I	P
17440-47-3	Chromium	1.51	U	I	P
17440-48-4	Cobalt	1.61	U	I	P
17440-50-8	Copper	4.51	B	I	P
17439-89-6	Iron	931	1	I	P
17439-92-1	Lead	1.41	U	I	P
17439-95-4	Magnesium	3690	1	B	I
17439-96-5	Manganese	48.91	1	I	P
17439-97-6	Mercury	0.20	1	U	CV
17440-02-0	Nickel	5.91	U	I	P
17440-09-7	Potassium	1290	1	B	I
17782-49-2	Selenium	3.01	U	I	P
17440-22-4	Silver	1.91	U	I	P
17440-23-5	Sodium	3990	1	B	I
17440-28-0	Thallium	3.71	U	I	P
17440-62-2	Vanadium	1.51	U	I	P
17440-66-6	Zinc	21.81	1	I	P
	Cyanide	5.01	U	I	AS

Color Before: COLORLESS

Clarity Before: CLOUDY

Texture: \_\_\_\_\_

Color After: COLORLESS

Clarity After: CLOUDY

Artifacts: \_\_\_\_\_

Comments:

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

Lab Name: ITAS\_PITTSBURGH Contract: 68-D2-0044

MCQY30

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQY18

Matrix (soil/water): WATER Lab Sample ID: MCQY30

Level (low/med): LOW Date Received: 04/20/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

I	CAS No.	Analyte	Concentration	I	Q	IM
	17429-90-5	Aluminum	236	I	P	
	17440-36-0	Antimony	13.2	U	I	P
	17440-38-2	Arsenic	2.2	U	I	P
	17440-39-3	Barium	21.7	B	I	P
	17440-41-7	Beryllium	0.10	U	I	P
	17440-43-9	Cadmium	2.6	U	I	P
	17440-70-2	Calcium	19000	I	P	
	17440-47-3	Chromium	1.5	U	I	P
	17440-48-4	Cobalt	1.6	U	I	P
	17440-50-8	Copper	4.0	B	I	P
	17439-89-6	Iron	531	I		P
	17439-92-1	Lead	1.4	U	I	P
	17439-95-4	Magnesium	6940	I		P
	17439-96-5	Manganese	41.3	I		P
	17439-97-6	Mercury	0.20	U		CV
	17440-02-0	Nickel	5.9	U		P
	17440-09-7	Potassium	2750	B	I	P
	17782-49-2	Selenium	3.0	U		P
	17440-22-4	Silver	1.9	U		P
	17440-23-5	Sodium	5210	I		P
	17440-28-0	Thallium	3.7	U		P
	17440-62-2	Vanadium	1.5	U		P
	17440-66-6	Zinc	16.5	B	I	P
		Cyanide	7.3	I		AS

Color Before: COLORLESS Clarity Before: CLOUDY Texture: \_\_\_\_\_

Color After: COLORLESS Clarity After: CLOUDY Artifacts: \_\_\_\_\_

Comments:

300014

U.S. EPA - CLP

## INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

MCQY31

Lab Code: ITFA

Case No.: 21843

SAS No.:

SDG No.: MCQY18

Matrix (soil/water): WATER

Lab Sample ID: MCQY31

Level (low/med): LOW

Date Received: 04/20/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): ug/L

CAS No.	Analyte	Concentration	Cl	Q	IM
17429-90-5	Aluminum	66.21	BI		IP
17440-36-0	Antimony	13.21	UI		IP
17440-38-2	Arsenic	2.21	UI		IP
17440-39-3	Barium	41.21	BI		IP
17440-41-7	Beryllium	0.10	UI		IP
17440-43-9	Cadmium	2.61	UI		IP
17440-70-2	Calcium	5210	I		IP
17440-47-3	Chromium	1.51	UI		IP
17440-48-4	Cobalt	1.61	UI		IP
17440-50-8	Copper	2.31	BI		IP
17439-89-6	Iron	125	I		IP
17439-92-1	Lead	1.41	UI		IP
17439-95-4	Magnesium	4440	BI		IP
17439-96-5	Manganese	8.21	BI		IP
17439-97-6	Mercury	0.20	UI		ICV
17440-02-0	Nickel	5.91	UI		IP
17440-09-7	Potassium	1720	BI		IP
17782-49-2	Selenium	3.01	UI		IP
17440-22-4	Silver	1.91	UI		IP
17440-23-5	Sodium	3130	BI		IP
17440-28-0	Thallium	3.71	UI		IP
17440-62-2	Vanadium	1.51	UI		IP
17440-66-6	Zinc	23.31	I		IP
	Cyanide	5.01	UI		IAS

Color Before: COLORLESS

Clarity Before: CLEAR

Texture: \_\_\_\_\_

Color After: COLORLESS

Clarity After: CLEAR

Artifacts: \_\_\_\_\_

Comments: \_\_\_\_\_

FORM I - IN

ILM02.1

AR3|2376

EPA202978

J001015

EPA SAMPLE NO.

1

## INORGANIC ANALYSES DATA SHEET

MCQY32

Lab Name: ITAS\_PITTSBURGH Contract: 68-D2-0044

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQY18

Matrix (soil/water): WATER Lab Sample ID: MCQY32

Level (low/med): LOW Date Received: 04/20/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	Q	M
17429-90-5	Aluminum	10.91	U	IP
17440-36-0	Antimony	13.21	U	IP
17440-38-2	Arsenic	2.21	U	IP
17440-39-3	Barium	0.60	U	IP
17440-41-7	Beryllium	0.10	U	IP
17440-43-9	Cadmium	2.6	U	IP
17440-70-2	Calcium	30.21	B	IP
17440-47-3	Chromium	1.51	U	IP
17440-48-4	Cobalt	1.61	U	IP
17440-50-8	Copper	1.41	B	IP
17439-89-6	Iron	9.41	B	IP
17439-92-1	Lead	1.41	U	IP
17439-95-4	Magnesium	12.11	U	IP
17439-96-5	Manganese	0.50	U	IP
17439-97-6	Mercury	0.20	U	ICV
17440-02-0	Nickel	5.91	U	IP
17440-09-7	Potassium	244	U	IP
17782-49-2	Selenium	3.01	U	IP
17440-22-4	Silver	1.91	U	IP
17440-23-5	Sodium	49.41	B	IP
17440-28-0	Thallium	3.71	U	IP
17440-62-2	Vanadium	1.51	U	IP
17440-66-6	Zinc	6.01	B	IP
	Cyanide	5.01	U	IASI

Color Before: COLORLESS Clarity Before: CLEAR Texture: \_\_\_\_\_

Color After: COLORLESS Clarity After: CLEAR Artifacts: \_\_\_\_\_

Comments:

**APPENDIX A**  
**RESULTS REPORTED BY LABORATORY**  
**FORM IS**  
**SDG MCQA71**

AR312378

EPA202979

J01004

EPA SAMPLE NO.

## INORGANIC ANALYSES DATA SHEET

1

MCQA71

Lab Name: ITAS\_PITTSBURGH Contract: 68-D2-0044

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQA71

Matrix (soil/water): WATER Lab Sample ID: MCQA71

Level (low/med): LOW Date Received: 04/15/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	Cl	Q	M	P
17429-90-5	Aluminum	90.2	I	B1		
17440-36-0	Antimony	13.2	I	U1		
17440-38-2	Arsenic	2.2	I	U1		
17440-39-3	Barium	71.5	I	B1		
17440-41-7	Beryllium	0.10	I	U1		
17440-43-9	Cadmium	2.6	I	U1		
17440-70-2	Calcium	17800	I	U1		
17440-47-3	Chromium	1.5	I	U1		
17440-48-4	Cobalt	108	I	U1		
17440-50-8	Copper	2.1	I	B1		
17439-89-6	Iron	91.6	I	B1		
17439-92-1	Lead	1.4	I	U1		
17439-95-4	Magnesium	10900	I	U1		
17439-96-5	Manganese	6420	I	U1		
17439-97-6	Mercury	9.2	I		CV	
17440-02-0	Nickel	27.3	I	B1		
17440-09-7	Potassium	7940	I	U1		
17782-49-2	Selenium	4.8	I	B1		
17440-22-4	Silver	1.9	I	U1		
17440-23-5	Sodium	81300	I	U1		
17440-28-0	Thallium	3.7	I	U1		
17440-62-2	Vanadium	1.5	I	U1		
17440-66-6	Zinc	30.7	I	U1		
	Cyanide				INR	

Color Before: COLORLESS Clarity Before: CLEAR Texture: \_\_\_\_\_

Color After: COLORLESS Clarity After: CLEAR Artifacts: \_\_\_\_\_

Comments:

## INORGANIC ANALYSES DATA SHEET

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

MCQA72

Lab Code: ITPA

Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No.: MCQA71

Matrix (soil/water): WATER

Lab Sample ID: MCQA72

Level (low/med): LOW

Date Received: 04/15/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): ug/L

I	CAS No.	Analyte	Concentration	C	Q	M
	17429-90-5	Aluminum	54.2	B1		IP
	17440-36-0	Antimony	13.2	IU1		IP
	17440-38-2	Arsenic	2.2	IU1		IP
	17440-39-3	Barium	104	B1		IP
	17440-41-7	Beryllium	0.10	IU1		IP
	17440-43-9	Cadmium	2.6	IU1		IP
	17440-70-2	Calcium	113000	I		IP
	17440-47-3	Chromium	1.5	IU1		IP
	17440-48-4	Cobalt	33.7	B1		IP
	17440-50-8	Copper	5.2	B1		IP
	17439-89-6	Iron	231	I		IP
	17439-92-1	Lead	1.4	IU1		IP
	17439-95-4	Magnesium	19300	I		IP
	17439-96-5	Manganese	8890	I		IP
	17439-97-6	Mercury	25.7	I		ICV
	17440-02-0	Nickel	12.0	B1		IP
	17440-09-7	Potassium	14400	I		IP
	17782-49-2	Selenium	5.7	I		IP
	17440-22-4	Silver	1.9	IU1		IP
	17440-23-5	Sodium	65900	I		IP
	17440-28-0	Thallium	3.7	IU1		IP
	17440-62-2	Vanadium	1.5	IU1		IP
	17440-66-6	Zinc	12.6	B1		IP
		Cyanide		I		INR

Color Before: COLORLESS

Clarity Before: CLEAR

Texture: \_\_\_\_\_

Color After: COLORLESS

Clarity After: CLEAR

Artifacts: \_\_\_\_\_

Comments:

J011006

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

MCQA73

Lab Name: ITAS\_PITTSBURGH Contract: 68-D2-0044

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQA71

Matrix (soil/water): WATER Lab Sample ID: MCQA73

Level (low/med): LOW Date Received: 04/15/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

I	CAS No.	Analyte	Concentration	Q	IM	I
I	17429-90-5	Aluminum	37.61B1	I	P	I
I	17440-36-0	Antimony	13.21U1	I	P	I
I	17440-38-2	Arsenic	2.21U1	I	P	I
I	17440-39-3	Barium	35.71B1	I	P	I
I	17440-41-7	Beryllium	0.101U1	I	P	I
I	17440-43-9	Cadmium	2.61U1	I	P	I
I	17440-70-2	Calcium	386001	I	P	I
I	17440-47-3	Chromium	1.51U1	I	P	I
I	17440-48-4	Cobalt	25.21B1	I	P	I
I	17440-50-8	Copper	0.901U1	I	P	I
I	17439-89-6	Iron	59.11B1	I	P	I
I	17439-92-1	Lead	1.41U1	I	P	I
I	17439-95-4	Magnesium	171001	I	P	I
I	17439-96-5	Manganese	77001	I	P	I
I	17439-97-6	Mercury	1.61	I	CV	I
I	17440-02-0	Nickel	6.41B1	I	P	I
I	17440-09-7	Potassium	24101B1	I	P	I
I	17782-49-2	Selenium	3.01U1	I	P	I
I	17440-22-4	Silver	1.91U1	I	P	I
I	17440-23-5	Sodium	208001	I	P	I
I	17440-28-0	Thallium	3.71U1	I	P	I
I	17440-62-2	Vanadium	1.51U1	I	P	I
I	17440-66-6	Zinc	18.71B1	I	P	I
I		Cyanide		I	NR	I

Color Before: COLORLESS Clarity Before: CLEAR Texture: \_\_\_\_\_

Color After: COLORLESS Clarity After: CLEAR Artifacts: \_\_\_\_\_

Comments:

---



---



---

J011007

EPA SAMPLE NO.

## INORGANIC ANALYSES DATA SHEET

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

MCQA74

Lab Code: ITPA

Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No.: MCQA71

Matrix (soil/water): WATER

Lab Sample ID: MCQA74

Level (low/med): LOW

Date Received: 04/15/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	C	Q	IM
17429-90-5	Aluminum	25.11	B1		IP
17440-36-0	Antimony	13.21	U1		IP
17440-38-2	Arsenic	2.21	U1		IP
17440-39-3	Barium	61.81	B1		IP
17440-41-7	Beryllium	0.10	IU1		IP
17440-43-9	Cadmium	2.61	U1		IP
17440-70-2	Calcium	10900	I		IP
17440-47-3	Chromium	1.51	U1		IP
17440-48-4	Cobalt	1.61	U1		IP
17440-50-8	Copper	0.90	IU1		IP
17439-89-6	Iron	28.91	B1		IP
17439-92-1	Lead	1.41	U1		IP
17439-95-4	Magnesium	6940	I		IP
17439-96-5	Manganese	101	B1		IP
17439-97-6	Mercury	4.21	I		ICV
17440-02-0	Nickel	5.91	U1		IP
17440-09-7	Potassium	1540	B1		IP
17782-49-2	Selenium	3.01	U1		IP
17440-22-4	Silver	1.91	U1		IP
17440-23-5	Sodium	7510	I		IP
17440-28-0	Thallium	3.71	U1		IP
17440-62-2	Vanadium	1.51	U1		IP
17440-66-6	Zinc	13.51	B1		IP
	Cyanide		I	I	INR

Color Before: COLORLESS

Clarity Before: CLEAR

Texture: \_\_\_\_\_

Color After: COLORLESS

Clarity After: CLEAR

Artifacts: \_\_\_\_\_

Comments:

J01008

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

MCQA75

Lab Name: ITAS\_PITTSBURGH Contract: 68-D2-0044

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQA71

Matrix (soil/water): WATER Lab Sample ID: MCQA75

Level (low/med): LOW Date Received: 04/15/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	C	Q	M
17429-90-5	Aluminum	31.5	I	B	P
17440-36-0	Antimony	13.2	I	U	P
17440-38-2	Arsenic	2.21	I	U	P
17440-39-3	Barium	39.5	I	B	P
17440-41-7	Beryllium	0.10	I	U	P
17440-43-9	Cadmium	2.6	I	U	P
17440-70-2	Calcium	20100	I		P
17440-47-3	Chromium	1.5	I	U	P
17440-48-4	Cobalt	1.6	I	U	P
17440-50-8	Copper	0.90	I	U	P
17439-89-6	Iron	79.0	I	B	P
17439-92-1	Lead	1.4	I	U	P
17439-95-4	Magnesium	7770	I		P
17439-96-5	Manganese	415	I		P
17439-97-6	Mercury	3.8	I		CV
17440-02-0	Nickel	5.9	I	U	P
17440-09-7	Potassium	2020	I	B	P
17782-49-2	Selenium	3.0	I	U	P
17440-22-4	Silver	1.9	I	U	P
17440-23-5	Sodium	12000	I		P
17440-28-0	Thallium	3.7	I	U	P
17440-62-2	Vanadium	1.5	I	U	P
17440-66-6	Zinc	12.4	I	B	P
	Cyanide		I		NR

Color Before: COLORLESS Clarity Before: CLEAR Texture: \_\_\_\_\_

Color After: COLORLESS Clarity After: CLEAR Artifacts: \_\_\_\_\_

Comments:

## INORGANIC ANALYSES DATA SHEET

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

MCQA76

Lab Code: ITPA

Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No.: MCQA71

Matrix (soil/water): WATER

Lab Sample ID: MCQA76

Level (low/med): LOW

Date Received: 04/15/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): ug/L

CAS No.	Analyte	Concentration	C	Q	M
17429-90-5	Aluminum	47.81B1		IP	
17440-36-0	Antimony	13.21U1		IP	
17440-38-2	Arsenic	2.21U1		IP	
17440-39-3	Barium	23.01B1		IP	
17440-41-7	Beryllium	0.101U1		IP	
17440-43-9	Cadmium	2.61U1		IP	
17440-70-2	Calcium	226001	I	IP	
17440-47-3	Chromium	1.51U1		IP	
17440-48-4	Cobalt	1.61U1		IP	
17440-50-8	Copper	1.21B1		IP	
17439-89-6	Iron	99.81B1		IP	
17439-92-1	Lead	1.41U1		IP	
17439-95-4	Magnesium	88801	I	IP	
17439-96-5	Manganese	1831	I	IP	
17439-97-6	Mercury	1.81	I	CV	
17440-02-0	Nickel	5.91U1		IP	
17440-09-7	Potassium	37001B1		IP	
17782-49-2	Selenium	3.01U1		IP	
17440-22-4	Silver	1.91U1		IP	
17440-23-5	Sodium	241001	I	IP	
17440-28-0	Thallium	3.71U1		IP	
17440-62-2	Vanadium	1.51U1		IP	
17440-66-6	Zinc	13.71B1		IP	
	Cyanide				INR

Color Before: COLORLESS

Clarity Before: CLEAR

Texture: \_\_\_\_\_

Color After: COLORLESS

Clarity After: CLEAR

Artifacts: \_\_\_\_\_

Comments:

300010

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

Lab Name: ITAS\_PITTSBURGH Contract: 68-D2-0044 MCQA77

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQA71

Matrix (soil/water): WATER Lab Sample ID: MCQA77

Level (low/med): LOW Date Received: 04/15/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

ICAS No.	Analyte	Concentration	C	Q	IM
17429-90-5	Aluminum	34.21	B		IP
17440-36-0	Antimony	13.21	U		IP
17440-38-2	Arsenic	2.21	U		IP
17440-39-3	Barium	0.60	I	U	IP
17440-41-7	Beryllium	0.10	I	U	IP
17440-43-9	Cadmium	2.61	U		IP
17440-70-2	Calcium	63.21	B		IP
17440-47-3	Chromium	1.51	U		IP
17440-48-4	Cobalt	1.61	U		IP
17440-50-8	Copper	0.90	I	U	IP
17439-89-6	Iron	17.91	B		IP
17439-92-1	Lead	1.41	U		IP
17439-95-4	Magnesium	35.91	B		IP
17439-96-5	Manganese	0.70	B		IP
17439-97-6	Mercury	0.31	I		ICV
17440-02-0	Nickel	5.91	U		IP
17440-09-7	Potassium	2441	U		IP
17782-49-2	Selenium	3.01	U		IP
17440-22-4	Silver	1.91	U		IP
17440-23-5	Sodium	64.01	B		IP
17440-28-0	Thallium	3.71	U		IP
17440-62-2	Vanadium	1.51	U		IP
17440-66-6	Zinc	11.71	B		IP
	Cyanide		I		INR
			I		I

Color Before: COLORLESS Clarity Before: CLEAR Texture: \_\_\_\_\_

Color After: COLORLESS Clarity After: CLEAR Artifacts: \_\_\_\_\_

Comments:

FORM I - IN  
AR312385

ILM02.1

EPA202982A

030011

EPA SAMPLE NO.

## INORGANIC ANALYSES DATA SHEET

Lab Name: ITAS\_PITTSBURGH

MCQA78

Contract: 68-D2-0044

Lab Code: ITPA

Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No.: MCQA71

Matrix (soil/water): WATER

Lab Sample ID: MCQA78

Level (low/med): LOW

Date Received: 04/15/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): ug/L

CAS No.	Analyte	Concentration	C	Q	IM
17429-90-5	Aluminum	37.61	B1		IP
17440-36-0	Antimony	13.21	U1		IP
17440-38-2	Arsenic	2.21	U1		IP
17440-39-3	Barium	14.61	B1		IP
17440-41-7	Beryllium	0.10	U1		IP
17440-43-9	Cadmium	2.61	U1		IP
17440-70-2	Calcium	12500	1		IP
17440-47-3	Chromium	1.51	U1		IP
17440-48-4	Cobalt	1.61	U1		IP
17440-50-8	Copper	0.90	U1		IP
17439-89-6	Iron	1351	1		IP
17439-92-1	Lead	1.41	U1		IP
17439-95-4	Magnesium	4800	1	B1	IP
17439-96-5	Manganese	42.01	1		IP
17439-97-6	Mercury	0.20	U1		ICV
17440-02-0	Nickel	5.91	U1		IP
17440-09-7	Potassium	1220	1	B1	IP
17782-49-2	Selenium	3.01	U1		IP
17440-22-4	Silver	1.91	U1		IP
17440-23-5	Sodium	4660	1	B1	IP
17440-28-0	Thallium	4.71	B1		IP
17440-62-2	Vanadium	1.51	U1		IP
17440-66-6	Zinc	11.31	B1		IP
	Cyanide				INR

Color Before: COLORLESS

Clarity Before: CLEAR

Texture: \_\_\_\_\_

Color After: COLORLESS

Clarity After: CLEAR

Artifacts: \_\_\_\_\_

Comments:

## INORGANIC ANALYSES DATA SHEET

1

EPA SAMPLE NO. 000012

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

MCQA79

Lab Code: ITPA

Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No.: MCQA71

Matrix (soil/water): WATER

Lab Sample ID: MCQA79

Level (low/med): LOW

Date Received: 04/15/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	C	Q	M
17429-90-5	Aluminum	34.9	I	B	P
17440-36-0	Antimony	13.2	I	U	P
17440-38-2	Arsenic	2.2	I	U	P
17440-39-3	Barium	15.4	I	B	P
17440-41-7	Beryllium	0.10	I	U	P
17440-43-9	Cadmium	2.6	I	U	P
17440-70-2	Calcium	100000	I	U	P
17440-47-3	Chromium	1.5	I	U	P
17440-48-4	Cobalt	1.9	I	B	P
17440-50-8	Copper	0.90	I	U	P
17439-89-6	Iron	55.1	I	B	P
17439-92-1	Lead	1.4	I	U	P
17439-95-4	Magnesium	4940	I	B	P
17439-96-5	Manganese	79.1	I	U	P
17439-97-6	Mercury	1.3	I	U	CV
17440-02-0	Nickel	5.9	I	U	P
17440-09-7	Potassium	991	I	B	P
17782-49-2	Selenium	3.0	I	U	P
17440-22-4	Silver	1.9	I	U	P
17440-23-5	Sodium	4810	I	B	P
17440-28-0	Thallium	3.7	I	U	P
17440-62-2	Vanadium	1.5	I	U	P
17440-66-6	Zinc	15.7	I	B	P
	Cyanide		I	U	NR
			I	U	I

Color Before: COLORLESS

Clarity Before: CLEAR

Texture: \_\_\_\_\_

Color After: COLORLESS

Clarity After: CLEAR

Artifacts: \_\_\_\_\_

Comments:

500013

EPA SAMPLE NO.

## INORGANIC ANALYSES DATA SHEET

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

MCQA80

Lab Code: ITPA

Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No.: MCQA71

Matrix (soil/water): WATER

Lab Sample ID: MCQA80

Level (low/med): LOW

Date Received: 04/15/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): ug/L

CAS No.	Analyte	Concentration	C	Q	IM
17429-90-5	Aluminum	14.81B1			IP
17440-36-0	Antimony	13.21U1			IP
17440-38-2	Arsenic	2.21U1			IP
17440-39-3	Barium	9.11B1			IP
17440-41-7	Beryllium	0.101U1			IP
17440-43-9	Cadmium	2.61U1			IP
17440-70-2	Calcium	129001			IP
17440-47-3	Chromium	1.51U1			IP
17440-48-4	Cobalt	1.61U1			IP
17440-50-8	Copper	0.901U1			IP
17439-89-6	Iron	1101			IP
17439-92-1	Lead	1.41U1			IP
17439-95-4	Magnesium	73901			IP
17439-96-5	Manganese	8.81B1			IP
17439-97-6	Mercury	0.821			ICV
17440-02-0	Nickel	5.91U1			IP
17440-09-7	Potassium	18101B1			IP
17782-49-2	Selenium	3.01U1			IP
17440-22-4	Silver	1.91U1			IP
17440-23-5	Sodium	57801			IP
17440-28-0	Thallium	3.71U1			IP
17440-62-2	Vanadium	1.51U1			IP
17440-66-6	Zinc	12.21B1			IP
	Cyanide				INR

Color Before: COLORLESS

Clarity Before: CLEAR

Texture: \_\_\_\_\_

Color After: COLORLESS

Clarity After: CLEAR

Artifacts: \_\_\_\_\_

Comments:

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

Lab Name: ITAS\_PITTSBURGH Contract: 68-DE-0044

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQA71

Matrix (soil/water): WATER Lab Sample ID: MCQA81

Level (low/med): LOW Date Received: 04/15/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): ug/L

CAS No.	Analyte	Concentration	Q	IM
17429-90-5	Aluminum	17.51B1	IP	
17440-36-0	Antimony	13.21U1	IP	
17440-38-2	Arsenic	2.21U1	IP	
17440-39-3	Barium	9.21B1	IP	
17440-41-7	Beryllium	0.101U1	IP	
17440-43-9	Cadmium	2.61U1	IP	
17440-70-2	Calcium	130001	IP	
17440-47-3	Chromium	1.51U1	IP	
17440-48-4	Cobalt	1.61U1	IP	
17440-50-8	Copper	0.901U1	IP	
17439-89-6	Iron	1331	IP	
17439-92-1	Lead	1.41U1	IP	
17439-95-4	Magnesium	74101	IP	
17439-96-5	Manganese	10.31B1	IP	
17439-97-6	Mercury	0.841	ICV	
17440-02-0	Nickel	5.91U1	IP	
17440-09-7	Potassium	21501B1	IP	
17782-49-2	Selenium	3.01U1	IP	
17440-22-4	Silver	1.91U1	IP	
17440-23-5	Sodium	57701	IP	
17440-28-0	Thallium	3.71U1	IP	
17440-62-2	Vanadium	1.51U1	IP	
17440-66-6	Zinc	13.51B1	IP	
	Cyanide		INRI	

Color Before: COLORLESS Clarity Before: CLEAR Texture:

Color After: COLORLESS Clarity After: CLEAR Artifacts:

Comments:

000015

EPA SAMPLE NO.

1

## INORGANIC ANALYSES DATA SHEET

Lab Name: ITAS\_PITTSBURGH

Contract: 68-DE-0044

MCQA82

Lab Code: ITPA

Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No.: MCQA71

Matrix (soil/water): WATER

Lab Sample ID: MCQA82

Level (low/med): LOW

Date Received: 04/15/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): ug/L

ICAS No.	Analyte	Concentration	C	Q	IM
17429-90-5	Aluminum	1061B1			IP
17440-36-0	Antimony	13.21U1			IP
17440-38-2	Arsenic	2.21U1			IP
17440-39-3	Barium	13.11B1			IP
17440-41-7	Beryllium	0.101U1			IP
17440-43-9	Cadmium	2.61U1			IP
17440-70-2	Calcium	83001			IP
17440-47-3	Chromium	1.51U1			IP
17440-48-4	Cobalt	2.11B1			IP
17440-50-8	Copper	1.71B1			IP
17439-89-6	Iron	2481			IP
17439-92-1	Lead	1.41U1			IP
17439-95-4	Magnesium	31601B1			IP
17439-96-5	Manganese	119			IP
17439-97-6	Mercury	1.11			ICV
17440-02-0	Nickel	5.91U1			IP
17440-09-7	Potassium	12801B1			IP
17782-49-2	Selenium	3.01U1			IP
17440-22-4	Silver	1.91U1			IP
17440-23-5	Sodium	37201B1			IP
17440-28-0	Thallium	3.71U1			IP
17440-62-2	Vanadium	1.51U1			IP
17440-66-6	Zinc	12.71B1			IP
	Cyanide				INR

Color Before: COLORLESS

Clarity Before: CLEAR

Texture: \_\_\_\_\_

Color After: COLORLESS

Clarity After: CLEAR

Artifacts: \_\_\_\_\_

Comments:

## INORGANIC ANALYSES DATA SHEET

500016  
EPA SAMPLE NO.

Lab Name: ITAS\_PITTSBURGH Contract: 68-D2-0044 MCQA83

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQA71

Matrix (soil/water): WATER Lab Sample ID: MCQA83

Level (low/med): LOW Date Received: 04/15/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	IC	Q	M	P
17429-90-5	Aluminum	49.7	I	B		
17440-36-0	Antimony	13.2	I	U		
17440-38-2	Arsenic	2.2	I	U		
17440-39-3	Barium	38.0	I	B		
17440-41-7	Beryllium	0.10	I	U		
17440-43-9	Cadmium	2.6	I	U		
17440-70-2	Calcium	6760	I			
17440-47-3	Chromium	1.5	I	U		
17440-48-4	Cobalt	1.6	I	U		
17440-50-8	Copper	0.90	I	U		
17439-89-6	Iron	79.5	I	B		
17439-92-1	Lead	1.4	I	U		
17439-95-4	Magnesium	4240	I	B		
17439-96-5	Manganese	63.2	I			
17439-97-6	Mercury	1.6	I			CV
17440-02-0	Nickel	5.9	I	U		
17440-09-7	Potassium	1210	I	B		
17782-49-2	Selenium	3.0	I	U		
17440-22-4	Silver	1.9	I	U		
17440-23-5	Sodium	3390	I	B		
17440-28-0	Thallium	4.4	I	B		
17440-62-2	Vanadium	1.5	I	U		
17440-66-6	Zinc	14.7	I	B		
	Cyanide					NR

Color Before: COLORLESS Clarity Before: CLEAR Texture: \_\_\_\_\_

Color After: COLORLESS Clarity After: CLEAR Artifacts: \_\_\_\_\_

Comments:

J300017

## INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

MCQA84

Lab Code: ITPA

Case No.: 21843

SAS No.:

SDG No.: MCQA71

Matrix (soil/water): WATER

Lab Sample ID: MCQA84

Level (low/med): LOW

Date Received: 04/15/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	C	Q	M
17429-90-5	Aluminum	80.41B1			IP
17440-36-0	Antimony	13.21U1			IP
17440-38-2	Arsenic	2.21U1			IP
17440-39-3	Barium	22.21B1			IP
17440-41-7	Beryllium	0.101U1			IP
17440-43-9	Cadmium	2.61U1			IP
17440-70-2	Calcium	165001			IP
17440-47-3	Chromium	1.51U1			IP
17440-48-4	Cobalt	1.61U1			IP
17440-50-8	Copper	2.31B1			IP
17439-89-6	Iron	1521			IP
17439-92-1	Lead	1.41U1			IP
17439-95-4	Magnesium	60701			IP
17439-96-5	Manganese	41.41			IP
17439-97-6	Mercury	1.21			ICV
17440-02-0	Nickel	5.91U1			IP
17440-09-7	Potassium	49001B1			IP
17782-49-2	Selenium	3.01U1			IP
17440-22-4	Silver	1.91U1			IP
17440-23-5	Sodium	52101			IP
17440-28-0	Thallium	3.71U1			IP
17440-62-2	Vanadium	1.51U1			IP
17440-66-6	Zinc	15.81B1			IP
	Cyanide				INR

Color Before: COLORLESS

Clarity Before: CLEAR

Texture: \_\_\_\_\_

Color After: COLORLESS

Clarity After: CLEAR

Artifacts: \_\_\_\_\_

Comments:

J01018

EPA SAMPLE NO.

1

## INORGANIC ANALYSES DATA SHEET

MCQA85

Lab Name: ITAS\_PITTSBURGH Contract: 68-D2-0044 MCQA85

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQA71

Matrix (soil/water): WATER Lab Sample ID: MCQA85

Level (low/med): LOW Date Received: 04/15/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): ug/L

CAS No.	Analyte	Concentration	Q	IM
17429-90-5	Aluminum	1891B1	IP	
17440-36-0	Antimony	13.21U1	IP	
17440-38-2	Arsenic	2.21U1	IP	
17440-39-3	Barium	23.41B1	IP	
17440-41-7	Beryllium	0.101U1	IP	
17440-43-9	Cadmium	2.61U1	IP	
17440-70-2	Calcium	99101	IP	
17440-47-3	Chromium	1.51U1	IP	
17440-48-4	Cobalt	2.21B1	IP	
17440-50-8	Copper	2.11B1	IP	
17439-89-6	Iron	4501	IP	
17439-92-1	Lead	1.41U1	IP	
17439-95-4	Magnesium	38901B1	IP	
17439-96-5	Manganese	94.01	IP	
17439-97-6	Mercury	3.21	ICV	
17440-02-0	Nickel	5.91U1	IP	
17440-09-7	Potassium	19101B1	IP	
17782-49-2	Selenium	3.01U1	IP	
17440-22-4	Silver	1.91U1	IP	
17440-23-5	Sodium	26901B1	IP	
17440-28-0	Thallium	3.71U1	IP	
17440-62-2	Vanadium	1.51U1	IP	
17440-66-6	Zinc	17.51B1	IP	
	Cyanide		INR	

Color Before: COLORLESS Clarity Before: CLEAR Texture: \_\_\_\_\_

Color After: COLORLESS Clarity After: CLEAR Artifacts: \_\_\_\_\_

Comments:

EPA202986A

AR312393

## INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

MCQA86

Lab Code: ITFA

Case No.: 21843

SAS No.:

SDG No.: MCQA71

Matrix (soil/water): WATER

Lab Sample ID: MCQA86

Level (low/med): LOW

Date Received: 04/15/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): ug/L

CAS No.	Analyte	Concentration	C	Q	M
17429-90-5	Aluminum	75.61B1			IP
17440-36-0	Antimony	13.21U1			IP
17440-38-2	Arsenic	2.21U1			IP
17440-39-3	Barium	46.31B1			IP
17440-41-7	Beryllium	0.101U1			IP
17440-43-9	Cadmium	2.61U1			IP
17440-70-2	Calcium	79901			IP
17440-47-3	Chromium	1.51U1			IP
17440-48-4	Cobalt	1.61U1			IP
17440-50-8	Copper	0.901U1			IP
17439-89-6	Iron	1441			IP
17439-92-1	Lead	1.41U1			IP
17439-95-4	Magnesium	42201B1			IP
17439-96-5	Manganese	88.51			IP
17439-97-6	Mercury	1.61			ICV
17440-02-0	Nickel	5.91U1			IP
17440-09-7	Potassium	19401B1			IP
17782-49-2	Selenium	3.01U1			IP
17440-22-4	Silver	1.91U1			IP
17440-23-5	Sodium	34701B1			IP
17440-28-0	Thallium	3.71U1			IP
17440-62-2	Vanadium	1.51U1			IP
17440-66-6	Zinc	17.31B1			IP
	Cyanide				INR

Color Before: COLORLESS

Clarity Before: CLEAR

Texture: \_\_\_\_\_

Color After: COLORLESS

Clarity After: CLEAR

Artifacts: \_\_\_\_\_

Comments:

JU020

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

MCQA87

Lab Name: ITAS\_PITTSBURGH Contract: 68-D2-0044

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQA71

Matrix (soil/water): WATER Lab Sample ID: MCQA87

Level (low/med): LOW Date Received: 04/15/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

I	CAS No.	Analyte	Concentration	C	Q	IM	I
.	17429-90-5	Aluminum	1271B1			IP	
.	17440-36-0	Antimony	13.21U1			IP	
.	17440-38-2	Arsenic	2.21U1			IP	
.	17440-39-3	Barium	31.41B1			IP	
.	17440-41-7	Beryllium	0.101U1			IP	
.	17440-43-9	Cadmium	2.61U1			IP	
.	17440-70-2	Calcium	180001			IP	
.	17440-47-3	Chromium	1.51U1			IP	
.	17440-48-4	Cobalt	1.61U1			IP	
.	17440-50-8	Copper	2.81B1			IP	
.	17439-89-6	Iron	5031			IP	
.	17439-92-1	Lead	1.41U1			IP	
.	17439-95-4	Magnesium	58101			IP	
.	17439-96-5	Manganese	4271			IP	
.	17439-97-6	Mercury	5.61			ICV	
.	17440-02-0	Nickel	5.91U1			IP	
.	17440-09-7	Potassium	117001			IP	
.	17782-49-2	Selenium	3.01U1			IP	
.	17440-22-4	Silver	1.91U1			IP	
.	17440-23-5	Sodium	55601			IP	
.	17440-28-0	Thallium	3.71U1			IP	
.	17440-62-2	Vanadium	1.51U1			IP	
.	17440-66-6	Zinc	18.81B1			IP	
.		Cyanide				INR	

Color Before: COLORLESS Clarity Before: CLEAR Texture: \_\_\_\_\_

Color After: COLORLESS Clarity After: CLEAR Artifacts: \_\_\_\_\_

Comments:

J01021

EPA SAMPLE NO.

## INORGANIC ANALYSES DATA SHEET

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

MCQY55

Lab Code: ITPA

Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No.: MCQA71

Matrix (soil/water): WATER

Lab Sample ID: MCQY55

Level (low/med): LOW

Date Received: 04/20/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	C	Q	M
17429-90-5	Aluminum	22.81	B1		IP
17440-36-0	Antimony	13.21	U1		IP
17440-38-2	Arsenic	2.21	U1		IP
17440-39-3	Barium	39.11	B1		IP
17440-41-7	Beryllium	0.10	IU1		IP
17440-43-9	Cadmium	2.61	IU1		IP
17440-70-2	Calcium	5240	I		IP
17440-47-3	Chromium	1.51	IU1		IP
17440-48-4	Cobalt	1.61	IU1		IP
17440-50-8	Copper	0.90	IU1		IP
17439-89-6	Iron	14.01	B1		IP
17439-92-1	Lead	1.41	IU1		IP
17439-95-4	Magnesium	4370	B1		IP
17439-96-5	Manganese	7.01	B1		IP
17439-97-6	Mercury	0.20	IU1		ICV
17440-02-0	Nickel	5.91	IU1		IP
17440-09-7	Potassium	1110	B1		IP
17782-49-2	Selenium	3.01	IU1		IP
17440-22-4	Silver	1.91	IU1		IP
17440-23-5	Sodium	2660	B1		IP
17440-28-0	Thallium	3.71	IU1		IP
17440-62-2	Vanadium	1.51	IU1		IP
17440-66-6	Zinc	21.11	I		IP
	Cyanide				INR

Color Before: COLORLESS

Clarity Before: CLEAR

Texture: \_\_\_\_\_

Color After: COLORLESS

Clarity After: CLEAR

Artifacts: \_\_\_\_\_

Comments:

JULY 22

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

Lab Name: ITAS\_PITTSBURGH Contract: 68-DE-0044

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQA71

Matrix (soil/water): WATER Lab Sample ID: MCQY56

Level (low/med): LOW Date Received: 04/20/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	Q	M
17429-90-5	Aluminum	41.41B1	IP	
17440-36-0	Antimony	13.21U1	IP	
17440-38-2	Arsenic	2.21U1	IP	
17440-39-3	Barium	18.61B1	IP	
17440-41-7	Beryllium	0.101U1	IP	
17440-43-9	Cadmium	2.61U1	IP	
17440-70-2	Calcium	194001	IP	
17440-47-3	Chromium	1.51U1	IP	
17440-48-4	Cobalt	1.61U1	IP	
17440-50-8	Copper	2.11B1	IP	
17439-89-6	Iron	85.81B1	IP	
17439-92-1	Lead	1.41U1	IP	
17439-95-4	Magnesium	68601	IP	
17439-96-5	Manganese	17.21	IP	
17439-97-6	Mercury	0.481	ICV	
17440-02-0	Nickel	5.91U1	IP	
17440-09-7	Potassium	29001B1	IP	
17782-49-2	Selenium	3.01U1	IP	
17440-22-4	Silver	1.91U1	IP	
17440-23-5	Sodium	48901B1	IP	
17440-28-0	Thallium	3.71U1	IP	
17440-62-2	Vanadium	1.51U1	IP	
17440-66-6	Zinc	23.11	IP	
	Cyanide		INR	

Color Before: COLORLESS Clarity Before: CLEAR Texture: \_\_\_\_\_

Color After: COLORLESS Clarity After: CLEAR Artifacts: \_\_\_\_\_

Comments:

---



---



---

JU023

## INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

MCQY57

Lab Code: ITPA

Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No.: MCQA71

Matrix (soil/water): WATER

Lab Sample ID: MCQY57

Level (low/med): LOW

Date Received: 04/20/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): ug/L

CAS No.	Analyte	Concentration	CL	Q	M
17429-90-5	Aluminum	1191B1		IP	
17440-36-0	Antimony	13.21U1		IP	
17440-38-2	Arsenic	2.21U1		IP	
17440-39-3	Barium	30.91B1		IP	
17440-41-7	Beryllium	0.101U1		IP	
17440-43-9	Cadmium	2.61U1		IP	
17440-70-2	Calcium	63801		IP	
17440-47-3	Chromium	1.51U1		IP	
17440-48-4	Cobalt	1.61U1		IP	
17440-50-8	Copper	1.31B1		IP	
17439-89-6	Iron	1461		IP	
17439-92-1	Lead	1.41U1		IP	
17439-95-4	Magnesium	36301B1		IP	
17439-96-5	Manganese	22.31		IP	
17439-97-6	Mercury	1.41		CV	
17440-02-0	Nickel	5.91U1		IP	
17440-09-7	Potassium	9591B1		IP	
17782-49-2	Selenium	3.01U1		IP	
17440-22-4	Silver	1.91U1		IP	
17440-23-5	Sodium	37001B1		IP	
17440-28-0	Thallium	3.71U1		IP	
17440-62-2	Vanadium	1.51U1		IP	
17440-66-6	Zinc	21.11		IP	
	Cyanide				NRI

Color Before: COLORLESS

Clarity Before: CLEAR

Texture: \_\_\_\_\_

Color After: COLORLESS

Clarity After: CLEAR

Artifacts: \_\_\_\_\_

Comments:

**APPENDIX A**  
**RESULTS REPORTED BY LABORATORY**

**FORM IS**  
**SDG MCQA88**

**AR312399**

EPA202991

## INORGANIC ANALYSES DATA SHEET

J00003

EPA SAMPLE NO.

Lab Name: ITAS\_PITTSBURGH

Contract: 68-DE-0044

MCQA88

Lab Code: ITPA

Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No.: MCQA88

Matrix (soil/water): WATER

Lab Sample ID: MCQA88

Level (low/med): LOW

Date Received: 04/20/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): ug/L

CAS No.	Analyte	Concentration	ICI	Q	M
17429-90-5	Aluminum	1491B1		IP	
17440-36-0	Antimony	13.21U1		IP	
17440-38-2	Arsenic	2.21U1		IP	
17440-39-3	Barium	25.21B1		IP	
17440-41-7	Beryllium	0.101U1		IP	
17440-43-9	Cadmium	2.61U1		IP	
17440-70-2	Calcium	76301	I	IP	
17440-47-3	Chromium	1.51U1		IP	
17440-48-4	Cobalt	1.61U1		IP	
17440-50-8	Copper	6.71B1		IP	
17439-89-6	Iron	2561	I	E	IP
17439-92-1	Lead	1.41U1		IP	
17439-95-4	Magnesium	34101B1		IP	
17439-96-5	Manganese	5.31B1		IP	
17439-97-6	Mercury	0.281	I	CV	
17440-02-0	Nickel	5.91U1		IP	
17440-09-7	Potassium	13601B1		IP	
17782-49-2	Selenium	3.01U1		IP	
17440-22-4	Silver	1.91U1		IP	
17440-23-5	Sodium	34701B1		IP	
17440-28-0	Thallium	3.71U1		IP	
17440-62-2	Vanadium	1.51U1		IP	
17440-66-6	Zinc	41.11	I	IP	
	Cyanide				INR

Color Before: COLORLESS

Clarity Before: CLEAR

Texture: \_\_\_\_\_

Color After: COLORLESS

Clarity After: CLEAR

Artifacts: \_\_\_\_\_

Comments:

---



---



---

EPA202991A  
AR312400

## INORGANIC ANALYSES DATA SHEET

EPA 01/004 NO.

Lab Name: ITAS\_PITTSBURGH Contract: 68-D2-0044 MCQA89

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQA88

Matrix (soil/water): WATER Lab Sample ID: MCQA89

Level (low/med): LOW Date Received: 04/20/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): ug/L

CAS No.	Analyte	Concentration	Q	IM
17429-90-5	Aluminum	24.81B1	IP	
17440-36-0	Antimony	13.21U1	IP	
17440-38-2	Arsenic	2.21U1	IP	
17440-39-3	Barium	12.71B1	IP	
17440-41-7	Beryllium	0.101U1	IP	
17440-43-9	Cadmium	2.61U1	IP	
17440-70-2	Calcium	100001	IP	
17440-47-3	Chromium	1.51U1	IP	
17440-48-4	Cobalt	1.61U1	IP	
17440-50-8	Copper	2.91B1	IP	
17439-89-6	Iron	1141	E	IP
17439-92-1	Lead	1.41U1	IP	
17439-95-4	Magnesium	30401B1	IP	
17439-96-5	Manganese	24.11	IP	
17439-97-6	Mercury	0.781	ICV	
17440-02-0	Nickel	5.91U1	IP	
17440-09-7	Potassium	6271B1	IP	
17782-49-2	Selenium	3.01U1	IP	
17440-22-4	Silver	1.91U1	IP	
17440-23-5	Sodium	31101B1	IP	
17440-28-0	Thallium	3.71U1	IP	
17440-62-2	Vanadium	1.51U1	IP	
17440-66-6	Zinc	16.81B1	IP	
	Cyanide		INR	

Color Before: COLORLESS Clarity Before: CLEAR Texture:

Color After: COLORLESS Clarity After: CLEAR Artifacts:

Comments:

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

MCQA90

Lab Code: ITPA

Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No.: MCQA88

Matrix (soil/water): WATER

Lab Sample ID: MCQA90

Level (low/med): LOW

Date Received: 04/20/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	IC	Q	IM
17429-90-5	Aluminum	120	I	B	P
17440-36-0	Antimony	14.5	I	B	P
17440-38-2	Arsenic	2.2	I	B	P
17440-39-3	Barium	26.1	I	B	P
17440-41-7	Beryllium	0.10	I	B	P
17440-43-9	Cadmium	2.6	I	B	P
17440-70-2	Calcium	16100	I	B	P
17440-47-3	Chromium	1.5	I	B	P
17440-48-4	Cobalt	1.6	I	B	P
17440-50-8	Copper	4.0	I	B	P
17439-89-6	Iron	199	I	E	P
17439-92-1	Lead	1.4	I	B	P
17439-95-4	Magnesium	5650	I	B	P
17439-96-5	Manganese	4.3	I	B	P
17439-97-6	Mercury	2.4	I	B	CV
17440-02-0	Nickel	5.9	I	B	P
17440-09-7	Potassium	3940	I	B	P
17782-49-2	Selenium	3.0	I	B	P
17440-22-4	Silver	1.9	I	B	P
17440-23-5	Sodium	6680	I	B	P
17440-28-0	Thallium	3.7	I	B	P
17440-62-2	Vanadium	1.5	I	B	P
17440-66-6	Zinc	29.0	I	B	P
	Cyanide				INRI

Color Before: COLORLESS

Clarity Before: CLEAR

Texture: \_\_\_\_\_

Color After: COLORLESS

Clarity After: CLEAR

Artifacts: \_\_\_\_\_

Comments:

---



---



---

J00006

EPA SAMPLE NO.

## INORGANIC ANALYSES DATA SHEET

Lab Name: ITAS_PITTSBURGH	Contract: 68-D2-0044	MCQA91
---------------------------	----------------------	--------

Lab Code: ITPA	Case No.: 21843	SAS No.: _____	SDG No.: MCQA88
----------------	-----------------	----------------	-----------------

Matrix (soil/water): WATER	Lab Sample ID: MCQA91
----------------------------	-----------------------

Level (low/med): LOW	Date Received: 04/20/94
----------------------	-------------------------

% Solids:	0.0
-----------	-----

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	Cl	Q	IM	
17429-90-5	Aluminum	36.61	B1		IP	
17440-36-0	Antimony	13.21	U1		IP	
17440-38-2	Arsenic	2.21	U1		IP	
17440-39-3	Barium	17.21	B1		IP	
17440-41-7	Beryllium	0.101	U1		IP	
17440-43-9	Cadmium	2.61	U1		IP	
17440-70-2	Calcium	13000	01		IP	
17440-47-3	Chromium	1.51	U1		IP	
17440-48-4	Cobalt	1.61	U1		IP	
17440-50-8	Copper	2.91	B1		IP	
17439-89-6	Iron	1071	E		IP	
17439-92-1	Lead	1.41	U1		IP	
17439-95-4	Magnesium	5080	01		IP	
17439-96-5	Manganese	24.31			IP	
17439-97-6	Mercury	0.391			ICV	
17440-02-0	Nickel	5.91	U1		IP	
17440-09-7	Potassium	1690	01B1		IP	
17782-49-2	Selenium	3.01	U1		IP	
17440-22-4	Silver	1.91	U1		IP	
17440-23-5	Sodium	4760	01B1		IP	
17440-28-0	Thallium	3.71	U1		IP	
17440-62-2	Vanadium	1.51	U1		IP	
17440-66-6	Zinc	20.91			IP	
	Cyanide				INR1	

Color Before:	COLORLESS	Clarity Before:	CLEAR	Texture:	_____
---------------	-----------	-----------------	-------	----------	-------

Color After:	COLORLESS	Clarity After:	CLEAR	Artifacts:	_____
--------------	-----------	----------------	-------	------------	-------

Comments:	_____
-----------	-------

AR312403

EPA202993

JU007

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

MCQA92

Lab Name: ITAS\_PITTSBURGH \_\_\_\_\_ Contract: 68-D2-0044 \_\_\_\_\_

Lab Code: ITPA Case No.: 21843 SAS No.: \_\_\_\_\_ SDG No.: MCQA88

Matrix (soil/water): WATER Lab Sample ID: MCQA92

Level (low/med): LOW Date Received: 04/20/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	Q	M
17429-90-5	Aluminum	10.91	U	P
17440-36-0	Antimony	13.21	U	P
17440-38-2	Arsenic	2.21	U	P
17440-39-3	Barium	0.60	I	P
17440-41-7	Beryllium	0.10	I	P
17440-43-9	Cadmium	2.61	U	P
17440-70-2	Calcium	118.1	B	P
17440-47-3	Chromium	1.51	U	P
17440-48-4	Cobalt	1.61	U	P
17440-50-8	Copper	4.81	B	P
17439-89-6	Iron	13.51	B	E
17439-92-1	Lead	2.71	B	P
17439-95-4	Magnesium	28.11	B	P
17439-96-5	Manganese	0.50	I	P
17439-97-6	Mercury	0.25	I	CV
17440-02-0	Nickel	5.91	U	P
17440-09-7	Potassium	244.1	U	P
17782-49-2	Selenium	3.01	U	P
17440-22-4	Silver	1.91	U	P
17440-23-5	Sodium	100.1	B	P
17440-28-0	Thallium	3.71	U	P
17440-62-2	Vanadium	1.51	U	P
17440-66-6	Zinc	14.71	B	P
	Cyanide			NR

Color Before: COLORLESS Clarity Before: CLEAR Texture: \_\_\_\_\_

Color After: COLORLESS Clarity After: CLEAR Artifacts: \_\_\_\_\_

Comments:

AR312404 EPA202993A

J0008

EPA SAMPLE NO.

## INORGANIC ANALYSES DATA SHEET

To Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

MCQA93

Lab Code: ITPA

Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No.: MCQA88

Matrix (soil/water): WATER

Lab Sample ID: MCQA93

Level (low/med): LOW

Date Received: 04/20/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): ug/L

ICAS No.	Analyte	Concentration	C	Q	M
17429-90-5	Aluminum	10.9101		IP	
17440-36-0	Antimony	13.2101		IP	
17440-38-2	Arsenic	2.2101		IP	
17440-39-3	Barium	30.11B1		IP	
17440-41-7	Beryllium	0.10101		IP	
17440-43-9	Cadmium	2.6101		IP	
17440-70-2	Calcium	84801		IP	
17440-47-3	Chromium	1.5101		IP	
17440-48-4	Cobalt	1.6101		IP	
17440-50-8	Copper	3.61B1		IP	
17439-89-6	Iron	73.11B1	E	IP	
17439-92-1	Lead	1.4101		IP	
17439-95-4	Magnesium	37701B1		IP	
17439-96-5	Manganese	7.61B1		IP	
17439-97-6	Mercury	1.01		ICV	
17440-02-0	Nickel	5.9101		IP	
17440-09-7	Potassium	34801B1		IP	
17782-49-2	Selenium	3.0101		IP	
17440-22-4	Silver	1.9101		IP	
17440-23-5	Sodium	43001B1		IP	
17440-28-0	Thallium	3.7101		IP	
17440-62-2	Vanadium	1.5101		IP	
17440-66-6	Zinc	16.51B1		IP	
	Cyanide			INR	

Color Before: COLORLESS Clarity Before: CLEAR Texture: \_\_\_\_\_

Color After: COLORLESS Clarity After: CLEAR Artifacts: \_\_\_\_\_

Comments:

J00009

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

Lab Name: ITAS\_PITTSBURGH \_\_\_\_\_ Contract: 68-DE-0044 \_\_\_\_\_

MCQA94

Lab Code: ITPA \_\_\_\_\_ Case No.: 21843 \_\_\_\_\_ SAS No.: \_\_\_\_\_ SDG No.: MCQA88

Matrix (soil/water): WATER Lab Sample ID: MCQA94

Level (low/med): LOW \_\_\_\_\_ Date Received: 04/20/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L \_\_\_\_\_

CAS No.	Analyte	Concentration	Q	IM
17429-90-5	Aluminum	17.51B1	I	P
17440-36-0	Antimony	13.21U1	I	P
17440-38-2	Arsenic	2.21U1	I	P
17440-39-3	Barium	31.51B1	I	P
17440-41-7	Beryllium	0.101U1	I	P
17440-43-9	Cadmium	2.61U1	I	P
17440-70-2	Calcium	86201	I	P
17440-47-3	Chromium	1.51U1	I	P
17440-48-4	Cobalt	1.61U1	I	P
17440-50-8	Copper	1.91B1	I	P
17439-89-6	Iron	1021	I	E
17439-92-1	Lead	1.41U1	I	P
17439-95-4	Magnesium	38501B1	I	P
17439-96-5	Manganese	33.81	I	P
17439-97-6	Mercury	0.471	I	CV
17440-02-0	Nickel	5.91U1	I	P
17440-09-7	Potassium	36701B1	I	P
17782-49-2	Selenium	3.01U1	I	P
17440-22-4	Silver	1.91U1	I	P
17440-23-5	Sodium	44901B1	I	P
17440-28-0	Thallium	3.71U1	I	P
17440-62-2	Vanadium	1.51U1	I	P
17440-66-6	Zinc	13.11B1	I	P
	Cyanide		I	NR

Color Before: COLORLESS Clarity Before: CLEAR Texture: \_\_\_\_\_

Color After: COLORLESS Clarity After: CLEAR Artifacts: \_\_\_\_\_

Comments:

---



---



---

AR312406

EPA202994A

## INORGANIC ANALYSES DATA SHEET

Lab Name: ITAS\_PITTSBURGH

Contract: 68-DE-0044

MCQA95

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQA88

Matrix (soil/water): WATER

Lab Sample ID: MCQA95

Level (low/med): LOW

Date Received: 04/20/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): ug/L

CAS No.	Analyte	Concentration	Cl	Q	IM
17429-90-5	Aluminum	21.41	B1		IP
17440-36-0	Antimony	13.21	U1		IP
17440-38-2	Arsenic	2.21	U1		IP
17440-39-3	Barium	96.91	B1		IP
17440-41-7	Beryllium	0.101	U1		IP
17440-43-9	Cadmium	2.61	U1		IP
17440-70-2	Calcium	67301			IP
17440-47-3	Chromium	1.51	U1		IP
17440-48-4	Cobalt	1.61	U1		IP
17440-50-8	Copper	3.61	B1		IP
17439-89-6	Iron	22.21	B1	E	IP
17439-92-1	Lead	1.41	U1		IP
17439-95-4	Magnesium	59801			IP
17439-96-5	Manganese	46.71			IP
17439-97-6	Mercury	0.231			ICV
17440-02-0	Nickel	5.91	U1		IP
17440-09-7	Potassium	9061	B1		IP
17782-49-2	Selenium	3.01	U1		IP
17440-22-4	Silver	1.91	U1		IP
17440-23-5	Sodium	43001	B1		IP
17440-28-0	Thallium	3.71	U1		IP
17440-62-2	Vanadium	1.51	U1		IP
17440-66-6	Zinc	23.51			IP
	Cyanide				INR

Color Before: COLORLESS Clarity Before: CLEAR Texture: \_\_\_\_\_

Color After: COLORLESS Clarity After: CLEAR Artifacts: \_\_\_\_\_

Comments:

JU0011  
EPA SAMPLE NO.1  
INORGANIC ANALYSES DATA SHEET

Lab Name: ITAS\_PITTSBURGH Contract: 6B-D2-0044

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQA88

Matrix (soil/water): WATER Lab Sample ID: MCQA96

Level (low/med): LOW Date Received: 04/20/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	Q	IM
17429-90-5	Aluminum	27.91B1	IP	
17440-36-0	Antimony	13.21U1	IP	
17440-38-2	Arsenic	2.21U1	IP	
17440-39-3	Barium	24.41B1	IP	
17440-41-7	Beryllium	0.101U1	IP	
17440-43-9	Cadmium	2.61U1	IP	
17440-70-2	Calcium	103001	IP	
17440-47-3	Chromium	1.51U1	IP	
17440-48-4	Cobalt	1.61U1	IP	
17440-50-8	Copper	1.01B1	IP	
17439-89-6	Iron	68.21B1	E	IP
17439-92-1	Lead	1.41U1	IP	
17439-95-4	Magnesium	40901B1	IP	
17439-96-5	Manganese	24.61	IP	
17439-97-6	Mercury	0.411	ICV	
17440-02-0	Nickel	5.91U1	IP	
17440-09-7	Potassium	8601B1	IP	
17782-49-2	Selenium	3.01U1	IP	
17440-22-4	Silver	1.91U1	IP	
17440-23-5	Sodium	109001	IP	
17440-28-0	Thallium	3.71U1	IP	
17440-62-2	Vanadium	1.51U1	IP	
17440-66-6	Zinc	14.91B1	IP	
	Cyanide		INR	

Color Before: COLORLESS Clarity Before: CLEAR Texture:

Color After: COLORLESS Clarity After: CLEAR Artifacts:

Comments:

---



---



---

000012

EPA SAMPLE NO.

## INORGANIC ANALYSES DATA SHEET

1

MCQA97

Name: ITAS\_PITTSBURGH

Contract: 68-DE-0044

Lab Code: ITPA

Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No.: MCQA88

Matrix (soil/water): WATER

Lab Sample ID: MCQA97

Level (low/med):

LOW

Date Received: 04/20/94

% Solids:

0.0

Concentration Units (ug/L or mg/kg dry weight): ug/L

ICAS No.	Analyte	Concentration	C	Q	IM
17429-90-5	Aluminum	2611	I	P	
17440-36-0	Antimony	13.21	U	P	
17440-38-2	Arsenic	2.21	U	P	
17440-39-3	Barium	49.01	B	P	
17440-41-7	Beryllium	0.10	I	P	
17440-43-9	Cadmium	2.61	U	P	
17440-70-2	Calcium	9200	I	P	
17440-47-3	Chromium	1.51	U	P	
17440-48-4	Cobalt	1.61	U	P	
17440-50-8	Copper	2.81	B	P	
17439-89-6	Iron	3691	I	E	P
17439-92-1	Lead	1.41	U	P	
17439-95-4	Magnesium	3110	B	P	
17439-96-5	Manganese	21.81	I	P	
17439-97-6	Mercury	0.751	I	CV	
17440-02-0	Nickel	5.91	U	P	
17440-09-7	Potassium	3280	B	P	
17782-49-2	Selenium	3.01	U	P	
17440-22-4	Silver	1.91	U	P	
17440-23-5	Sodium	2890	B	P	
17440-28-0	Thallium	3.71	U	P	
17440-62-2	Vanadium	1.51	U	P	
17440-66-6	Zinc	18.91	B	P	
	Cyanide		I	NR	

Color Before: COLORLESS

Clarity Before: CLEAR

Texture: \_\_\_\_\_

Color After: COLORLESS

Clarity After: CLEAR

Artifacts: \_\_\_\_\_

Comments:

JU0013

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

Lab Name: ITAS\_PITTSBURGH Contract: 68-D2-0044

MCQA98

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQA88

Matrix (soil/water): WATER Lab Sample ID: MCQA98

Level (low/med): LOW Date Received: 04/20/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	Cl	Q	IM
17429-90-5	Aluminum	88.21	B1		IP
17440-36-0	Antimony	16.81	B1		IP
17440-38-2	Arsenic	2.21	U1		IP
17440-39-3	Barium	40.01	B1		IP
17440-41-7	Beryllium	0.101	U1		IP
17440-43-9	Cadmium	2.61	U1		IP
17440-70-2	Calcium	66301	1		IP
17440-47-3	Chromium	1.51	U1		IP
17440-48-4	Cobalt	1.61	U1		IP
17440-50-8	Copper	1.31	B1		IP
17439-89-6	Iron	1261	1	E	IP
17439-92-1	Lead	1.41	U1		IP
17439-95-4	Magnesium	39401	B1		IP
17439-96-5	Manganese	27.61	1		IP
17439-97-6	Mercury	0.561	1		ICV
17440-02-0	Nickel	5.91	U1		IP
17440-09-7	Potassium	10201	B1		IP
17782-49-2	Selenium	3.01	U1		IP
17440-22-4	Silver	1.91	U1		IP
17440-23-5	Sodium	32601	B1		IP
17440-28-0	Thallium	3.71	U1		IP
17440-62-2	Vanadium	1.51	U1		IP
17440-66-6	Zinc	19.81	B1		IP
	Cyanide				INRI

Color Before: COLORLESS Clarity Before: CLEAR Texture: \_\_\_\_\_

Color After: COLORLESS Clarity After: CLEAR Artifacts: \_\_\_\_\_

Comments:

AR312410

EPA 202996 A

## INORGANIC ANALYSES DATA SHEET

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

MCQA99

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQA88

Matrix (soil/water): WATER

Lab Sample ID: MCQA99

Level (low/med): LOW

Date Received: 04/20/94

% Solids: 0.0

Concentration Units (ug/L or mg/kg dry weight): UG/L

CAS No.	Analyte	Concentration	C	Q	M
17429-90-5	Aluminum	23.3	B1		IP
17440-36-0	Antimony	13.2	IU1		IP
17440-38-2	Arsenic	2.2	IU1		IP
17440-39-3	Barium	20.5	B1		IP
17440-41-7	Beryllium	0.10	IU1		IP
17440-43-9	Cadmium	2.6	IU1		IP
17440-70-2	Calcium	12000	I		IP
17440-47-3	Chromium	1.5	IU1		IP
17440-48-4	Cobalt	1.6	IU1		IP
17440-50-8	Copper	2.7	B1		IP
17439-89-6	Iron	92.8	B1	E	IP
17439-92-1	Lead	1.4	IU1		IP
17439-95-4	Magnesium	5670	I		IP
17439-96-5	Manganese	50.6	I		IP
17439-97-6	Mercury	0.62	I		ICV
17440-02-0	Nickel	5.9	IU1		IP
17440-09-7	Potassium	5030	I		IP
17782-49-2	Selenium	3.0	IU1		IP
17440-22-4	Silver	1.9	IU1		IP
17440-23-5	Sodium	5380	I		IP
17440-28-0	Thallium	3.7	IU1		IP
17440-62-2	Vanadium	1.8	B1		IP
17440-66-6	Zinc	15.3	B1		IP
	Cyanide				INR

Color Before: COLORLESS Clarity Before: CLEAR Texture:

Color After: COLORLESS Clarity After: CLEAR Artifacts:

Comments:

**APPENDIX A**  
**RESULTS REPORTED BY LABORATORY**  
**FORM 1s**  
**SDG MCQX79**

*EPA 20299*

**AR312412**

EPA SAMPLE NO.

1  
INORGANIC ANALYSES DATA SHEET

Lab Name: ITAS\_PITTSBURGH Contract: 68-D2-0044 MCQX79

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQX79

Matrix (soil/water): SOIL Lab Sample ID: MCQX79

Level (low/med): LOW Date Received: 04/20/94

% Solids: 49.5

Concentration Units (ug/L or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	C	Q	IM
17429-90-5	Aluminum	11100	I	*	IP
17440-36-0	Antimony	8.01B1	N		IP
17440-38-2	Arsenic	1.81B1			IP
17440-39-3	Barium	1201	I		IP
17440-41-7	Beryllium	0.611B1			IP
17440-43-9	Cadmium	1.01U1			IP
17440-70-2	Calcium	8581B1			IP
17440-47-3	Chromium	11.71	I		IP
17440-48-4	Cobalt	13.71B1			IP
17440-50-8	Copper	12.11	I		IP
17439-89-6	Iron	17300	I		IP
17439-92-1	Lead	16.71	I		IP
17439-95-4	Magnesium	12001B1			IP
17439-96-5	Manganese	1851	I		IP
17439-97-6	Mercury	0.201U1			ICVI
17440-02-0	Nickel	13.31B1			IP
17440-09-7	Potassium	5791B1			IP
17782-49-2	Selenium	1.41B1			IP
17440-22-4	Silver	0.751B1			IP
17440-23-5	Sodium	1011B1			IP
17440-28-0	Thallium	1.41U1			IP
17440-62-2	Vanadium	14.51B1			IP
17440-66-6	Zinc	55.81	I	E	IP
	Cyanide	5.11U1			IASI

Color Before: BROWN Clarity Before: Texture: MEDIUM

Color After: BROWN Clarity After: Artifacts: YES

## Comments:

ARTIFACTS: ROOTS, WEEDS, AND WATER

## INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

MCQX80

Lab Code: ITPA

Case No.: 21843

SAS No.:

SDG No.: MCQX79

Matrix (soil/water): SOIL

Lab Sample ID: MCQX80

Level (low/med): LOW

Date Received: 04/20/94

% Solids: 47.6

Concentration Units (ug/L or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	C	Q	IM
17429-90-5	Aluminum	13900	I	*	P
17440-36-0	Antimony	8.5	B	N	P
17440-38-2	Arsenic	4.71			P
17440-39-3	Barium	128	I		P
17440-41-7	Beryllium	0.62	B		P
17440-43-9	Cadmium	1.01	U		P
17440-70-2	Calcium	3260	I		P
17440-47-3	Chromium	14.6	I		P
17440-48-4	Cobalt	21.6	I		P
17440-50-8	Copper	12.6	I		P
17439-89-6	Iron	23100	I		P
17439-92-1	Lead	23.9	I		P
17439-95-4	Magnesium	1930	B		P
17439-96-5	Manganese	1080	I		P
17439-97-6	Mercury	0.21	U		CV
17440-02-0	Nickel	16.8	I		P
17440-09-7	Potassium	767	B		P
17782-49-2	Selenium	1.5	B		P
17440-22-4	Silver	1.1	B		P
17440-23-5	Sodium	107	B		P
17440-28-0	Thallium	1.5	U		P
17440-62-2	Vanadium	20.5	I		P
17440-66-6	Zinc	74.9	I	E	P
	Cyanide	5.3	U		IAS

Color Before: BROWN

Clarity Before: \_\_\_\_\_

Texture: MEDIUM

Color After: BROWN

Clarity After: \_\_\_\_\_

Artifacts: YES

## Comments:

ARTIFACTS: ROOTS, WEEDS, LEAVES, AND WATER

EPA SAMPLE NO.

## INORGANIC ANALYSES DATA SHEET

1

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

MCQX81

Lab Code: ITPA

Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No.: MCQX79

Matrix (soil/water): SOIL

Lab Sample ID: MCQX81

Level (low/med): LOW

Date Received: 04/20/94

% Solids: 25.4

Concentration Units (ug/L or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	C	Q	IM
17429-90-5	Aluminum	13800	I	*	IP
17440-36-0	Antimony	9.91	U	N	IP
17440-38-2	Arsenic	5.81	B	I	IP
17440-39-3	Barium	1361	B	I	IP
17440-41-7	Beryllium	0.701	B	I	IP
17440-43-9	Cadmium	1.91	U	I	IP
17440-70-2	Calcium	6340	I	B	IP
17440-47-3	Chromium	20.4	I	B	IP
17440-48-4	Cobalt	31.5	I	B	IP
17440-50-8	Copper	30.7	I	B	IP
17439-89-6	Iron	35100	I	B	IP
17439-92-1	Lead	28.2	I	B	IP
17439-95-4	Magnesium	3470	I	B	IP
17439-96-5	Manganese	1980	I	B	IP
17439-97-6	Mercury	0.39	U	I	ICV
17440-02-0	Nickel	31.8	I	B	IP
17440-09-7	Potassium	809	I	B	IP
17782-49-2	Selenium	2.21	U	I	IP
17440-22-4	Silver	1.4	U	I	IP
17440-23-5	Sodium	218	I	B	IP
17440-28-0	Thallium	2.81	U	I	IP
17440-62-2	Vanadium	20.0	I	B	IP
17440-66-6	Zinc	137	I	E	IP
	Cyanide	9.8	U	I	IASI

Color Before: BROWN

Clarity Before: \_\_\_\_\_

Texture: MEDIUM

Color After: BROWN

Clarity After: \_\_\_\_\_

Artifacts: YES

## Comments:

ARTIFACTS: ROOTS, WEEDS, AND WATER

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

MCQX82

Lab Name: ITAS\_PITTSBURGH Contract: 68-D2-0044

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQX79

Matrix (soil/water): SOIL Lab Sample ID: MCQX82

Level (low/med): LOW Date Received: 04/20/94

% Solids: 45.9

Concentration Units (ug/L or mg/kg dry weight): MG/KG

I	CAS No.	Analyte	Concentration	C	Q	M	I
.	17429-90-5	Aluminum	13000	I	*	P	I
.	17440-36-0	Antimony	7.11B	I	N	P	I
.	17440-38-2	Arsenic	5.81	I		P	I
.	17440-39-3	Barium	77.21B	I		P	I
.	17440-41-7	Beryllium	0.471B	I		P	I
.	17440-43-9	Cadmium	1.11U	I		P	I
.	17440-70-2	Calcium	7590	I		P	I
.	17440-47-3	Chromium	16.41	I		P	I
.	17440-48-4	Cobalt	20.01B	I		P	I
.	17440-50-8	Copper	18.71	I		P	I
.	17439-89-6	Iron	31500	I		P	I
.	17439-92-1	Lead	17.81	I		P	I
.	17439-95-4	Magnesium	4190	I		P	I
.	17439-96-5	Manganese	759	I		P	I
.	17439-97-6	Mercury	0.221U	I		CV	I
.	17440-02-0	Nickel	17.51	I		P	I
.	17440-09-7	Potassium	3901B	I		P	I
.	17782-49-2	Selenium	1.31U	I		P	I
.	17440-22-4	Silver	0.851B	I		P	I
.	17440-23-5	Sodium	83.81B	I		P	I
.	17440-28-0	Thallium	1.61U	I		P	I
.	17440-62-2	Vanadium	16.11B	I		P	I
.	17440-66-6	Zinc	95.51	I	E	P	I
.		Cyanide	5.41U	I		AS	I

Color Before: BROWN Clarity Before: Texture: MEDIUM

Color After: BROWN Clarity After: Artifacts: YES

## Comments:

ARTIFACTS: ROOTS, WEEDS, WORMS, AND WATER

000007

EPA SAMPLE NO.

## INORGANIC ANALYSES DATA SHEET

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

MCQX83

Lab Code: ITPA

Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No.: MCQX79

Matrix (soil/water): SOIL

Lab Sample ID: MCQX83

Level (low/med): LOW

Date Received: 04/20/94

% Solids: 42.2

Concentration Units (ug/L or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	C	Q	IM
17429-90-5	Aluminum	11700	I	*	IP
17440-36-0	Antimony	6.01	U	N	IP
17440-38-2	Arsenic	1.91	B	I	IP
17440-39-3	Barium	84.21	B	I	IP
17440-41-7	Beryllium	0.651	B	I	IP
17440-43-9	Cadmium	1.21	U	I	IP
17440-70-2	Calcium	1100	1	B	IP
17440-47-3	Chromium	13.61	I	I	IP
17440-48-4	Cobalt	18.41	B	I	IP
17440-50-8	Copper	14.31	I	I	IP
17439-89-6	Iron	21400	I	I	IP
17439-92-1	Lead	20.81	I	I	IP
17439-95-4	Magnesium	1870	1	B	IP
17439-96-5	Manganese	4331	I	I	IP
17439-97-6	Mercury	0.241	U	I	ICV
17440-02-0	Nickel	16.01	B	I	IP
17440-09-7	Potassium	677	1	B	IP
17782-49-2	Selenium	1.41	U	I	IP
17440-22-4	Silver	0.881	B	I	IP
17440-23-5	Sodium	101	1	B	IP
17440-28-0	Thallium	1.71	U	I	IP
17440-62-2	Vanadium	15.51	B	I	IP
17440-66-6	Zinc	88.41	I	E	IP
	Cyanide	5.91	U	I	IASI

Color Before: BROWN

Clarity Before: \_\_\_\_\_

Texture: MEDIUM

Color After: BROWN

Clarity After: \_\_\_\_\_

Artifacts: YES

## Comments:

ARTIFACTS: ROOTS, WEEDS, AND WATER

AR312417

000008

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

Lab Name: ITAS\_PITTSBURGH Contract: 68-D2-0044 MCQX84

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQX79

Matrix (soil/water): SOIL Lab Sample ID: MCQX84

Level (low/med): LOW Date Received: 04/20/94

% Solids: 29.9

Concentration Units (ug/L or mg/kg dry weight): MG/KG

I	CAS No.	Analyte	Concentration	I	Q	M	I
	17429-90-5	Aluminum	12800	I	*	P	I
	17440-36-0	Antimony	8.51	U	N	P	I
	17440-38-2	Arsenic	3.91	B	I	P	I
	17440-39-3	Barium	174	I	I	P	I
	17440-41-7	Beryllium	0.57	B	I	P	I
	17440-43-9	Cadmium	1.71	U	I	P	I
	17440-70-2	Calcium	2610	B	I	P	I
	17440-47-3	Chromium	11.91	I	I	P	I
	17440-48-4	Cobalt	30.9	B	I	P	I
	17440-50-8	Copper	13.6	B	I	P	I
	17439-89-6	Iron	24200	I	I	P	I
	17439-92-1	Lead	13.41	I	I	P	I
	17439-95-4	Magnesium	1700	B	I	P	I
	17439-96-5	Manganese	2070	I	I	P	I
	17439-97-6	Mercury	0.33	U	I	CV	I
	17440-02-0	Nickel	11.5	B	I	P	I
	17440-09-7	Potassium	969	B	I	P	I
	17782-49-2	Selenium	1.91	U	I	P	I
	17440-22-4	Silver	1.9	B	I	P	I
	17440-23-5	Sodium	103	B	I	P	I
	17440-28-0	Thallium	2.41	U	I	P	I
	17440-62-2	Vanadium	18.2	B	I	P	I
	17440-66-6	Zinc	60.21	I	E	P	I
		Cyanide	8.41	U	I	AS	I

Color Before: BROWN Clarity Before: Texture: MEDIUM

Color After: BROWN Clarity After: Artifacts: YES

## Comments:

ARTIFACTS: ROOTS, WEEDS, LEAVES, AND WATER

J01009

## INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

MCQX85

Lab Code: ITPA

Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No.: MCQX79

Matrix (soil/water): SOIL

Lab Sample ID: MCQX85

Level (low/med): LOW

Date Received: 04/20/94

% Solids: 36.5

Concentration Units (ug/L or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	C	Q	M
17429-90-5	Aluminum	13400	I	*	P
17440-36-0	Antimony	7.01	UI	N	P
17440-38-2	Arsenic	3.61	BI		P
17440-39-3	Barium	100	IBI		P
17440-41-7	Beryllium	0.42	IBI		P
17440-43-9	Cadmium	1.4	UI		P
17440-70-2	Calcium	2860	I		P
17440-47-3	Chromium	16.51	I		P
17440-48-4	Cobalt	19.4	IBI		P
17440-50-8	Copper	21.1	I		P
17439-89-6	Iron	31200	I		P
17439-92-1	Lead	19.4	I		P
17439-95-4	Magnesium	3320	I		P
17439-96-5	Manganese	913	I		P
17439-97-6	Mercury	0.27	UI		CVI
17440-02-0	Nickel	20.0	IBI		P
17440-09-7	Potassium	490	IBI		P
17782-49-2	Selenium	1.6	UI		P
17440-22-4	Silver	1.0	UI		P
17440-23-5	Sodium	129	IBI		P
17440-28-0	Thallium	1.9	UI		P
17440-62-2	Vanadium	15.6	IBI		P
17440-66-6	Zinc	110	I	E	P
	Cyanide	6.8	UI		AS

Color Before: BROWN Clarity Before: \_\_\_\_\_ Texture: MEDIUM

Color After: BROWN Clarity After: \_\_\_\_\_ Artifacts: YES \_\_\_\_\_

## Comments:

ARTIFACTS: ROOTS, WEEDS, AND WATER

AR312419

EPA2000

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

MCQX86

Lab Name: ITAS\_PITTSBURGH Contract: 68-D2-0044

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQX79

Matrix (soil/water): SOIL Lab Sample ID: MCQX86

Level (low/med): LOW Date Received: 04/20/94

% Solids: 29.6

Concentration Units (ug/L or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	Q	M
17429-90-5	Aluminum	8750	*	IP
17440-36-0	Antimony	8.81	N	IP
17440-38-2	Arsenic	4.31	B	IP
17440-39-3	Barium	104	B	IP
17440-41-7	Beryllium	0.56	B	IP
17440-43-9	Cadmium	1.71	U	IP
17440-70-2	Calcium	1400	B	IP
17440-47-3	Chromium	14.8	I	IP
17440-48-4	Cobalt	21.6	B	IP
17440-50-8	Copper	14.7	B	IP
17439-89-6	Iron	21600	I	IP
17439-92-1	Lead	25.1	I	IP
17439-95-4	Magnesium	1330	B	IP
17439-96-5	Manganese	297	I	IP
17439-97-6	Mercury	0.34	U	ICV
17440-02-0	Nickel	16.1	B	IP
17440-09-7	Potassium	264	B	IP
17782-49-2	Selenium	2.0	U	IP
17440-22-4	Silver	1.3	U	IP
17440-23-5	Sodium	116	B	IP
17440-28-0	Thallium	2.5	U	IP
17440-62-2	Vanadium	12.3	B	IP
17440-66-6	Zinc	71.8	E	IP
	Cyanide	8.4	U	IASI

Color Before: BROWN Clarity Before: Texture: MEDIUM

Color After: BROWN Clarity After: Artifacts: YES

## Comments:

ARTIFACTS: ROOTS, WEEDS, LEAVES, AND WATER

000011

EPA SAMPLE NO.

## INORGANIC ANALYSES DATA SHEET

1

Lab Name: ITAS\_PITTSBURGH Contract: 68-D2-0044 MCQY53

Lab Code: ITFA Case No.: 21843 SAS No.: SDG No.: MCQX79

Matrix (soil/water): SOIL Lab Sample ID: MCQY53

Level (low/med): LOW Date Received: 04/20/94

% Solids: 28.1

Concentration Units (ug/L or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	C	Q	M
17429-90-5	Aluminum	109001	*		IP
17440-36-0	Antimony	9.21B1	N		IP
17440-38-2	Arsenic	3.21B1			IP
17440-39-3	Barium	1741			IP
17440-41-7	Beryllium	0.571B1			IP
17440-43-9	Cadmium	1.81B1			IP
17440-70-2	Calcium	14001B1			IP
17440-47-3	Chromium	12.71			IP
17440-48-4	Cobalt	19.51B1			IP
17440-50-8	Copper	15.51B1			IP
17439-89-6	Iron	254001			IP
17439-92-1	Lead	20.91			IP
17439-95-4	Magnesium	14401B1			IP
17439-96-5	Manganese	7601			IP
17439-97-6	Mercury	0.361U1			ICVI
17440-02-0	Nickel	15.51B1			IP
17440-09-7	Potassium	7831B1			IP
17782-49-2	Selenium	2.11U1			IP
17440-22-4	Silver	2.11B1			IP
17440-23-5	Sodium	1771B1			IP
17440-28-0	Thallium	2.61U1			IP
17440-62-2	Vanadium	15.81B1			IP
17440-66-6	Zinc	74.61	E		IP
	Cyanide	8.91U1			IASI

Color Before: BROWN Clarity Before: Texture: MEDIUM

Color After: BROWN Clarity After: Artifacts: YES

## Comments:

ARTIFACTS: ROOTS, WEEDS, AND WATER

J011012

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

Lab Name: ITAS\_PITTSBURGH Contract: 68-D2-0044 |  
 Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQX79  
 Matrix (soil/water): SOIL Lab Sample ID: MCQY54  
 Level (low/med): LOW Date Received: 04/20/94  
 % Solids: 29.7

Concentration Units (ug/L or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	Q	M
17429-90-5	Aluminum	131001	*	IP
17440-36-0	Antimony	8.51U1	N	IP
17440-38-2	Arsenic	3.91B1		IP
17440-39-3	Barium	1901		IP
17440-41-7	Beryllium	0.651B1		IP
17440-43-9	Cadmium	1.71U1		IP
17440-70-2	Calcium	183001		IP
17440-47-3	Chromium	12.61		IP
17440-48-4	Cobalt	20.31B1		IP
17440-50-8	Copper	16.61		IP
17439-89-6	Iron	271001		IP
17439-92-1	Lead	20.21		IP
17439-95-4	Magnesium	15101B1		IP
17439-96-5	Manganese	7691		IP
17439-97-6	Mercury	0.341U1		ICV
17440-02-0	Nickel	15.71B1		IP
17440-09-7	Potassium	6371B1		IP
17782-49-2	Selenium	1.91U1		IP
17440-22-4	Silver	1.21U1		IP
17440-23-5	Sodium	2321B1		IP
17440-28-0	Thallium	2.41U1		IP
17440-62-2	Vanadium	17.51B1		IP
17440-66-6	Zinc	82.71	E	IP
	Cyanide	8.41U1		IASI

Color Before: BROWN Clarity Before: Texture: MEDIUM

Color After: BROWN Clarity After: Artifacts: YES

## Comments:

ARTIFACTS: ROOTS, WEEDS, AND WATER

**APPENDIX A**  
**RESULTS REPORTED BY LABORATORY**  
**FORM IS**  
**SDG MCQY33**

**AR312423**

EPA203004

300004

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

MCQY33

Lab Name: ITAS\_PITTSBURGH Contract: 68-D2-0044

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQY33

Matrix (soil/water): SOIL Lab Sample ID: MCQY33

Level (low/med): LOW Date Received: 04/15/94

% Solids: 45.1

Concentration Units (ug/L or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	C	Q	M	P
17429-90-5	Aluminum	11700				
17440-36-0	Antimony	8.21B		N		
17440-38-2	Arsenic	3.51B				
17440-39-3	Barium	1261				
17440-41-7	Beryllium	0.611B				
17440-43-9	Cadmium	1.11U				
17440-70-2	Calcium	10601B				
17440-47-3	Chromium	14.11				
17440-48-4	Cobalt	1491				
17440-50-8	Copper	18.01				
17439-89-6	Iron	192001				
17439-92-1	Lead	16.91				
17439-95-4	Magnesium	21301B				
17439-96-5	Manganese	34701				
17439-97-6	Mercury	0.221U				CV
17440-02-0	Nickel	37.11				
17440-09-7	Potassium	7531B				
17782-49-2	Selenium	1.71B				
17440-22-4	Silver	1.71B				
17440-23-5	Sodium	2821B				
17440-28-0	Thallium	1.61U				
17440-62-2	Vanadium	14.41B				
17440-66-6	Zinc	76.21	E			
	Cyanide	5.51U	*			AS

Color Before: BROWN Clarity Before: Texture: MEDIUM

Color After: BROWN Clarity After: Artifacts: YES

## Comments:

ARTIFACTS: FREE\_WATER\_AND\_ROOTS

300005

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

MCQY34

Lab Code: ITPA

Case No.: 21843

SAS No.:

SDG No.: MCQY33

Matrix (soil/water): SOIL

Lab Sample ID: MCQY34

Level (low/med): LOW

Date Received: 04/15/94

% Solids: 54.1

Concentration Units (ug/L or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	C	Q	IM
17429-90-5	Aluminum	15000	I	P	
17440-36-0	Antimony	6.1	B	N	P
17440-38-2	Arsenic	2.1	B		P
17440-39-3	Barium	90.0	I	P	
17440-41-7	Beryllium	0.72	B		P
17440-43-9	Cadmium	0.94	I		P
17440-70-2	Calcium	5550	I	P	
17440-47-3	Chromium	20.6	I	P	
17440-48-4	Cobalt	36.1	I	P	
17440-50-8	Copper	34.9	I	P	
17439-89-6	Iron	38400	I	P	
17439-92-1	Lead	35.9	I	P	
17439-95-4	Magnesium	5050	I	P	
17439-96-5	Manganese	899	I	P	
17439-97-6	Mercury	0.18	I	CV	
17440-02-0	Nickel	29.5	I	P	
17440-09-7	Potassium	534	B		P
17782-49-2	Selenium	1.4	B		P
17440-22-4	Silver	0.97	B		P
17440-23-5	Sodium	173	B		P
17440-28-0	Thallium	1.3	I	P	
17440-62-2	Vanadium	15.4	B		P
17440-66-6	Zinc	113	I	E	P
	Cyanide	4.6	I	U	IASI

Color Before: BROWN

Clarity Before:

Texture: MEDIUM

Color After: BROWN

Clarity After:

Artifacts: YES

Comments:

ARTIFACTS: FREE\_WATER\_AND\_ROOTS

55006

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

MCQY35

Lab Name: ITAS\_PITTSBURGH Contract: 68-D2-0044

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQY33

Matrix (soil/water): SOIL Lab Sample ID: MCQY35

Level (low/med): LOW Date Received: 04/15/94

% Solids: 36.1

Concentration Units (ug/L or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	C	Q	IM
17429-90-5	Aluminum	12800	I	P	
17440-36-0	Antimony	8.81	B	N	P
17440-38-2	Arsenic	3.61	B		P
17440-39-3	Barium	258	I	P	
17440-41-7	Beryllium	0.591	B		P
17440-43-9	Cadmium	1.41	U		P
17440-70-2	Calcium	5470	I	P	
17440-47-3	Chromium	14.4	I	P	
17440-48-4	Cobalt	125	I	P	
17440-50-8	Copper	18.6	I	P	
17439-89-6	Iron	24700	I	P	
17439-92-1	Lead	26.3	I	P	
17439-95-4	Magnesium	2830	I	P	
17439-96-5	Manganese	9420	I	P	
17439-97-6	Mercury	0.281	U		ICV
17440-02-0	Nickel	19.6	B		P
17440-09-7	Potassium	867	B		P
17782-49-2	Selenium	4.71	U		P
17440-22-4	Silver	1.0	U		P
17440-23-5	Sodium	182	B		P
17440-28-0	Thallium	2.0	U		P
17440-62-2	Vanadium	17.7	B		P
17440-66-6	Zinc	88.9	I	E	P
	Cyanide	6.91	U	*	IASI

Color Before: BROWN Clarity Before: Texture: MEDIUM

Color After: BROWN Clarity After: Artifacts: YES

## Comments:

ARTIFACTS: FREE\_WATER\_AND\_ROOTS

30007

EPA SAMPLE NO.

## INORGANIC ANALYSES DATA SHEET

Lab Name: ITAS\_PITTSBURGH Contract: 68-D2-0044

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQY33

Matrix (soil/water): SOIL Lab Sample ID: MCQY36

Level (low/med): LOW Date Received: 04/15/94

% Solids: 38.3

Concentration Units (ug/L or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	C	Q	M
17429-90-5	Aluminum	19900	I	P	
17440-36-0	Antimony	6.91	U	N	I
17440-38-2	Arsenic	3.61	B	I	P
17440-39-3	Barium	132	I	P	
17440-41-7	Beryllium	0.701	B	I	P
17440-43-9	Cadmium	1.41	U	I	P
17440-70-2	Calcium	1170	I	B	P
17440-47-3	Chromium	20.9	I	P	
17440-48-4	Cobalt	18.4	I	B	P
17440-50-8	Copper	29.5	I	P	
17439-89-6	Iron	30000	I	P	
17439-92-1	Lead	38.0	I	P	
17439-95-4	Magnesium	2930	I	P	
17439-96-5	Manganese	197	I	P	
17439-97-6	Mercury	0.30	I	CV	
17440-02-0	Nickel	23.6	I	P	
17440-09-7	Potassium	961	I	B	P
17782-49-2	Selenium	2.1	I	B	P
17440-22-4	Silver	0.99	U	I	P
17440-23-5	Sodium	197	I	B	P
17440-28-0	Thallium	1.9	U	I	P
17440-62-2	Vanadium	22.7	I	B	P
17440-66-6	Zinc	108	I	E	I
	Cyanide	6.5	U	*	IAS

Color Before: BROWN Clarity Before: Texture: MEDIUM

Color After: BROWN Clarity After: Artifacts: YES

## Comments:

ARTIFACTS: FREE\_WATER\_AND\_ROOTS

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

Lab Name: ITAS\_PITTSBURGH Contract: 68-D2-0044 | MCQY37

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQY33

Matrix (soil/water): SOIL Lab Sample ID: MCQY37

Level (low/med): LOW Date Received: 04/15/94

% Solids: 51.6

Concentration Units (ug/L or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	C	Q	M
17429-90-5	Aluminum	11900	I	P	
17440-36-0	Antimony	5.01U	I	N	P
17440-38-2	Arsenic	2.71B	I	P	
17440-39-3	Barium	90.11	I	P	
17440-41-7	Beryllium	0.531B	I	P	
17440-43-9	Cadmium	0.991U	I	P	
17440-70-2	Calcium	4750	I	P	
17440-47-3	Chromium	14.71	I	P	
17440-48-4	Cobalt	24.11	I	P	
17440-50-8	Copper	19.41	I	P	
17439-89-6	Iron	23800	I	P	
17439-92-1	Lead	22.21	I	P	
17439-95-4	Magnesium	3780	I	P	
17439-96-5	Manganese	1010	I	P	
17439-97-6	Mercury	0.191U	I	CV	
17440-02-0	Nickel	16.91	I	P	
17440-09-7	Potassium	5621B	I	P	
17782-49-2	Selenium	1.81B	I	P	
17440-22-4	Silver	0.971B	I	P	
17440-23-5	Sodium	1451B	I	P	
17440-28-0	Thallium	1.41U	I	P	
17440-62-2	Vanadium	15.01B	I	P	
17440-66-6	Zinc	80.21	I	E	P
	Cyanide	4.81U	*	IASI	

Color Before: BROWN Clarity Before: Texture: MEDIUM

Color After: BROWN Clarity After: Artifacts: YES

## Comments:

ARTIFACTS: FREE\_WATER\_AND\_ROOTS

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

MCQY38

Lab Code: ITPA

Case No.: 21843

SAS No.:

SDG No.: MCQY33

Matrix (soil/water): SOIL

Lab Sample ID: MCQY38

Level (low/med): LOW

Date Received: 04/15/94

x Solids: 51.8

Concentration Units (ug/L or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	C	Q	M
17429-90-5	Aluminum	162001	I	P	
17440-36-0	Antimony	7.51B1	N	P	
17440-38-2	Arsenic	2.71B1		P	
17440-39-3	Barium	68.61B1		P	
17440-41-7	Beryllium	0.721B1		P	
17440-43-9	Cadmium	0.981U1		P	
17440-70-2	Calcium	10301B1		P	
17440-47-3	Chromium	16.71	I	P	
17440-48-4	Cobalt	25.11	I	P	
17440-50-8	Copper	27.71	I	P	
17439-89-6	Iron	361001		P	
17439-92-1	Lead	20.71	I	P	
17439-95-4	Magnesium	25601	I	P	
17439-96-5	Manganese	6331	I	P	
17439-97-6	Mercury	0.191U1		CV	
17440-02-0	Nickel	21.91	I	P	
17440-09-7	Potassium	8921B1		P	
17782-49-2	Selenium	1.41B1		P	
17440-22-4	Silver	0.721U1		P	
17440-23-5	Sodium	1841B1		P	
17440-28-0	Thallium	1.41U1		P	
17440-62-2	Vanadium	18.61B1		P	
17440-66-6	Zinc	80.91	E	P	
	Cyanide	4.81U1	*	IAS	

Color Before: BROWN

Clarity Before:

Texture: MEDIUM

Color After: BROWN

Clarity After:

Artifacts: YES

Comments:

ARTIFACTS: FREE\_WATER\_AND\_ROOTS

300010

U.S. EPA - CLP

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

MCQY39

Lab Name: ITAS\_PITTSBURGH Contract: 68-D2-0044

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQY33

Matrix (soil/water): SOIL

Lab Sample ID: MCQY39

Level (low/med): LOW

Date Received: 04/15/94

% Solids: 41.9

Concentration Units (ug/L or mg/kg dry weight): MG/KG

I	CAS No.	Analyte	Concentration	C	Q	I	M
	17429-90-5	Aluminum	15800	I	P		
	17440-36-0	Antimony	6.1	U	N	I	P
	17440-38-2	Arsenic	5.6	I		I	P
	17440-39-3	Barium	96.0	I		I	P
	17440-41-7	Beryllium	0.53	B	I	I	P
	17440-43-9	Cadmium	1.2	I		I	P
	17440-70-2	Calcium	1830	I	B	I	P
	17440-47-3	Chromium	15.4	I		I	P
	17440-48-4	Cobalt	20.9	I	B	I	P
	17440-50-8	Copper	18.4	I		I	P
	17439-89-6	Iron	28300	I		I	P
	17439-92-1	Lead	24.0	I		I	P
	17439-95-4	Magnesium	2490	I		I	P
	17439-96-5	Manganese	1140	I		I	P
	17439-97-6	Mercury	0.24	U		I	CV
	17440-02-0	Nickel	15.1	I	B	I	P
	17440-09-7	Potassium	567	I	B	I	P
	17782-49-2	Selenium	2.0	I	B	I	P
	17440-22-4	Silver	0.88	I	U	I	P
	17440-23-5	Sodium	119	I	B	I	P
	17440-28-0	Thallium	1.7	I	U	I	P
	17440-62-2	Vanadium	18.6	I	B	I	P
	17440-66-6	Zinc	83.1	I	E	I	P
		Cyanide	6.0	I	U	*	IASI

Color Before: BROWN Clarity Before: Texture: MEDIUM

Color After: BROWN Clarity After: Artifacts: YES

## Comments:

ARTIFACTS: FREE\_WATER\_AND\_ROOTS

501011

EPA SAMPLE NO.

## INORGANIC ANALYSES DATA SHEET

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

MCQY40

Lab Code: ITPA

Case No.: 21843

SAS No.:

SDG No.: MCQY33

Matrix (soil/water): SOIL

Lab Sample ID: MCQY40

Level (low/med): LOW

Date Received: 04/15/94

% Solids: 30.7

Concentration Units (ug/L or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	C	Q	IM
17429-90-5	Aluminum	22500	I	P	
17440-36-0	Antimony	8.51	U	N	P
17440-38-2	Arsenic	9.01	I	P	
17440-39-3	Barium	117	I	B	P
17440-41-7	Beryllium	0.84	I	B	P
17440-43-9	Cadmium	1.71	U	I	P
17440-70-2	Calcium	1640	I	B	P
17440-47-3	Chromium	23.4	I		P
17440-48-4	Cobalt	33.3	I		P
17440-50-8	Copper	22.1	I		P
17439-89-6	Iron	37700	I	P	
17439-92-1	Lead	28.5	I		P
17439-95-4	Magnesium	2770	I	B	P
17439-96-5	Manganese	808	I		P
17439-97-6	Mercury	0.33	U	I	CV
17440-02-0	Nickel	21.2	I	B	P
17440-09-7	Potassium	1190	I	B	P
17782-49-2	Selenium	2.8	I	B	P
17440-22-4	Silver	1.21	U	I	P
17440-23-5	Sodium	184	I	B	P
17440-28-0	Thallium	2.4	U	I	P
17440-62-2	Vanadium	27.1	I	B	P
17440-66-6	Zinc	98.2	I	E	P
	Cyanide	8.1	U	*	IASI

Color Before: BROWN Clarity Before: Texture: MEDIUM

Color After: BROWN Clarity After: Artifacts: YES

## Comments:

ARTIFACTS: FREE\_WATER\_AND\_ROOTS

JULY 12

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

MCQY41

Lab Code: ITPA

Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No.: MCQY33

Matrix (soil/water): SOIL

Lab Sample ID: MCQY41

Level (low/med): LOW

Date Received: 04/15/94

% Solids: 42.2

Concentration Units (ug/L or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	C	Q	M
17429-90-5	Aluminum	12600	I	P	
17440-36-0	Antimony	6.1	U	N	P
17440-38-2	Arsenic	2.7	B		P
17440-39-3	Barium	60.6	B		P
17440-41-7	Beryllium	0.30	B		P
17440-43-9	Cadmium	1.2	U		P
17440-70-2	Calcium	1170	B		P
17440-47-3	Chromium	12.0	I		P
17440-48-4	Cobalt	12.3	B		P
17440-50-8	Copper	22.1	I		P
17439-89-6	Iron	21300	I		P
17439-92-1	Lead	15.8	I		P
17439-95-4	Magnesium	2570	I		P
17439-96-5	Manganese	331	I		P
17439-97-6	Mercury	0.24	U		CV
17440-02-0	Nickel	14.0	B		P
17440-09-7	Potassium	448	B		P
17782-49-2	Selenium	1.6	B		P
17440-22-4	Silver	0.88	U		P
17440-23-5	Sodium	150	B		P
17440-28-0	Thallium	1.7	U		P
17440-62-2	Vanadium	12.0	B		P
17440-66-6	Zinc	65.9	I	E	P
	Cyanide	5.9	U	*	AS

Color Before: BROWN

Clarity Before: \_\_\_\_\_

Texture: MEDIUM

Color After: BROWN

Clarity After: \_\_\_\_\_

Artifacts: YES

## Comments:

ARTIFACTS: FREE\_WATER\_AND\_ROOTS

JUN013

EPA SAMPLE NO.

## INORGANIC ANALYSES DATA SHEET

1

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

MCQY42

Lab Code: ITPA

Case No.: 21843

SAS No.:

SDG No.: MCQY33

Matrix (soil/water): SOIL

Lab Sample ID: MCQY42

Level (low/med): LOW

Date Received: 04/15/94

% Solids: 37.7

Concentration Units (ug/L or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	C	Q	M
17429-90-5	Aluminum	14700	I	P	
17440-36-0	Antimony	6.71	U	N	P
17440-38-2	Arsenic	4.91	B	I	P
17440-39-3	Barium	69.91	B	I	P
17440-41-7	Beryllium	0.351	B	I	P
17440-43-9	Cadmium	1.31	U	I	P
17440-70-2	Calcium	1270	1	B	P
17440-47-3	Chromium	14.81		I	P
17440-48-4	Cobalt	14.91	B	I	P
17440-50-8	Copper	27.11		I	P
17439-89-6	Iron	27200	1	B	P
17439-92-1	Lead	20.11		I	P
17439-95-4	Magnesium	3040	1	B	P
17439-96-5	Manganese	379		I	P
17439-97-6	Mercury	0.271	U	I	CV
17440-02-0	Nickel	15.91	B	I	P
17440-09-7	Potassium	551	1	B	P
17782-49-2	Selenium	1.61	B	I	P
17440-22-4	Silver	0.961	U	I	P
17440-23-5	Sodium	1421	1	B	P
17440-28-0	Thallium	1.91	U	I	P
17440-62-2	Vanadium	15.11	B	I	P
17440-66-6	Zinc	81.01	E	I	P
	Cyanide	6.61	U	*	IAS

Color Before: BROWN Clarity Before: Texture: MEDIUM

Color After: BROWN Clarity After: Artifacts: YES

## Comments:

ARTIFACTS: FREE\_WATER\_AND\_ROOTS

00014

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

MCQY43

Lab Name: ITAS\_PITTSBURGH Contract: 68-D2-0044

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQY33

Matrix (soil/water): SOIL Lab Sample ID: MCQY43

Level (low/med): LOW Date Received: 04/15/94

% Solids: 29.2

Concentration Units (ug/L or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	C	Q	M
17429-90-5	Aluminum	10800	I	P	
17440-36-0	Antimony	8.61	U	N	P
17440-38-2	Arsenic	6.41	B	P	
17440-39-3	Barium	77.01	B	P	
17440-41-7	Beryllium	0.441	B	P	
17440-43-9	Cadmium	1.71	U	P	
17440-70-2	Calcium	2150	1B	P	
17440-47-3	Chromium	13.01	I	P	
17440-48-4	Cobalt	14.21	B	P	
17440-50-8	Copper	15.71	B	P	
17439-89-6	Iron	22700	I	P	
17439-92-1	Lead	29.71	I	P	
17439-95-4	Magnesium	1580	1B	P	
17439-96-5	Manganese	5671	I	P	
17439-97-6	Mercury	0.341	U	CV	
17440-02-0	Nickel	9.91	B	P	
17440-09-7	Potassium	804	1B	P	
17782-49-2	Selenium	2.01	U	P	
17440-22-4	Silver	1.51	B	P	
17440-23-5	Sodium	194	1B	P	
17440-28-0	Thallium	2.41	U	P	
17440-62-2	Vanadium	15.81	B	P	
17440-66-6	Zinc	72.61	I	E	P
	Cyanide	8.61	U	*	IASI

Color Before: BROWN Clarity Before: Texture: MEDIUM

Color After: BROWN Clarity After: Artifacts: YES

## Comments:

ARTIFACTS: FREE\_WATER\_AND\_ROOTS

030015

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

MCQY44

Lab Code: ITPA

Case No.: 21843

SAS No.:

SDG No.: MCQY33

Matrix (soil/water): SOIL

Lab Sample ID: MCQY44

Level (low/med): LOW

Date Received: 04/15/94

% Solids: 45.1

Concentration Units (ug/L or mg/kg dry weight): MG/KG

ICAS No.	Analyte	Concentration	C	Q	M
17429-90-5	Aluminum	17700	I	P	
17440-36-0	Antimony	5.71	U	N	P
17440-38-2	Arsenic	3.21	B		P
17440-39-3	Barium	136	I		P
17440-41-7	Beryllium	0.73	B		P
17440-43-9	Cadmium	1.1	U		P
17440-70-2	Calcium	1370	I	B	P
17440-47-3	Chromium	17.1	I		P
17440-48-4	Cobalt	25.9	I		P
17440-50-8	Copper	20.5	I		P
17439-89-6	Iron	27800	I		P
17439-92-1	Lead	26.2	I		P
17439-95-4	Magnesium	2330	I		P
17439-96-5	Manganese	1150	I		P
17439-97-6	Mercury	0.22	U		CV
17440-02-0	Nickel	18.5	I		P
17440-09-7	Potassium	753	I	B	F
17782-49-2	Selenium	2.4	I		P
17440-22-4	Silver	1.0	0	B	P
17440-23-5	Sodium	135	I	B	P
17440-28-0	Thallium	1.6	U		P
17440-62-2	Vanadium	20.6	I	B	P
17440-66-6	Zinc	88.3	I	E	P
	Cyanide	5.5	U	*	AS

Color Before: BROWN

Clarity Before:

Texture: MEDIUM

Color After: BROWN

Clarity After:

Artifacts: YES

## Comments:

ARTIFACTS: FREE\_WATER\_AND\_ROOTS

AR312435

EPA203010

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

Lab Name: ITAS\_PITTSBURGH Contract: 68-D2-0044 MCQY45

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQY33

Matrix (soil/water): SOIL Lab Sample ID: MCQY45

Level (low/med): LOW Date Received: 04/15/94

% Solids: 49.7

Concentration Units (ug/L or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	C	Q	M
17429-90-5	Aluminum	16700	I	P	
17440-36-0	Antimony	8.61	B	N	P
17440-38-2	Arsenic	5.71			P
17440-39-3	Barium	1091			P
17440-41-7	Beryllium	0.61	B		P
17440-43-9	Cadmium	1.00	I		P
17440-70-2	Calcium	1810	I	B	P
17440-47-3	Chromium	18.11			P
17440-48-4	Cobalt	24.61			P
17440-50-8	Copper	19.41			P
17439-89-6	Iron	335200			P
17439-92-1	Lead	21.41			P
17439-95-4	Magnesium	3000			P
17439-96-5	Manganese	1270			P
17439-97-6	Mercury	0.20	I	U	CV
17440-02-0	Nickel	22.71			P
17440-09-7	Potassium	824	B		P
17782-49-2	Selenium	2.01			P
17440-22-4	Silver	1.51	B		P
17440-23-5	Sodium	127	I	B	P
17440-28-0	Thallium	1.41	I	U	P
17440-62-2	Vanadium	19.91			P
17440-66-6	Zinc	1211	E		P
	Cyanide	5.01	U	*	AS

Color Before: BROWN Clarity Before: Texture: MEDIUM

Color After: BROWN Clarity After: Artifacts: YES

## Comments:

ARTIFACTS: ROOTS\_AND\_STONES

030017

## INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

MCQY46

Lab Code: ITPA

Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No.: MCQY33

Matrix (soil/water): SOIL

Lab Sample ID: MCQY46

Level (low/med): LOW

Date Received: 04/15/94

% Solids: 34.9

Concentration Units (ug/L or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	C	Q	IM
17429-90-5	Aluminum	14400	I	P	
17440-36-0	Antimony	7.51	U	N	P
17440-38-2	Arsenic	3.31	B	I	P
17440-39-3	Barium	113	I	B	P
17440-41-7	Beryllium	0.68	I	B	P
17440-43-9	Cadmium	1.51	U	I	P
17440-70-2	Calcium	2110	I	B	P
17440-47-3	Chromium	17.01	I	B	P
17440-48-4	Cobalt	25.11	I	B	P
17440-50-8	Copper	22.41	I	B	P
17439-89-6	Iron	32100	I	P	
17439-92-1	Lead	24.21	I	P	
17439-95-4	Magnesium	2470	I	B	P
17439-96-5	Manganese	783	I	P	
17439-97-6	Mercury	0.291	U	I	CV
17440-02-0	Nickel	16.21	I	B	P
17440-09-7	Potassium	530	I	B	P
17782-49-2	Selenium	2.81	I	B	P
17440-22-4	Silver	1.11	U	I	P
17440-23-5	Sodium	110	I	B	P
17440-28-0	Thallium	2.11	U	I	P
17440-62-2	Vanadium	19.11	I	B	P
17440-66-6	Zinc	85.51	I	E	P
	Cyanide	7.21	U	*	IAS

Color Before: BROWN

Clarity Before: \_\_\_\_\_

Texture: MEDIUM

Color After: BROWN

Clarity After: \_\_\_\_\_

Artifacts: YES

## Comments:

ARTIFACTS: FREE\_WATER\_AND\_ROOTS

300018

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

MCQY47

Lab Name: ITAS\_PITTSBURGH Contract: 68-D2-0044

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQY33

Matrix (soil/water): SOIL Lab Sample ID: MCQY47

Level (low/med): LOW Date Received: 04/15/94

% Solids: 38.8

Concentration Units (ug/L or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	C	Q	M
17429-90-5	Aluminum	7020	I	P	I
17440-36-0	Antimony	6.51	U	N	P
17440-38-2	Arsenic	2.51	B	P	I
17440-39-3	Barium	68.4	B	P	I
17440-41-7	Beryllium	0.46	B	P	I
17440-43-9	Cadmium	1.31	U	P	I
17440-70-2	Calcium	1080	B	P	I
17440-47-3	Chromium	8.01	I	P	I
17440-48-4	Cobalt	18.0	B	P	I
17440-50-8	Copper	14.81	I	P	I
17439-89-6	Iron	19100	I	P	I
17439-92-1	Lead	27.2	I	P	I
17439-95-4	Magnesium	1120	B	P	I
17439-96-5	Manganese	397	I	P	I
17439-97-6	Mercury	0.26	U	CV	I
17440-02-0	Nickel	13.4	B	P	I
17440-09-7	Potassium	350	B	P	I
17782-49-2	Selenium	1.9	B	P	I
17440-22-4	Silver	0.93	U	P	I
17440-23-5	Sodium	146	B	P	I
17440-28-0	Thallium	1.81	U	P	I
17440-62-2	Vanadium	9.3	B	P	I
17440-66-6	Zinc	65.3	I	E	P
	Cyanide	6.4	U	*	AS

Color Before: BROWN Clarity Before: Texture: MEDIUM

Color After: BROWN Clarity After: Artifacts: YES

## Comments:

ARTIFACTS: FREE\_WATER\_AND\_ROOTS

00019

## INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

MCQY48

Lab Code: ITPA

Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No.: MCQY33

Matrix (soil/water): SOIL

Lab Sample ID: MCQY48

Level (low/med): LOW

Date Received: 04/15/94

% Solids: 40.6

Concentration Units (ug/L or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	C	Q	M
17429-90-5	Aluminum	19100	I	P	
17440-36-0	Antimony	7.81B1	N	P	
17440-38-2	Arsenic	5.21	I	P	
17440-39-3	Barium	1331	I	P	
17440-41-7	Beryllium	0.661B1	I	P	
17440-43-9	Cadmium	1.21U1	I	P	
17440-70-2	Calcium	29301	I	P	
17440-47-3	Chromium	18.71	I	P	
17440-48-4	Cobalt	24.31	I	P	
17440-50-8	Copper	21.51	I	P	
17439-89-6	Iron	317001	I	P	
17439-92-1	Lead	23.71	I	P	
17439-95-4	Magnesium	29901	I	P	
17439-96-5	Manganese	11801	I	P	
17439-97-6	Mercury	0.251U1	I	CV	
17440-02-0	Nickel	21.01	I	P	
17440-09-7	Potassium	11601B1	I	P	
17782-49-2	Selenium	2.41	I	P	
17440-22-4	Silver	0.951B1	I	P	
17440-23-5	Sodium	1541B1	I	P	
17440-28-0	Thallium	1.71U1	I	P	
17440-62-2	Vanadium	21.81B1	I	P	
17440-66-6	Zinc	1251	E	P	
	Cyanide	6.21U1	*	AS	

Color Before: BROWN

Clarity Before: \_\_\_\_\_

Texture: MEDIUM

Color After: BROWN

Clarity After: \_\_\_\_\_

Artifacts: YES

## Comments:

ARTIFACTS: FREE\_WATER\_AND\_ROOTS

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

MCQY49

Lab Name: ITAS\_PITTSBURGH Contract: 68-D2-0044

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQY33

Matrix (soil/water): SOIL Lab Sample ID: MCQY49

Level (low/med): LOW Date Received: 04/15/94

% Solids: 47.6

Concentration Units (ug/L or mg/kg dry weight): MG/KG

I	CAS No.	Analyte	Concentration	I	Q	I	M
I	17429-90-5	Aluminum	185001	I	P	I	
I	17440-36-0	Antimony	5.31U1	N	I	P	
I	17440-38-2	Arsenic	4.61	I	P	I	
I	17440-39-3	Barium	1291	I	P	I	
I	17440-41-7	Beryllium	0.571B1	I	P	I	
I	17440-43-9	Cadmium	1.01U1	I	P	I	
I	17440-70-2	Calcium	18201B1	I	P	I	
I	17440-47-3	Chromium	16.41	I	P	I	
I	17440-48-4	Cobalt	21.71	I	P	I	
I	17440-50-8	Copper	15.51	I	P	I	
I	17439-89-6	Iron	305001	I	P	I	
I	17439-92-1	Lead	18.51	I	P	I	
I	17439-95-4	Magnesium	27201	I	P	I	
I	17439-96-5	Manganese	11601	I	P	I	
I	17439-97-6	Mercury	0.211U1	I	CV	I	
I	17440-02-0	Nickel	15.51B1	I	P	I	
I	17440-09-7	Potassium	9851B1	I	P	I	
I	17782-49-2	Selenium	2.21	I	P	I	
I	17440-22-4	Silver	1.11B1	I	P	I	
I	17440-23-5	Sodium	1081B1	I	P	I	
I	17440-28-0	Thallium	1.51U1	I	P	I	
I	17440-62-2	Vanadium	22.51	I	P	I	
I	17440-66-6	Zinc	80.51	E	I	P	
I		Cyanide	5.31U1	*	I	AS	

Color Before: BROWN Clarity Before: Texture: MEDIUM

Color After: BROWN Clarity After: Artifacts: YES

## Comments:

ARTIFACTS: FREE\_WATER\_AND\_ROOTS

JULY 21

U.S. EPA - CLP

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

MCQY50

Lab Code: ITPA

Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No.: MCQY33

Matrix (soil/water): SOIL

Lab Sample ID: MCQY50

Level (low/med): LOW

Date Received: 04/20/94

% Solids: 37.5

Concentration Units (ug/L or mg/kg dry weight): MG/KG

ICAS No.	Analyte	Concentration	C	Q	M	P
17429-90-5	Aluminum	12800	I	U		P
17440-36-0	Antimony	7.01	U	N		P
17440-38-2	Arsenic	3.91	B	I		P
17440-39-3	Barium	78.51	B	I		P
17440-41-7	Beryllium	0.461	B	I		P
17440-43-9	Cadmium	1.41	U	I		P
17440-70-2	Calcium	2350	I	B		P
17440-47-3	Chromium	16.91	I			P
17440-48-4	Cobalt	17.41	B	I		P
17440-50-8	Copper	23.11	I			P
17439-89-6	Iron	27200	I			P
17439-92-1	Lead	21.51	I			P
17439-95-4	Magnesium	2490	I	B		P
17439-96-5	Manganese	3611	I			P
17439-97-6	Mercury	0.271	U	I		CV
17440-02-0	Nickel	18.91	B	I		P
17440-09-7	Potassium	7191	B	I		P
17782-49-2	Selenium	1.61	U	I		P
17440-22-4	Silver	1.01	U	I		P
17440-23-5	Sodium	2021	I	B		P
17440-28-0	Thallium	2.01	U	I		P
17440-62-2	Vanadium	17.81	B	I		P
17440-66-6	Zinc	1001	I	E		P
	Cyanide	19701	I	*		AS

Color Before: BROWN

Clarity Before: \_\_\_\_\_

Texture: MEDIUM

Color After: BROWN

Clarity After: \_\_\_\_\_

Artifacts: YES

## Comments:

ARTIFACTS: FREE\_WATER\_AND\_ROOTS

FORM I - IN

TLM02.1

AR312441

EPA203013

JULY 22

1  
INORGANIC ANALYSES DATA SHEET

EPA SAMPLE NO.

Lab Name: ITAS\_PITTSBURGH Contract: 68-D2-0044 MCQY51

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQY33

Matrix (soil/water): SOIL Lab Sample ID: MCQY51

Level (low/med): LOW Date Received: 04/20/94

% Solids: 48.8

Concentration Units (ug/L or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	C	Q	M
17429-90-5	Aluminum	11800	I	P	
17440-36-0	Antimony	5.31	U	N	P
17440-38-2	Arsenic	3.71	B	P	
17440-39-3	Barium	90.41	I	P	
17440-41-7	Beryllium	0.51	B	P	
17440-43-9	Cadmium	1.01	U	P	
17440-70-2	Calcium	4540	I	P	
17440-47-3	Chromium	14.41	I	P	
17440-48-4	Cobalt	25.61	I	P	
17440-50-8	Copper	18.51	I	P	
17439-89-6	Iron	28500	I	P	
17439-92-1	Lead	40.71	I	P	
17439-95-4	Magnesium	4140	I	P	
17439-96-5	Manganese	1250	I	P	
17439-97-6	Mercury	0.20	U	CV	
17440-02-0	Nickel	18.61	I	P	
17440-09-7	Potassium	400	B	P	
17782-49-2	Selenium	1.51	B	P	
17440-22-4	Silver	0.76	U	P	
17440-23-5	Sodium	138	B	P	
17440-28-0	Thallium	1.51	U	P	
17440-62-2	Vanadium	14.8	B	P	
17440-66-6	Zinc	89.01	I	E	P
	Cyanide	5.11	U	*	AS

Color Before: BROWN Clarity Before: Texture: MEDIUM

Color After: BROWN Clarity After: Artifacts: YES

## Comments:

ARTIFACTS: FREE\_WATER\_AND\_ROOTS

EPA SAMPLE NO.

## INORGANIC ANALYSES DATA SHEET

Lab Name: ITAS\_PITTSBURGH Contract: 68-D2-0044 | MCQY52 |

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQY33

Matrix (soil/water): SOIL Lab Sample ID: MCQY52

Level (low/med): LOW Date Received: 04/20/94

% Solids: 48.1

Concentration Units (ug/L or mg/kg dry weight): MG/KG

CAS No.	Analyte	Concentration	C	Q	M
17429-90-5	Aluminum	13900	I	P	
17440-36-0	Antimony	6.51	B	N	P
17440-38-2	Arsenic	5.81			P
17440-39-3	Barium	92.61			P
17440-41-7	Beryllium	0.51	B		P
17440-43-9	Cadmium	1.1	I		P
17440-70-2	Calcium	1680	B		P
17440-47-3	Chromium	15.31			P
17440-48-4	Cobalt	21.51			P
17440-50-8	Copper	16.31			P
17439-89-6	Iron	29800	I		P
17439-92-1	Lead	23.41			P
17439-95-4	Magnesium	2550	I		P
17439-96-5	Manganese	1450	I		P
17439-97-6	Mercury	0.21	I		CV
17440-02-0	Nickel	16.51			P
17440-09-7	Potassium	485	B		P
17782-49-2	Selenium	1.71	B		P
17440-22-4	Silver	0.77	I		P
17440-23-5	Sodium	116	B		P
17440-28-0	Thallium	1.71	B		P
17440-62-2	Vanadium	17.1	B		P
17440-66-6	Zinc	83.51	E		P
	Cyanide	5.21	I	*	AS

Color Before: BROWN Clarity Before: Texture: MEDIUM

Color After: BROWN Clarity After: Artifacts: YES

## Comments:

ARTIFACTS: FREE\_WATER\_AND\_ROOTS

**APPENDIX B**  
**TPO REPORT**

AR312444

EPA203016

TPO: [ ] ACTION [X] FYI

Region III

INORGANIC REGIONAL DATA ASSESSMENT SUMMARY

CASE NO: 21843  
 SDG NO: MCQY00  
 SOW: ILMO2.1  
 NO. OF SAMPLES: Twenty (20)

LABORATORY: ITPA  
 DATA USER: Stevie Wilding  
 REVIEW COMPLETION DATE: 06/19/94  
 MATRIX: Aqueous (unfiltered)

REVIEWER: ESAT

	ICP	HG	CN
1. HOLDING TIMES	_O_	_O_	_O_
2. INITIAL CALIBRATIONS	_O_	_O_	_O_
3. CONTINUING CALIBRATIONS	_M_	_O_	_O_
4. FIELD BLANKS (F=NOT APPLICABLE)	_O_	_O_	_O_
5. LABORATORY BLANKS	_M_	_O_	_O_
6. ICS	_O_		
7. LCS	_O_		
8. DUPLICATE ANALYSIS	_O_	_O_	_O_
9. MATRIX SPIKE	_O_	_O_	_M_
10. MSA/ANALYTICAL SPIKE			
11. SERIAL DILUTION	_O_		
12. SAMPLE VERIFICATION	_O_	_O_	_O_
13. REGIONAL QC(F-NOT APPLICABLE)	_F_	_F_	_F_
14. OVERALL ASSESSMENT	M	_O_	_M_

O = No problems or minor problems that do not affect data usability

X = No more than about 5% of the data points are qualified as either estimated or unusable.M = More than about 5% of the data points are qualified as estimated.Z = More than about 5% of the data points are qualified as unusable.

A = TPO action requested; use in conjunction with one of the above codes.

TPO ACTION ITEMS: \_\_\_\_\_

AREAS OF CONCERN: Items 3A, 5A, 9C.

AR312445

EPA2030164

**INORGANIC REGIONAL DATA ASSESSMENT SUMMARY NOTES**

Case: 21843 SDG: MCQY00 Matrix: Aqueous (unfiltered)

Item 3A The preparation blank had a concentration >IDL for the following analytes:

<u>Analyte</u>	<u>Concentration, <math>\mu\text{g/L}</math></u>
Ca	12.9
Fe	12.5
Na	35.7
Zn	12.9

One or more CCBs had reported results >IDL as listed below:

<u>Analyte</u>	<u>Concentration, <math>\mu\text{g/L}</math></u>
Cu	1.2
Tl	5.1

Item 5A The CRDL standard recoveries were low for the analytes As (86.2%) and Pb (88.0%, 80.8%).

Item 9C The matrix spike recovery was low for the CN analyte (74.0%). The post-digestion spike recovery was 92.0%.

AR312446

EPA203017

TPO: [ ] ACTION [X] FYI

Region III

INORGANIC REGIONAL DATA ASSESSMENT SUMMARY

CASE NO: 21843  
 SDG NO: MCQY18  
 SOW: IILMO2.1  
 NO. OF SAMPLES: Thirteen (13)

LABORATORY: ITPA  
 DATA USER: Stevie Wilding  
 REVIEW COMPLETION DATE: 06/19/94  
 MATRIX: Aqueous (Unfiltered)

REVIEWER: ESAT

	ICP	HG	CN
1. HOLDING TIMES	_O_	_O_	_O_
2. INITIAL CALIBRATIONS	_O_	_O_	_O_
3. CONTINUING CALIBRATIONS	_M_	_O_	_O_
4. FIELD BLANKS (F=NOT APPLICABLE)	_O_	_O_	_O_
5. LABORATORY BLANKS	_M_	_O_	_O_
6. ICS	_O_		
7. LCS	_O_		
8. DUPLICATE ANALYSIS	_O_	_O_	_O_
9. MATRIX SPIKE	_O_	_O_	_O_
10. MSA/ANALYTICAL SPIKE			
11. SERIAL DILUTION	_O_		
12. SAMPLE VERIFICATION	_O_	_O_	_O_
13. REGIONAL QC(F-NOT APPLICABLE)	_F_	_F_	_F_
14. OVERALL ASSESSMENT	M	_O_	_O_

O = No problems or minor problems that do not affect data usability

X = No more than about 5% of the data points are qualified as either estimated or unusable.

M = More than about 5% of the data points are qualified as estimated.

Z = More than about 5% of the data points are qualified as unusable.

A = TPO action requested; use in conjunction with one of the above codes.

TPO ACTION ITEMS:

AREAS OF CONCERN: Items 3A, 5A.

AR312447

EPA203017A

INORGANIC REGIONAL DATA ASSESSMENT SUMMARY NOTES

Case: 21843 SDG: MCQY18 Matrix: Aqueous (unfiltered)

Item 3A The CRDL standard recoveries were outside the control limits for the analytes listed below:

<u>Analyte</u>	<u>Recovery, %</u>
As	84.1, 87.9
Pb	113.3, 118.7
Ag	89.4
Tl	115

Item 5A The CCB or PB had a result >IDL for the analytes listed below:

<u>Analyte</u>	<u>Concentration (<math>\mu\text{g/L}</math>)</u>	<u>Blank Type</u>
Be	0.2	CCB
Ca	12.8	PB
Cu	1.2	CCB
Zn	8.0	PB

AR312448

EPA203018

TPO: [ ] ACTION [X] FYI

Region III

INORGANIC REGIONAL DATA ASSESSMENT SUMMARY

CASE NO: 21843  
 SDG NO: MCQA71  
 SOW: ILM02.1  
 NO. OF SAMPLES: Twenty (20)

LABORATORY: ITPA  
 DATA USER: Stevie Wilding  
 REVIEW COMPLETION DATE: 06/19/94  
 MATRIX: Aqueous (filtered)

REVIEWER: ESAT

	ICP	HG	CN
1. HOLDING TIMES	-O-	-O-	-O-
2. INITIAL CALIBRATIONS	-O-	-O-	-O-
3. CONTINUING CALIBRATIONS	-X-	-O-	-O-
4. FIELD BLANKS (F=NOT APPLICABLE)	-M-	-M-	-O-
5. LABORATORY BLANKS	-X-	-O-	-O-
6. ICS	-O-		
7. LCS	-O-		
8. DUPLICATE ANALYSIS	-O-	-O-	-O-
9. MATRIX SPIKE	-O-	-O-	-O-
10. MSA/ANALYTICAL SPIKE			
11. SERIAL DILUTION	-O-		
12. SAMPLE VERIFICATION	-O-	-O-	-O-
13. REGIONAL QC(F-NOT APPLICABLE)	-F-	-F-	-F-
14. OVERALL ASSESSMENT	M	M	O

O = No problems or minor problems that do not affect data usability

X = No more than about 5% of the data points are qualified as either estimated or unusable.

M = More than about 5% of the data points are qualified as estimated.

Z = More than about 5% of the data points are qualified as unusable.

A = TPO action requested; use in conjunction with one of the above codes.

TPO ACTION ITEMS: \_\_\_\_\_

AREAS OF CONCERN: Items 3A, 4A, 4B, 5A.

AR312449 EPA2030/8A

INORGANIC REGIONAL DATA ASSESSMENT SUMMARY NOTES

Case: 21843 SDG: MCQA71 Matrix: Aqueous (filtered)

Item 3A The CRDL standard recoveries were low and high for the analytes As (84.1%, 87.9%, 89.1%) and Tl (115.0%), respectively.

Item 4A The field blank had a concentration >IDL for the following analytes:

<u>Analyte</u>	<u>Concentration, <math>\mu\text{g}/\text{L}</math></u>
Al	34.2
Cu	4.8
Fe	17.9

Item 4B The field blank had a concentration >IDL for the Hg analyte (0.31  $\mu\text{g}/\text{L}$ ).

Item 5A The PB had a concentration >IDL for the following analytes:

<u>Analyte</u>	<u>Concentration, <math>\mu\text{g}/\text{L}</math></u>
Al	20.5
Fe	8.4
Na	31.0
Zn	17.3

AR312450

EPA203019

TPO: [ ] ACTION [X] FYI

Region III

INORGANIC REGIONAL DATA ASSESSMENT SUMMARY

CASE NO: 21843  
 SDG NO: MCQA88  
 SOW: ILMO2.1  
 NO. OF SAMPLES: Twelve (12)

LABORATORY: ITPA  
 DATA USER: Stevie Wilding  
 REVIEW COMPLETION DATE: 06/19/94  
 MATRIX: Aqueous (filtered)

REVIEWER: ESAT

	ICP	HG	CN
1. HOLDING TIMES	_O_	_O_	_O_
2. INITIAL CALIBRATIONS	_O_	_O_	_O_
3. CONTINUING CALIBRATIONS	_M_	_O_	_O_
4. FIELD BLANKS (F=NOT APPLICABLE)	_M_	_M_	_O_
5. LABORATORY BLANKS	_X_	_O_	_O_
6. ICS	_O_		
7. LCS	_O_		
8. DUPLICATE ANALYSIS	_O_	_O_	_O_
9. MATRIX SPIKE	_O_	_O_	_O_
10. MSA/ANALYTICAL SPIKE			
11. SERIAL DILUTION	_X_		
12. SAMPLE VERIFICATION	_O_	_O_	_O_
13. REGIONAL QC(F-NOT APPLICABLE)	_F_	_F_	_F_
14. OVERALL ASSESSMENT	M	M	O

O = No problems or minor problems that do not affect data usability.  
 X = No more than about 5% of the data points are qualified as either estimated or unusable.  
 M = More than about 5% of the data points are qualified as estimated.  
 Z = More than about 5% of the data points are qualified as unusable.  
 A = TPO action requested; use in conjunction with one of the above codes.

TPO ACTION ITEMS: \_\_\_\_\_

AREAS OF CONCERN: Items 3A, 4A, 4B, 5A, 11A.

AR312451

EPA 203019A

INORGANIC REGIONAL DATA ASSESSMENT SUMMARY NOTES

Case: 21843 SDG: MCQA88 Matrix: Aqueous (filtered)

Item 3A The CRDL standard recoveries were low for the analyte As (86.3%) and high for the analytes Pb (127.0%, 128.5%) and Zn (111.2%, 112.3%).

Item 4A The field blank had a concentration >IDL for the following analytes:

<u>Analyte</u>	<u>Concentration, <math>\mu\text{g/L}</math></u>
Al	34.2
Cu	4.8
Fe	17.9
Zn	14.7

Item 4B The field blank had a concentration >IDL for the Hg analyte (0.31  $\mu\text{g/L}$ ).

Item 5A The PB had a concentration >IDL for the following analytes:

<u>Analyte</u>	<u>Concentration, <math>\mu\text{g/L}</math></u>
Fe	11.6
Mg	13.1
Na	51.8
Zn	8.6

Item 11A The serial dilution result for the analyte Fe was >10% different from the undiluted result (16.3%).

AR312452

EPA203020

TPO: [ ] ACTION [X] FYI

Region III

Page 9 of 12

INORGANIC REGIONAL DATA ASSESSMENT SUMMARY

CASE NO: 21843  
SDG NO: MCQX79  
SOW: ILMO2.1  
NO. OF SAMPLES: Ten (10)

LABORATORY: ITPA  
DATA USER: Stevie Wilding  
REVIEW COMPLETION DATE: 06/19/94  
MATRIX: Soil

REVIEWER: ESAT

	ICP	HG	CN
1. HOLDING TIMES	_O_	_O_	_O_
2. INITIAL CALIBRATIONS	_O_	_O_	_O_
3. CONTINUING CALIBRATIONS	_M_	_O_	_O_
4. FIELD BLANKS (F=NOT APPLICABLE)	_O_	_O_	_O_
5. LABORATORY BLANKS	_X_	_O_	_O_
6. ICS	_O_		
7. LCS	_O_	_O_	
8. DUPLICATE ANALYSIS	_O_	_O_	_O_
9. MATRIX SPIKE	_M_	_O_	_O_
10. MSA/ANALYTICAL SPIKE			
11. SERIAL DILUTION	_M_		
12. SAMPLE VERIFICATION	_O_	_O_	_O_
13. REGIONAL QC(F=NOT APPLICABLE)	_F_	_F_	_F_
14. OVERALL ASSESSMENT	_M_	_O_	_O_

O = No problems or minor problems that do not affect data usability

X = No more than about 5% of the data points are qualified as either estimated or unusable.

M = More than about 5% of the data points are qualified as estimated.

Z = More than about 5% of the data points are qualified as unusable.

A = TPO action requested; use in conjunction with one of the above codes.

TPO ACTION ITEMS: \_\_\_\_\_

AREAS OF CONCERN: Items 3A, 4A, 9A, 11A

EPA203010A

AR312453

**INORGANIC REGIONAL DATA ASSESSMENT SUMMARY NOTES**

**Case: 21843 SDG: MCQX79 Matrix: Soil**

- Item 3A The CRDL standard recoveries were outside the control limits for the analytes listed below.

<u>Analyte</u>	<u>Recovery, %</u>
Sb	111.7
As	85.6, 88.9, 76.4
Cd	88.3, 114.1

- Item 4A One or more CCBs had a concentration >IDL for the analyte Ag (3.4 µg/L).

- Item 9A The matrix spike recovery for the Sb analyte was low (52.9%).

- Item 11A The ICP serial dilution result was outside of the 10% control limit for Zn (39.9%) analyte.

AR312454

EPA203021

TPO: [ ] ACTION [X] FYI

Region III

INORGANIC REGIONAL DATA ASSESSMENT SUMMARY

CASE NO: 21843  
 SDG NO: MCQY33  
 SOW: IILMO2.1  
 NO. OF SAMPLES: Twenty (20)

LABORATORY: ITPA  
 DATA USER: Stevie Wilding  
 REVIEW COMPLETION DATE: 06/19/94  
 MATRIX: Soil

REVIEWER: ESAT

	ICP	HG	CN
1. HOLDING TIMES	_O_	_O_	_O_
2. INITIAL CALIBRATIONS	_O_	_O_	_O_
3. CONTINUING CALIBRATIONS	_M_	_O_	_O_
4. FIELD BLANKS(F=NOT APPLICABLE)	_O_	_O_	_O_
5. LABORATORY BLANKS	_M_	_O_	_O_
6. ICS	_O_		
7. LCS	_O_	_O_	
8. DUPLICATE ANALYSIS	_O_	_O_	_M_
9. MATRIX SPIKE	_M_	_O_	_O_
10. MSA/ANALYTICAL SPIKE			
11. SERIAL DILUTION	_M_		
12. SAMPLE VERIFICATION	_O_	_O_	_O_
13. REGIONAL QC(F=NOT APPLICABLE)	_F_	_F_	_F_
14. OVERALL ASSESSMENT	_M_	_O_	_M_

O = No problems or minor problems that do not affect data usability.

X = No more than about 5% of the data points are qualified as either estimated or unusable.

M = More than about 5% of the data points are qualified as estimated.

Z = More than about 5% of the data points are qualified as unusable.

A = TPO action requested; use in conjunction with one of the above codes.

TPO ACTION ITEMS: \_\_\_\_\_

AREAS OF CONCERN: Items 3A, 4A, 8C, 9A, 11A.

EPA203021A

AR312455

**INORGANIC REGIONAL DATA ASSESSMENT SUMMARY NOTES**

Case: 21843

SDG: MCQY33

Matrix: Soil

Item 3A The CRDL standard recoveries were outside the control limits for the analytes listed below.

<u>Analyte</u>	<u>Recovery, %</u>
Sb	111.7
As	78.8, 80.0
Cd	88.3, 114.1
Se	115.0, 118.7

Item 4A The PB had a concentration >IDL for the analytes Sb (3.69 mg/Kg) and K (82.1 mg/Kg), and one or more CCBs had a concentration >IDL for the analyte Ag (2.9 µg/L).

Item 8A The laboratory duplicate RPD was >35% for the CN analyte (119.4%).

Item 9A The matrix spike recovery for the Sb (53.7%) analyte was low.

Item 11A The ICP serial dilution result was outside of the 10% control limit for the Zn analyte (123.1%).

AR312456

EPA203022

**APPENDIX C**  
**SUPPORT DOCUMENTATION**

EPA203024

AR312457



United States Environmental Protection Agency  
Contract Laboratory Program Sample Management Office  
P O Box 818 Alexandria, VA 22313  
703-557-2490 FTS 557-2490

## Inorganic Traffic Report & Chain of Custody Record

SAS No.  
(if applicable) Case No.

21843

1. Sample Description (Column A)	2. Project Number (Column B)	3. Region No. (Column C)	Sampling Co. (Column D)	5. Date Shipped Carrier (For Inorganic CLP Analysis)	SAS No. (if applicable)	Case No.
1. Surface Water	III	Weston	[REDACTED]	05/14/94	Federal Express	21843
2. Ground Water				Alt. Number		
3. Leachate				6. Ship To		
4. Rainwater				7. Transfer To		
5. Soil/Sediment				Received by		
6. Oil (High only)				Contract Number		
7. Waste (High only)				8. Price		
8. Other (Specify)						

RIFS:  CLEM  FREMA  REM  RA  O&M  OIL  USI  ATTN: [REDACTED]

CLP Sample Numbers (Iron Labels)	A Enter # from Box 1	B Conc. Type: Comp/ Grab	C Sample Preser- vative	D Metal only	E - RAS Analysis	F Regional Specific Tracking Number or Tag Number	G Station Location Number	H Mo/Day/ Year/Time Sample Collection	I Sampler Initials	J Corresp. CLP Org. Samp. No.	K Sample Condition On Con- Receipt	L High Conc. Phases (Check below)
MCAY00	Z1	L	6	3	/	3-115-156	SW/SD 0001	4/11/94 0500 THUR CPML8	OK			
MCAY01	Z1	L	6	2	/	3-115-157	SW/SD 0001	4/11/94 0500 THUR CPML8	OK			
MCAY02	5	L	6	2	/	3-115-158	SW/SD 001	4/11/94 0500 THUR CPML8	OK			
MCAY03	1	L	6	2	/	3-115-159	SW/SD 001	4/11/94 0500 THUR CPML8	OK			
MCAY04	5	L	6	2	/	3-115-160	SW/SD 001	4/11/94 0500 THUR CPML8	OK			
MCAY05	1	L	6	3	/	3-115-161	SW/SD 002	4/11/94 0500 THUR CPML8	OK			
MCAY06	1	L	6	2	/	3-115-162	SW/SD 002	4/11/94 0500 THUR CPML8	OK			
MCAY07	1	L	6	2	/	3-115-163	SW/SD 002	4/11/94 0500 THUR CPML8	OK			
MCAY08	5	L	6	2	/	3-115-164	SW/SD 002	4/11/94 0500 THUR CPML8	OK			
MCAY09	1	L	6	2	/	3-115-165	SW/SD 003	4/11/94 0500 THUR CPML8	OK			
MCAY10	1	L	6	2	/	3-115-166	SW/SD 003	4/11/94 0500 THUR CPML8	OK			
MCAY11	1	L	6	2	/	3-115-167	SW/SD 003	4/11/94 0500 THUR CPML8	OK			
MCAY12	1	L	6	2	/	3-115-168	SW/SD 002	4/11/94 0500 THUR CPML8	OK			
MCAY13	1	L	6	2	/	3-115-169	SW/SD 002	4/11/94 0500 THUR CPML8	OK			
MCAY14	5	L	6	2	/	3-115-170	SW/SD 003	4/11/94 0500 THUR CPML8	OK			
MCAY15	1	L	6	2	/	3-115-171	SW/SD 003	4/11/94 0500 THUR CPML8	OK			
MCAY16	1	L	6	2	/	3-115-172	SW/SD 003	4/11/94 0500 THUR CPML8	OK			
MCAY17	1	L	6	2	/	3-115-173	SW/SD 003	4/11/94 0500 THUR CPML8	OK			
MCAY18	1	L	6	2	/	3-115-174	SW/SD 003	4/11/94 0500 THUR CPML8	OK			
MCAY19	1	L	6	2	/	3-115-175	SW/SD 003	4/11/94 0500 THUR CPML8	OK			
MCAY20	1	L	6	2	/	3-115-176	SW/SD 003	4/11/94 0500 THUR CPML8	OK			

Shipment for Case  
complete? (Y/N)

Page 1 of 7

Sample used for a spike and/or duplicate

Additional Sample Signatures

Chain of Custody Seal Number

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Remarks

is custody seal intact? (Y/N)

86000

AR312458

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000

86000



**United States Environmental Protection Agency<sup>1</sup>**  
**Contract Laboratory Program Sample Management Office**  
PO Box 6118 Alexandria, VA 22313  
703-657-2400 ETRC 657-2400

## Inorganic Traffic Report Chain of Custody Record

No. 843

AR312459

EPA203025

EPA Form 9110-1 (Rev. 5-91) Replaces EPA Form 2076-6; previous edition which may be used.



United States Environmental Protection Agency  
Contract Laboratory Program Sample Management Office  
PO Box 610 Alexandria, VA 22313  
703-557-2490 FTS 557-2490

### Inorganic Traffic Report & Chain of Custody Record

Sample Description (Enter in Column A)  
1. Surface Water  
2. Ground Water  
3. Leachate  
4. Rinseate  
5. Soil/Sediment  
6. Oil (High only)  
7. Waste (High only)  
8. Other (Specify)

Preservative (Enter in Column D)  
1. HCl  
2. HNO3  
3. NaOH  
4. H2SO4  
5. K2Cr2O7  
6. Ice only  
7. Other

Sampler (Name)  
Sampler Signature

Type of Activity/  
Removal

RIFS

CLEM

REMA

REM

OIL

FED

SSI

LSI

NPLD

USI

ATL

Report

Received by:

Date Received:

Laboratory Contract Number:

Date Received:

Transfer to:

Contract Number:

Date Received:

Price:

Sample:

Condition:

High Conc. Phases (Check below)

Sample Initials:

Corresp. CLP Org. Samp. No.:

Received on:

Solids:

Water:

Non Water:

Mis:

Other:

Comments:



**United States Environmental Protection  
Contract Laboratory Program Sample Manual**  
PO Box 6118 Alexandria, VA 22311  
703-557-2400 ETS 557-2400

**Inorganic Traffic Report  
& Chain of Custody Record**

SAS No.  
(if applicable)

Case No.  
3184-3

United States Environmental Protection Agency  
Contract Laboratory Program Sample Management Office  
PO Box 8118 Alexandria, VA 22313

## Inorganic Traffic Report & Chain of Custody Record

(For Inorganic CLP Analysis)

SAS No.  
(if applicable) Case No.  
**21843**

1. Sample Description (Enter in Column A)	2. Preservative (Enter in Column D)	3. Region No. <b>III</b>	4. Sampling Co. <b>Weston</b>	5. Date Shipped Carrier <b>4/19/94 Federal Express</b>									
1. Surface Water	2. Ground Water	3. Leachate	4. Rinseate	5. Soil/Sediment									
6. Oil (High only)	7. Waste (High only)	8. Other	9. Specimen Type (Select One)	10. Specimen Preservation Method (Select One)									
11. HCl	12. HNO3	13. NaOH	14. H2SO4	15. K2CrO4									
16. Ice only	17. Other	18. Not preserved	19. Other	20. FED									
21. Sampler Signature													
22. 4. Type of Activity													
23. Pre-Removal RIFS PRP PA SSI O&M NPLD													
24. Post-Removal RD REM OIL UST													
25. ATTN:													
26. E - RAS Analysis #													
27. A. Sample Numbers (from Labels)	B. Enter # from Box	C. Preser- vative Type: Med Comp/ Grab	D. Low Conc/ only Metal	E. Regional Specific Tracking Number or Tag Number									
				F. Station Location Number									
				G. Year/Time Sample									
				H. Mo/Day/ Year									
				I. Sampler Initials									
				J. CLP Org Sampl. No.									
				K. Corresp. Receivng Date									
				L. High Conc. Phase (Check below)									
				M. On Site Sampling									
				N. Solid Sample									
				O. Water MIS									
				P. Non-Water MIS									
28. MCAY01	1	L	C	2	3-1151220	4/19/94 09:00	TH/15 CPN26	OK					
29. MCAY02	1	L	C	2	3-1151226	4/19/94 10:20	TH/15 CPN27	OK					
30. MCAY03	1	L	C	3	3-1151227	4/19/94 10:20	TH/15 CPN27	OK					
31. MCAY04	5	L	C	6	3-1151228	4/19/94 10:20	TH/15 CPN27	OK					
32. MCAY05	5	L	C	6	3-1151229	4/19/94 10:20	TH/15 CPN27	OK					
33. MCAY06	1	L	C	2	3-1151230	4/19/94 10:20	TH/15 CPN27	OK					
34. MCAY07	1	L	C	3	3-1151231	4/19/94 10:20	TH/15 CPN27	OK					
35. MCAY08	1	L	C	2	3-1151232	4/19/94 10:20	TH/15 CPN27	OK					
36. MCAY09	1	L	C	2	3-1151233	4/19/94 10:20	TH/15 CPN27	OK					
37. MCAY10	5	L	C	6	3-1151234	4/19/94 10:20	TH/15 CPN27	OK					
38. MCAY11	5	L	C	6	3-1151235	4/19/94 10:20	TH/15 CPN27	OK					
39. MCAY12	5	L	C	6	3-1151236	4/19/94 10:20	TH/15 CPN27	OK					
40. MCAY13	1	L	C	3	3-1151237	4/19/94 10:20	TH/15 CPN27	OK					
41. MCAY14	1	L	C	2	3-1151238	4/19/94 10:20	TH/15 CPN27	OK					
42. MCAY15	5	L	C	6	3-1151239	4/19/94 10:20	TH/15 CPN27	OK					
43. Shipment for Case complete? (Y/N)					Page 1 of 1	4	Sample used for a spike and/or duplicate	Additional Sampler Signatures					Chain of Custody Seal Number

ÅR312461

Entered by: (Signature)	Date / Time	Received by Laboratory by:
[Redacted]	[Redacted]	[Redacted]

Date / Time	Remarks	Is custody seal intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
5/4/94 0945	Sample FD's for Soils Change	

2  
G 1681



**United States Environmental Protection Agency**  
**Contract Laboratory Program Sample Management Office**  
PO Box 618 Alexandria, VA 22313  
703-557-2490 FTS 557-2490


# Inorganic Traffic Report & Chain of Custody Record

(For Inorganic CLP Analysis)

EPA203026A

Form 9110-1 (Rev. 3-91) Replaces EPA Form 1 (207-6), previous edition which may be used until 10-31-91.

Samples  Accepted  
*(Signature)*



United States Environmental Protection Agency  
Contract Laboratory Program Sample Management Office  
PO Box 818 Alexandria, VA 22313  
703-557-2490 FTS 557-2490

## Inorganic Traffic Report & Chain of Custody Record

SAS No.  
(if applicable)

Case No.

21843

1. Sample Description (Enter in Column A)	2. Preservative (Enter in Column D)	3. Region No.	Sampling Co.	5. Date Shipped	Carrier	7. Date Received - Received by						
1. Surface Water	1. HCl	TIL	Weston	1/1/PA 14	Federal Express	4-15-94						
2. Ground Water	2. HNO3	Sampler Signature				Laboratory Contract Number						
3. Leachate	3. NaOH					68-DX-0044						
4. Rinseate	4. H2SO4											
5. Soil/Sediment	5. K2Cr2O7											
6. Oil (High only)	6. Ice only											
7. Waste (High only)	7. Other											
8. Other (Specify)	8. Not preserved											
CLP Sample Numbers (from Labels)	A Enter # from Box 1	B Conc. Low Med	C Sample Type	D Preservative From Box 6	E - RAS Analysis	F Regional Specific Tracking Number or Tag Number	G Station Number	H Mid Day Year/Time	I Sampler Initials	J Corresp. CLP Org.	K Sample Condition	L High Conc. Phases (Check below)
McQAB3	1 L	2	3	4	5	3-115125	SD 9	4/13/94 0530	X/m	CPh3	O	1. High 2. Non Water 3. Water 4. Non Water
McQAY3	1 L	2	3	4	5	3-115125	SD 9	4/13/94 0530	X/m	CPh3	O	1. High 2. Non Water 3. Water 4. Non Water
McQAY3	1 L	2	3	4	5	3-115125	SD 9	4/13/94 0530	X/m	CPh3	O	1. High 2. Non Water 3. Water 4. Non Water
McQAY3	1 L	2	3	4	5	3-115125	SD 9	4/13/94 0530	X/m	CPh3	O	1. High 2. Non Water 3. Water 4. Non Water
McQAB4	1 L	2	3	4	5	3-115125	SD 9	4/13/94 0530	X/m	CPh3	O	1. High 2. Non Water 3. Water 4. Non Water
McQAY4	1 L	2	3	4	5	3-115125	SD 9	4/13/94 0530	X/m	CPh3	O	1. High 2. Non Water 3. Water 4. Non Water
McQAY4	1 L	2	3	4	5	3-115125	SD 9	4/13/94 0530	X/m	CPh3	O	1. High 2. Non Water 3. Water 4. Non Water
McQAB3	1 L	2	3	4	5	3-115125	SD 9	4/13/94 0530	X/m	CPh3	O	1. High 2. Non Water 3. Water 4. Non Water
McQAY4	1 L	2	3	4	5	3-115125	SD 9	4/13/94 0530	X/m	CPh3	O	1. High 2. Non Water 3. Water 4. Non Water
Shipment for Case complete? (Y/N)	Page 1 of 3	Sample used for a spike and/or duplicate		Additional Sampler Signatures		Chain of Custody Seal Number						

Entered by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Released by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Remarks

Is custodian intact? (Y/N)none

Significant & Details for Change

SOBIS Change

Entered by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time

Received by: (Signature)

Date / Time

Relinquished by: (Signature)

Date / Time



**United States Environmental Protection Agency  
Contract Laboratory Program Sample Management Office  
PO Box 8118 Alexandria VA 22313**

## Inorganic Traffic Report & Chain of Custody Record

AR312464

W 9110-1 (Rev. 5-91) Replaces EPA Form 2075-5; previous edition which may be used.

Accepted  
*(Signature)*



United States Environmental Protection Agency  
Contract Laboratory Program Sample Management Office  
PO Box 818 Alexandria, VA 22313  
703-557-2490 FTS 557-2490

# Inorganic Traffic Report & Chain of Custody Record

SAS No.  
(if applicable) Case No.  
2186

Traffic Report of Custody Record										SAS No. (if applicable)	Case No.
Carrier Federal Express		45-72								44-20-94	21843
Station Number		Mo/Day/ Year/Tme Sample Collection	Sampler Initials	J Corresp. CLP Org.	K Sample Samp. No.	L High Conc. Phases (Check Below)	M Received on Date	N Receipt Solids	O Price per kg	P Date Received	
SD18		4/13/94	44PSPLK67	UK	3			Water MIS LG		68 DA 0044	
SD18		4/13/94	44PSLPM32	(T) UK	3			Non Water MIS LG			
SD18		4/13/94	44PSLPM32	(T) UK	3			Non Water MIS LG			
SD18		4/13/94	44PSLPM32	(T) UK	3			Non Water MIS LG			
SD24		4/13/94	44PSLPM32	(T) UK	3			Non Water MIS LG			
SD24		4/13/94	44PSLPM32	(T) UK	3			Non Water MIS LG			
SD24		4/13/94	44PSLPM32	(T) UK	3			Non Water MIS LG			
SD24		4/13/94	44PSLPM32	(T) UK	3			Non Water MIS LG			
SD - 21		4/14/94	44PSLPM32	(T) UK	3			Non Water MIS LG			
SD - 21		4/14/94	44PSLPM32	(T) UK	3			Non Water MIS LG			
SD - 21		4/14/94	44PSLPM32	(T) UK	3			Non Water MIS LG			
Received by _____											
Laboratory Contract Number _____											
Chain of Custody Seal Number _____											

shed by:

(Signature)

卷之三

Date / Time

**Receiver**

by: (Signature)

line

Reinqu

Published by: (

**Signature**

Is custody  
Date

Time

Received by:  
None

(Signature)

1

**EPA** 0-1 (Rev. 5-91) Replaces EPA Form (2075-5), previous edition which may be used.



United States Environmental Protection Agency  
Contract Laboratory Program Sample Management Office  
PO Box 818 Alexandria VA 22313  
703-557-2490 FTS 557-2490

### Inorganic Traffic Report & Chain of Custody Record

(For Inorganic CLP Analysis)

1. Sample Description  
(Enter in Column A)

1. Surface Water

2. Ground Water

3. Leachate

4. Rinse

5. Soil/Sediment

6. Oil (High only)

7. Waste (High only)

8. Other

9. Non-CLP

10. Approved

11. Not Approved

12. Not Yet Approved

13. Not Yet Determined

14. Not Yet Determined

15. Not Yet Determined

16. Not Yet Determined

17. Not Yet Determined

18. Not Yet Determined

19. Not Yet Determined

20. Not Yet Determined

21. Not Yet Determined

22. Not Yet Determined

23. Not Yet Determined

24. Not Yet Determined

25. Not Yet Determined

26. Not Yet Determined

27. Not Yet Determined

28. Not Yet Determined

29. Not Yet Determined

30. Not Yet Determined

31. Not Yet Determined

32. Not Yet Determined

33. Not Yet Determined

34. Not Yet Determined

35. Not Yet Determined

36. Not Yet Determined

37. Not Yet Determined

38. Not Yet Determined

39. Not Yet Determined

40. Not Yet Determined

41. Not Yet Determined

42. Not Yet Determined

43. Not Yet Determined

44. Not Yet Determined

45. Not Yet Determined

46. Not Yet Determined

47. Not Yet Determined

48. Not Yet Determined

49. Not Yet Determined

50. Not Yet Determined

51. Not Yet Determined

52. Not Yet Determined

53. Not Yet Determined

54. Not Yet Determined

55. Not Yet Determined

56. Not Yet Determined

57. Not Yet Determined

58. Not Yet Determined

59. Not Yet Determined

60. Not Yet Determined

61. Not Yet Determined

62. Not Yet Determined

63. Not Yet Determined

64. Not Yet Determined

65. Not Yet Determined

66. Not Yet Determined

67. Not Yet Determined

68. Not Yet Determined

69. Not Yet Determined

70. Not Yet Determined

71. Not Yet Determined

72. Not Yet Determined

73. Not Yet Determined

74. Not Yet Determined

75. Not Yet Determined

76. Not Yet Determined

77. Not Yet Determined

78. Not Yet Determined

79. Not Yet Determined

80. Not Yet Determined

81. Not Yet Determined

82. Not Yet Determined

83. Not Yet Determined

84. Not Yet Determined

85. Not Yet Determined

86. Not Yet Determined

87. Not Yet Determined

88. Not Yet Determined

89. Not Yet Determined

90. Not Yet Determined

91. Not Yet Determined

92. Not Yet Determined

93. Not Yet Determined

94. Not Yet Determined

95. Not Yet Determined

96. Not Yet Determined

97. Not Yet Determined

98. Not Yet Determined

99. Not Yet Determined

100. Not Yet Determined

101. Not Yet Determined

102. Not Yet Determined

103. Not Yet Determined

104. Not Yet Determined

105. Not Yet Determined

106. Not Yet Determined

107. Not Yet Determined

108. Not Yet Determined

109. Not Yet Determined

110. Not Yet Determined

111. Not Yet Determined

112. Not Yet Determined

113. Not Yet Determined

114. Not Yet Determined

115. Not Yet Determined

116. Not Yet Determined

117. Not Yet Determined

118. Not Yet Determined

119. Not Yet Determined

120. Not Yet Determined

121. Not Yet Determined

122. Not Yet Determined

123. Not Yet Determined

124. Not Yet Determined

125. Not Yet Determined

126. Not Yet Determined

127. Not Yet Determined

128. Not Yet Determined

129. Not Yet Determined

130. Not Yet Determined

131. Not Yet Determined

132. Not Yet Determined

133. Not Yet Determined

134. Not Yet Determined

135. Not Yet Determined

136. Not Yet Determined

137. Not Yet Determined

138. Not Yet Determined

139. Not Yet Determined

140. Not Yet Determined

141. Not Yet Determined

142. Not Yet Determined

143. Not Yet Determined

144. Not Yet Determined

145. Not Yet Determined

146. Not Yet Determined

147. Not Yet Determined

148. Not Yet Determined

149. Not Yet Determined

150. Not Yet Determined

151. Not Yet Determined

152. Not Yet Determined

153. Not Yet Determined

154. Not Yet Determined

155. Not Yet Determined

156. Not Yet Determined

157. Not Yet Determined

158. Not Yet Determined

159. Not Yet Determined

160. Not Yet Determined

161. Not Yet Determined

162. Not Yet Determined

163. Not Yet Determined

164. Not Yet Determined

165. Not Yet Determined

166. Not Yet Determined

167. Not Yet Determined

168. Not Yet Determined

169. Not Yet Determined

170. Not Yet Determined

171. Not Yet Determined

172. Not Yet Determined

173. Not Yet Determined

174. Not Yet Determined

175. Not Yet Determined

176. Not Yet Determined

177. Not Yet Determined

178. Not Yet Determined

179. Not Yet Determined

180. Not Yet Determined

181. Not Yet Determined

182. Not Yet Determined

183. Not Yet Determined

184. Not Yet Determined

185. Not Yet Determined

186. Not Yet Determined

187. Not Yet Determined

188. Not Yet Determined

189. Not Yet Determined

190. Not Yet Determined

191. Not Yet Determined

192. Not Yet Determined

193. Not Yet Determined

194. Not Yet Determined

195. Not Yet Determined

196. Not Yet Determined

197. Not Yet Determined

198. Not Yet Determined

199. Not Yet Determined

200. Not Yet Determined

201. Not Yet Determined

202. Not Yet Determined

203. Not Yet Determined

204. Not Yet Determined

205. Not Yet Determined

206. Not Yet Determined

207. Not Yet Determined

208. Not Yet Determined

209. Not Yet Determined

210. Not Yet Determined

211. Not Yet Determined

212. Not Yet Determined

213. Not Yet Determined

214. Not Yet Determined

215. Not Yet Determined

216. Not Yet Determined

217. Not Yet Determined

218. Not Yet Determined

219. Not Yet Determined

220. Not Yet Determined

221. Not Yet Determined

222. Not Yet Determined

223. Not Yet Determined

224. Not Yet Determined

225. Not Yet Determined

226. Not Yet Determined

227. Not Yet Determined

228. Not Yet Determined

229. Not Yet Determined

230. Not Yet Determined

231. Not Yet Determined

232. Not Yet Determined

233. Not Yet Determined

234. Not Yet Determined

235. Not Yet Determined

236. Not Yet Determined

237. Not Yet Determined

238. Not Yet Determined

239. Not Yet Determined

240. Not Yet Determined

241. Not Yet Determined

242. Not Yet Determined

243. Not Yet Determined

244. Not Yet Determined

245. Not Yet Determined

246. Not Yet Determined

247. Not Yet Determined

248. Not Yet Determined

249. Not Yet Determined

250. Not Yet Determined

251. Not Yet Determined

252. Not Yet Determined

253. Not Yet Determined

254. Not Yet Determined

255. Not Yet Determined

256. Not Yet Determined

257. Not Yet Determined

258. Not Yet Determined



United States Environmental Protection Agency  
Contract Laboratory Program Sample Management Office  
PO Box 610 Alexandria, VA 22313  
703-557-2490 FTS 557-2490

## Inorganic Traffic Report & Chain of Custody Record

(For Inorganic CLP Analysis)

SAS No.  
(if applicable) Case No.  
44-2674-21-  
21-243

1. Sample Description (Enter in Column A)	2. Preservative (Enter in Column D)	3. Region No.	Sampling Co.	5. Date Shipped	Carrier	7. Date Received - Received by	Case No.
1. Surface Water	1. HCl 2. HNO3	TJL	MESTON	04/19/94	Federal Express	44-2674-21- 68-20044	21-243
2. Ground Water	3. NaOH	Sampler Signature					
3. Leachate	4. H2SO4 K2Cr2O7						
4. Plastics	5. Oil (High only)						
5. Soil (Sediment)	6. Oil (Low only)						
7. Sludge	7. Other Specimen						
8. Other Specimen	8. Other Specimen						
9. (Specify)							
CLP #							
Sample Number (from labels)	A. Enter # From Box 1	B. Low Type: Preserve from Med Grab	C. Enter Preserve Metals only	D. Enter Valve from Box 6	E... RAS Analyses	F. Regional Specific Tracking Number or Tag Number	G. Station Location Number
MCQY79	5	L	G	6	✓	3-1151352	NuSD Scp 3
MCQY24	1	L	G	2	✓	3-1151353	NuSD Sep 3
MCQY24	1	L	G	3	✓	3-1151355	NuSD Sep 3
MCQY95	1	L	G	2	✓	3-1151354	NuSD Sep 3
MCQX80	5	L	G	6	✓	3-1151356	NuSD 10
MCQY27	1	L	G	3	✓	3-1151357	NuSD 10
MCQY27	1	L	G	2	✓	3-1151358	NuSD 10
MCQY98	1	L	G	2	✓	3-1151359	NuSD 10
MCQY81	5	L	G	6	✓	3-1151360	NuSD BK
MCQY25	1	L	G	2	✓	3-1151361	NuSD BK
Shipment for Case complete? (Check)							
Page 2 of 3							
Sample used for a spike and/or duplicate							
Additional Sampler Signatures							
Chain of Custody Seal Number							


### CHAIN OF CUSTODY RECORD

Released by: (Signature)	Date / Time	Received by: (Signature)	Relinquished by: (Signature)	Date / Time	Received by: (Signature)
Ished by: (Signature)	Date / Time	Received by: (Signature)	Relinquished by: (Signature)	Date / Time	Received by: (Signature)
Ished by: (Signature)	Date / Time	Received by: (Signature)	Relinquished by: (Signature)	Date / Time	Received by: (Signature)

EPA203029

AR312467





United States Environmental Protection Agency  
Contract Laboratory Program Sample Management Office  
PO Box 818 Alexandria, VA 22313  
703-557-2490

## Inorganic Traffic Report & Chain of Custody Record

(For Inorganic CLP Analysis)

1. Sample Description <i>(Enter in Column A)</i>	2. Preservative <i>(Enter in Column D)</i>	3. Region No.	Sampling Co.	5. Date Shipped	Carrier	SAS No. (if applicable)	Case No.						
1. Surface Water	1. HCl	III	Weston	4/19/94	Federal Express	4-20-94	21543						
2. Ground Water	2. HNO3	Sampler (Name)		1965145722		Laboratory Contract Number							
3. Leachate	3. NaOH					68-DX-0044	Date Received						
4. Riserate	4. H2SO4												
5. Soil/Sediment	5. K2Cr2O7												
6. Oil (High only)	6. Ice only												
7. Waste (High only)	7. Other (Specify)												
8. Other (Specify)													
CLP Sample Numbers (from labels)	A. Enter # from Box 1	B. Conc. Type: Low Med High	C. Sample Preservative from Box 6	D. RAS Analysis Metals Dissolved Cyanide Nitrate/Nitrite Fluoride pH	E. Regional Specific Tracking Number or Tag Number	F. Location Number	G. Station Number	H. Mo/Day/ Year/Time	I. Sampler Initials	J. Corresp. CLP Opt. Samp. No.	K. Sample Condition	L. High Conc. Phases (Check below)	
MCQV25	1	L	G	3	✓	1	4-1151362	SP/SD BK	4/14/94	THAM	PM79	0	
MCQV46	1	L	G	2	✓		3-1151363	SP/SD BK	4/14/94	THAM	—		
MCQV52	5	L	G	6	✓		3-1151364	SP/SD BK	4/14/94	THAM	CEN80		
MCQV30	1	L	G	2	✓		3-1151365	SP/SD BK	4/14/94	THAM	PM80		
MCQV30	1	L	G	3	✓		3-1151366	SP/SD BK	4/14/94	THAM	PM80		
MCQV54	1	L	G	2	✓		3-1151367	SP/SD BK	4/14/94	THAM	PM80		
MCQV83	5	L	G	6	✓		3-1151368	SP/SD BK	4/14/94	THAM	PM81		
MCQV29	1	L	G	2	✓		3-1151369	SP/SD BK	4/14/94	THAM	PM81		
MCQV57	1	L	G	2	✓		3-1151370	SP/SD BK	4/14/94	THAM	PM81		
Shipment for Case complete? (Yes/No)	Page 1 of 4	Sample used for a spike and/or duplicate		Additional Sampler Signatures		Chain of Custody Seal Number							
5													

### CHAIN OF CUSTODY RECORD

Relinquished by: (Signature)	Date / Time	Received by: (Signature)	Relinquished by: (Signature)	Date / Time	Received by: (Signature)
[REDACTED]	4/19/94 1600		[REDACTED]		
Released by: (Signature)	Date / Time	Received by: (Signature)	Released by: (Signature)	Date / Time	Received by: (Signature)
[REDACTED]	4/19/94 1600		[REDACTED]		
Released by: (Signature)	Date / Time	Received by: (Signature)	Released by: (Signature)	Date / Time	Remarks Is custody seal intact? (Y/None)
[REDACTED]	4/19/94 1600		[REDACTED]		

HPA203030



United States Environmental Protection Agency  
Contract Laboratory Program Sample Management Office  
PO Box 818 Alexandria, VA 22313  
703-557-2490 FTS 557-2490

## Inorganic Traffic Report & Chain of Custody Record

(For Inorganic CLP Analysis)

SAS No.  
(if applicable)

Case No.  
21543

1. Sample Description <i>(Enter in Column A)</i>	2. Preservative <i>(Enter in Column D)</i>	3. Region No.	Sampling Co.	5. Date Shipped Carrier	7. Date Received -- Received by							
1. Surface Water	1. HCl	III	WESTON	4/19/94 FEDEX EXPRESS	4/20/94							
2. Ground Water	2. HNO3			AIRBILL Number 4765722	Laboratory Contract Number 6QD Boyce							
3. Leachate	3. NaOH		Sampler Signature [REDACTED]									
4. Filterate	4. H2SO4											
5. Soil/Sediment	5. K2Cr2O7											
6. Oil (High only)	6. Other [Leave only]											
7. Waste (High only)	7. Specified by Project or Specimen ID											
8. Contaminant or Specimen ID	8. Specified by Project or Specimen ID											
C.L.P. Sample Numbers (from labels)	A Enter # from Box 1	B Conc. Type: Low Med Grab	C Preser- vative from Box 6	D Metals Total Dissolved Cyanide Nitrate/ Nitrite Fluoride pH	E - R.A.S. Analyses Low Conc. only High only	F Regional Specific Tracking Number or Tag Numbers	G Station Number	H Mo./Day/ Year/Time Sample Collection	I Sampler Initials	J Corresp. CLP Org. Samp. No.	K Sample Condition on Recipit	L High Conc. Phases (Check below)
MCQY37	1	L	6	3	✓	3-1151382	SD11	4/15/94 AM/TH	CEN84	OK	Solids Water MIS	
MCQY55	1	L	6	2	✓	3-1151383	SD11	4/15/94 AM/TH	CEN85	OK	Water MIS	
MCQY32	4	L	6	2	✓	3-1151384	RB-1	4/15/94 AM/TH	CEN85	OK	Water MIS	
MCQY32	4	L	6	3	✓	3-1151385	RB-1	4/15/94 AM/TH	CEN85	OK	Water MIS	
MCQY91	1	L	6	2	✓	3-1151386	EB-2	4/15/94 AM/TH	CEN85	OK	Water MIS	
MCQY21	1	L	6	3	✓	3-1151387	EB-2	4/15/94 AM/TH	CEN84	OK	Water MIS	
MCQY88	1	L	6	2	✓	3-1151388	EB-2	4/15/94 AM/TH	CEN84	OK	Water MIS	
						3-1151389	SD14	4/15/94 AM/TH	CEN84	OK	Water MIS	
Shipment for Case complete? (Y/N)	Page 1 of 6	Sample used for a spike and/or duplicate		Additional Sampler Signatures [REDACTED]		Chain of Custody Seal Number AR312470						
Published by: (Signature) [REDACTED]	Date / Time 4/19/94 / 1600	Received by: (Signature)	Relinquished by: (Signature)	Date / Time	Received by: (Signature)							
Published by: (Signature)	Date / Time 4/19/94 / 1600	Received by: (Signature)	Relinquished by: (Signature)	Date / Time	Received by: (Signature)							
Published by: (Signature)	Date / Time 4/19/94 / 1600	Received for Laboratory by: (Signature)	Date / Time 4/19/94 / 1600	Remarks Is custody seal intact? (Y/N)								

EPA 9050-A

PAGE 2 OF 10 EPA SAMPLE SHIPPING LOG

(1) REQUIRED FOR ALL SAMPLES SENT THROUGH THE CONTRACT LAB PROGRAM)


PROJECT SITE NAME: Keystone Sanitary Landfill ; EPA PROJECT OFFICER: Chris Corbit  
 RAS NO. 21843 ; SAS NO. 1 ; TASK OR SET NO. ; PHONE NO. (609) 461-4003  
 PROJECT SITE LEADER: Travis Helm ; PHONE NO. (609) 461-4003  
 PROJECT SAMPLE COORDINATOR: Marian Murphy

SAS REQUEST: (DETAILS REQUIRED)  
 (10) Drinking Water Detection Levels for  
 1.) TOTAL METALS & CYANIDE  
 2.) DISSOLVED METALS

QC SAMPLE INFO AND/OR COMMENTS	CONC. (low med/ high)	SAMPLE PHASE (aq/ sol)	TYPE OR REQUEST (org, dio inor, SAS)	SAMPLE TRAFFIC REPORT NUMBER	LAB NAME	ORGANICS OR INORGANICS			DATA RECEIVED XX OUT ITEMS NOT REQUESTED VOA BNA PEST TCDD METALS CN	LAB NAME	SAS REQUESTS (itemize)	DATE SHIPPED	DATA REC'D
						(7)	(8)	(9)					
(2)	(3)	(4)	(5)	(6)	ITPA								
	LOW	AQ	INO	MCQA76	ITPA	04/14/94	XX	XX	XX	XX			
Field Blank	LOW	AQ	INO	MCQY05	ITPA	04/14/94	XX	XX	XX	XX			
	LOW	AQ	INO	MCQA77	ITPA	04/14/94	XX	XX	XX	XX			
	LOW	AQ	INO	MCQY07	ITPA	04/14/94	XX	XX	XX	XX			
	LOW	SOL	INO	MCQY39	ITPA	04/14/94	XX	XX	XX	XX			
	LOW	AQ	INO	MCQA78	ITPA	04/14/94	XX	XX	XX	XX			
	LOW	AQ	INO	MCQY08	ITPA	04/14/94	XX	XX	XX	XX			
	LOW	SOL	INO	MCQY40	ITPA	04/14/94	XX	XX	XX	XX			
	LOW	AQ	INO	MCQA79	ITPA	04/14/94	XX	XX	XX	XX			
	LOW	AQ	INO	MCQY09	ITPA	04/14/94	XX	XX	XX	XX			
	LOW	SOL	INO	MCQY41	ITPA	04/14/94	XX	XX	XX	XX			
	LOW	AQ	INO	MCQA80	ITPA	04/14/94	XX	XX	XX	XX			
	LOW	AQ	INO	MCQY10	ITPA	04/14/94	XX	XX	XX	XX			
MCQY09	LOW	SOL	INO	MCQY42	ITPA	04/14/94	XX	XX	XX	XX			
MCQA80	LOW	AQ	INO	MCQA81	ITPA	04/14/94	XX	XX	XX	XX			
	LOW	AQ	INO	MCQY11	ITPA	04/14/94	XX	XX	XX	XX			
	LOW	SOL	INO	MCQY43	ITPA	04/14/94	XX	XX	XX	XX			
AMPLING: YES X : NO													

FINAL SHIPMENT DATE: 04/19/94

AR 312471



RECEIVED

APR 26 1994

</

# PAGE 1 OF 10 EPA SAMPLE SHIPPING LOG

(REQUIRED FOR ALL SAMPLES SENT THROUGH THE CONTRACT LAB PROGRAM)

PROJECT SITE NAME: Keystone Sanitary Landfill : EPA PROJECT OFFICER: Chris Corbitt  
 RAS NO. 21843 : SAS NO. 1 ; TASK OR SET NO. 1 : PHONE NO. ( 609 ) 461-4003  
 PROJECT SITE LEADER: Travis Helm : PHONE NO. ( 609 ) 461-4003  
 PROJECT SAMPLE COORDINATOR: Marian Murphy

AC SAMPLE INFO AND/OR COMMENTS	CONC. (low/med/high)	SAMPLE PHASE (aq/sol)	TYPE OR REQUEST org. dia inor, SAS	SAMPLE TRAFFIC REPORT NUMBER	ORGANICS OR INORGANICS DATA RECEIVED						SAS REQUEST (itemize) (12)	DATE SHIPPED (13)	DATE RECEIVED (14)	DATA RECD
					LAB NAME (7)	DATE SHIPPED (8)	(XX OUT VOA	(XX OUT BNA	(XX OUT PEST	(XX OUT TCDD	METALS	CN		
(2)	(3)	(4)	(5)	(6)	ITPA	04/14/94	XX	XX	XX	✓	✓	✓	Rif S/19/94	
	LOW	AQ	INO	MCQY00	ITPA	04/14/94	XX	XX	XX	XX	XX	XX		
	LOW	SOL	INO	MCQY33	ITPA	04/14/94	XX	XX	XX	XX	XX	XX		
	LOW	AQ	INO	MCQA71	ITPA	04/14/94	XX	XX	XX	XX	XX	XX		
	LOW	AQ	INO	MCQY01	ITPA	04/14/94	XX	XX	XX	XX	XX	XX	Rif S/19/94	
	LOW	SOL	INO	MCQY34	ITPA	04/14/94	XX	XX	XX	XX	XX	XX		
	LOW	AQ	INO	MCQA72	ITPA	04/14/94	XX	XX	XX	XX	XX	XX	Rif S/19/94	
	LOW	AQ	INO	MCQY02	ITPA	04/14/94	XX	XX	XX	XX	XX	XX		
	LOW	SOL	INO	MCQY35	ITPA	04/14/94	XX	XX	XX	XX	XX	XX		
	LOW	AQ	INO	MCQA73	ITPA	04/14/94	XX	XX	XX	XX	XX	XX		
	LOW	AQ	INO	MCQY03	ITPA	04/14/94	XX	XX	XX	XX	XX	XX	Rif S/19/94	
	LOW	SOL	INO	MCQY36	ITPA	04/14/94	XX	XX	XX	XX	XX	XX	Rif S/19/94	
	LOW	AQ	INO	MCQA74	ITPA	04/14/94	XX	XX	XX	XX	XX	XX	Rif S/19/94	
	LOW	AQ	INO	MCQY04	ITPA	04/14/94	XX	XX	XX	XX	XX	XX	Rif S/19/94	
	LOW	SOL	INO	MCQY37	ITPA	04/14/94	XX	XX	XX	XX	XX	XX	Rif S/19/94	
	LOW	AQ	INO	MCQA75	ITPA	04/14/94	XX	XX	XX	XX	XX	XX	Rif S/19/94	
	LOW	AQ	INO	MCQY06	ITPA	04/14/94	XX	XX	XX	XX	XX	XX	Rif S/19/94	
	LOW	SOL	INO	MCQY38	ITPA	04/14/94	XX	XX	XX	XX	XX	XX	Rif S/19/94	

SAMPLING: YES X : NO : FINAL SHIPPING DATE: 04/19/94

ARR 312472

EPA 20305

# AGE\_4\_OF\_10 EPA SAMPLE SHIPPING LOG

(REQUIRED FOR ALL SAMPLES SENT THROUGH THE CONTRACT LAB PROGRAM)

PROJECT SITE NAME: Keystone Sanitary Landfill ; SAS NO. 21843 ; SAS NO.

PROJECT SITE LEADER: Travis Helm

PROJECT SAMPLE COORDINATOR: Marian Murphy


SAS REQUEST:(DETAILS REQUIRED)  
 (10) Drinking Water Detection Levels for  
 1.) TOTAL METALS & CYANIDE  
 2.) DISSOLVED METALS

TAT|WESTON

JC SAMPLE INFO AND/OR COMMENTS	CONC. (low / med / high)	SAMPLE PHASE (at/ soil)	SAMPLE TRAFFIC REPORT NUMBER	LAB NAME	DATE SHIPPED	ORGANICS OR INORGANICS			DATA RECEIVED	LAB NAME	SAS REQUEST (itemize)	DATE SHIPPED	DATA RECD
						(5)	(6)	(7)					
(2)	(3)	(4)	(5)	(6)	(7)	(8)	<--	-->	(9)	(11)	(12)	(13)	
	LOW	SOL	INO	MCQY49	ITPA	04/14/94	XX	XX	XX				
	LOW	AQ	INO	MCOA88	ITPA	04/19/94	XX	XX	XX				
	LOW	AQ	INO	MCQY18	ITPA	04/19/94	XX	XX	XX				
	LOW	SOL	INO	MCQY50	ITPA	04/19/94	XX	XX	XX				
	LOW	AQ	INO	MCOA89	ITPA	04/19/94	XX	XX	XX				
	LOW	AQ	INO	MCQY19	ITPA	04/19/94	XX	XX	XX				
	LOW	SOL	INO	MCQY51	ITPA	04/19/94	XX	XX	XX				
	LOW	AQ	INO	MCOA90	ITPA	04/19/94	XX	XX	XX				
	LOW	AQ	INO	MCQY20	ITPA	04/19/94	XX	XX	XX				
	LOW	SOL	INO	MCQY52	ITPA	04/19/94	XX	XX	XX				
	LOW	AQ	INO	MCOA91	ITPA	04/19/94	XX	XX	XX				
	LOW	AQ	INO	MCQY22	ITPA	04/19/94	XX	XX	XX				
	LOW	SOL	INO	MCQY53	ITPA	04/19/94	XX	XX	XX				
	LOW	AQ	INO	MCOA93	ITPA	04/19/94	XX	XX	XX				
	LOW	AQ	INO	MCQY23	ITPA	04/19/94	XX	XX	XX				
	LOW	SOL	INO	MCQY54	ITPA	04/19/94	XX	XX	XX				
	LOW	AQ	INO	MCOA94	ITPA	04/19/94	XX	XX	XX				

SHIPPING: YES X ; NO AIR 31247 SHIPPING DATE: 04/19/94

504-203-032-A







**AGE 5 OF 10 EPA SAMPLE SHIPPING LOG**

(REQUIRED FOR ALL SAMPLES SENT THROUGH THE CONTRACT LAB PROGRAM)

PROJECT SITE NAME: Keystone Sanitary Landfill ; EPA PROJECT OFFICER: Kris Corbitt  
DAS NO. 21843 ; SAs NO. 1 ; TASK OR SET NO. 1

PROJECT SITE LEADER: Travis Helm

PROJECT SAMPLE COORDINATOR: Marian Murphy

SAS REQUEST:(DETAILS REQUIRED)  
(10)Drinking Water Detection Levels for  
1.) TOTAL METALS & CYANIDE  
2.) DISSOLVED METALS

QC SAMPLE INFO AND/OR COMMENTS	CONC. (low med/ high)	SAMPLE PHASE (aq/ sol)	SAMPLE REQUEST org. dia Inor, SAS	SAMPLE TRAFFIC REPORT NUMBER	ORGANICS OR INORGANICS						LAB NAME	SAS REQUEST (Item#)	DATE SHIPPED	DATA REC'D	
					(7)	(8)	DATE SHIPPED	VOA	BNA	PEST					
(2)	(3)	(4)	(5)	(6)								(1)	(12)	(13)	
LOW	SOL	INO	MCQX79	ITPA	04/19/94	XX	XX	XX	XX	XX			Rec'd 5/20/94		
LOW	AQ	INO	MCQY24	ITPA	04/19/94	XX	XX	XX	XX	XX			Rec'd 5/20/94		
LOW	AQ	INO	MCQA95	ITPA	04/19/94	XX	XX	XX	XX	XX			Rec'd 5/19/94		
LOW	SOL	INO	MCQX80	ITPA	04/19/94	XX	XX	XX	XX	XX			Rec'd 5/20/94		
LOW	AQ	INO	MCQY27	ITPA	04/19/94	XX	XX	XX	XX	XX			Rec'd 5/20/94		
LOW	AQ	INO	MCQA98	ITPA	04/19/94	XX	XX	XX	XX	XX			Rec'd 5/19/94		
LOW	SOL	INO	MCQX81	ITPA	04/19/94	XX	XX	XX	XX	XX			Rec'd 5/20/94		
LOW	AQ	INO	MCQY25	ITPA	04/19/94	XX	XX	XX	XX	XX			Rec'd 5/20/94		
LOW	AQ	INO	MCQA96	ITPA	04/19/94	XX	XX	XX	XX	XX			Rec'd 5/19/94		
LOW	SOL	INO	MCQX82	ITPA	04/19/94	XX	XX	XX	XX	XX			Rec'd 5/20/94		
LOW	AQ	INO	MCQY30	ITPA	04/19/94	XX	XX	XX	XX	XX			Rec'd 5/20/94		
LOW	AQ	INO	MCQY56	ITPA	04/19/94	XX	XX	XX	XX	XX			Rec'd 5/20/94		
LOW	SOL	INO	MCQX83	ITPA	04/19/94	XX	XX	XX	XX	XX			Rec'd 5/20/94		
LOW	AQ	INO	MCQY29	ITPA	04/19/94	XX	XX	XX	XX	XX			Rec'd 5/20/94		
LOW	SOL	INO	MCQY57	ITPA	04/19/94	XX	XX	XX	XX	XX			Rec'd 5/20/94		
LOW	AQ	INO	MCQX84	ITPA	04/19/94	XX	XX	XX	XX	XX			Rec'd 5/20/94		
LOW	AQ	INO	MCQY26	ITPA	04/19/94	XX	XX	XX	XX	XX			Rec'd 5/20/94		







NAL SAMPLING: X :NO 4)

: FINAL SHIPPING DATE: 04/19/

AR 3

12476

TAT INVESTON



JULY 29

3  
BLANKS

Lab Name: ITAS\_PITTSBURGH

Contract: 68-02-0044

Lab Code: ITPA

Case No.: 21843

SAS No.:

SDG No.: MCQY00

Preparation Blank Matrix\_(soil/water): WATER

Preparation Blank Concentration Units (ug/L or mg/kg): ug/L

Analyte	(ug/L)	C1	Continuing Calibration			CII	Blank	CIII	M
			1	C	2				
			Blank	(ug/L)					
Aluminum	10.9	IUI	10.9	IUI	10.9	IUI	-11.3	IBI	10.9001UUIIP
Antimony	13.2	IUI	13.2	IUI	13.2	IUI	13.2	IUI	13.2001UUIIP
Arsenic	2.2	IUI	2.2	IUI	2.2	IUI	2.2	IUI	2.2001UUIIP
Barium	0.6	IUI	0.6	IUI	0.6	IUI	0.6	IUI	0.6001UUIIP
Beryllium	-0.2	IBI	0.1	IUI	0.1	IUI	0.1	IUI	-0.1501BIIIP
Cadmium	2.6	IUI	2.6	IUI	2.6	IUI	2.6	IUI	2.6001UUIIP
Calcium	2.7	IUI	2.7	IUI	2.7	IUI	4.5	IBI	12.9101BTTIP
Chromium	1.5	IUI	1.5	IUI	-1.7	IBI	1.5	IUI	1.5001UUIIP
Cobalt	1.6	IUI	1.6	IUI	-1.7	IBI	1.6	IUI	1.6001UUIIP
Copper	0.9	IUI	0.9	IUI	0.9	IUI	1.2	IBI	0.9001UUIIP
Iron	4.4	IUI	4.4	IUI	4.4	IUI	4.4	IUI	12.4601BTP
Lead	1.4	IUI	-1.5	IBI	1.4	IUI	-1.9	IBI	1.4001DIIIP
Magnesium	12.1	IUI	12.1	IUI	12.1	IUI	12.1	IUI	12.1001UUIIP
Manganese	0.5	IUI	0.5	IUI	0.5	IUI	0.5	IUI	0.5001UUIIP
Mercury	0.2	IUI	0.2	IUI	0.2	IUI	0.2	IUI	0.2001UUIIP
Nickel	5.9	IUI	-6.0	IBI	5.9	IUI	5.9	IUI	5.9001UUIIP
Potassium	244.0	IUI	244.0	IUI	-271.0	IBI	-309.4	IBI	244.0001UUIIP
Selenium	3.0	IUI	3.0	IUI	3.0	IUI	3.0	IUI	3.0001UUIIP
Silver	1.9	IUI	1.9	IUI	1.9	IUI	1.9	IUI	1.9001UUIIP
Sodium	9.7	IUI	9.7	IUI	9.7	IUI	9.7	IUI	35.7801BTP
Thallium	4.4	IBI	3.7	IUI	5.1	IBI	3.7	IUI	3.7001UUIIP
Vanadium	1.5	IUI	1.5	IUI	1.5	IUI	1.5	IUI	1.5001UUIIP
Zinc	2.0	IUI	2.0	IUI	2.0	IUI	2.0	IUI	12.9101BTP
Cyanide	10.0	IUI	10.0	IUI	10.0	IUI	10.0	IUI	5.0001UUIAS

**APPENDIX C  
SUPPORT DOCUMENTATION  
SDG MCQY00**

**AR312478**

**EPA203035**

J00030

3  
BLANKS

Lab Name: ITAS\_PITTSBURGH Contract: 68-DE-0044

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQY00

Preparation Blank Matrix (soil/water): WATER

Preparation Blank Concentration Units (ug/L or mg/kg): ug/L

Analyte	(ug/L)	Initial			Calib.			Continuing Calibration			Preparation		
		C1		C2	C3		CII		Blank		CII		M
		Blank	(ug/L)	Blank	(ug/L)	Blank	(ug/L)	Blank	(ug/L)	Blank	(ug/L)		
Aluminum			10.9	IUI									P
Antimony			13.2	IUI									P
Nickel			2.2	IUI									P
Boron			0.6	IUI									P
Beryllium			0.1	IUI									P
Cadmium			2.6	IUI									P
Calcium			2.7	IUI									P
Chromium			1.5	IUI									P
Cobalt			1.6	IUI									P
Copper			0.9	IUI									P
Iron			4.4	IUI									P
Lead			-1.9	IBI									P
Magnesium			12.1	IUI									P
Manganese			0.5	IUI									P
Mercury			0.2	IUI	0.2	IUI	0.2	IUI					CV
Nickel			5.9	IUI									P
Potassium			244.0	IUI									P
Selenium			3.0	IUI									P
Silver			1.9	IUI									P
Sodium			9.7	IUI									P
Thallium			4.0	IBI									P
Vanadium			1.5	IUI									P
Zinc			2.0	IUI									P
Cyanide			10.0	IUI	10.0	IUI	10.0	IUI		5.000	IUI	AS	

JULY 056

## ANALYSIS RUN LOG

Lab Name: ITAS\_PITTSBURGH

Contract: 68-DE-0044

Lab Code: ITPA Case No.: 21843

SAS No.: SDG No.: MCQY00

Instrument ID Number: TRACE

Method: P

Start Date: 05/05/94

End Date: 05/05/94

EPA Sample No.	D/F	Time	% R	Analytes																										
				I	A	S	T	I	B	I	C	I	F	I	P	I	M	I	H	I	N	K	I	A	I	N	I	T	I	V
IS0	1.00	0855		-	-	-	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IS	1.00	0858		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IG	i.00	0901		-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IS	1.00	0905		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IICV	1.00	0908		-	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IICV	i.00	0911		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IICB	1.00	0915		-	-	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IICSA	1.00	0918		-	-	-	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IICSA	1.00	0922		-	-	-	-	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ICRI	1.00	0925		-	-	-	-	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ICCV	1.00	0929		-	-	-	-	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ICCB	1.00	0932		-	-	-	-	-	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IZZZZZ	1.00	0936		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IPBW	1.00	0939		-	-	-	-	-	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILCSW	1.00	0942		-	-	-	-	-	-	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILCGW	1.00	0946		-	-	-	-	-	-	-	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IMCQY00	1.00	0949		-	-	-	-	-	-	-	-	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IMCQY00L	5.00	0953		-	-	-	-	-	-	-	-	-	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IMCQY01	1.00	0956		-	-	-	-	-	-	-	-	-	-	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IMCQY02	1.00	1000		-	-	-	-	-	-	-	-	-	-	-	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-
IMCQY03	1.00	1003		-	-	-	-	-	-	-	-	-	-	-	-	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-
IMCQY04	1.00	1007		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X	-	-	-	-	-	-	-	-	-	-	-
ICCV	1.00	1010		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X	-	-	-	-	-	-	-	-	-	-
ICCB	1.00	1014		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X	-	-	-	-	-	-	-	-	-
IMCQY05	1.00	1017		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X	-	-	-	-	-	-	-	-
IMCQY05D	1.00	1021		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X	-	-	-	-	-	-	-
IMCQY05S	1.00	1024		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X	-	-	-	-	-	-
IMCQY06	1.00	1027		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X	-	-	-	-	-
IMCQY07	1.00	1031		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X	-	-	-	-	-
IMCQY08	1.00	1034		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X	-	-	-	-
IMCQY09	1.00	1038		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X	-	-	-
IMCQY10	1.00	1041		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X	-	-

J00057

## ANALYSIS RUN LOG

Lab Name: ITAS PITTSBURGH

Contract: 69-DE-0044

Lab Code: ITPA Case No.: 21843

Instrument ID Number: TRACE

### Method: E

Start Date: 05/05/94

End Date: 25/05/24

14  
ANALYSIS RUN LOG

J00058

Lab Name: ITAS\_PITTSBURGH

Contract: 68-DE-0044

Lab Code: ITPA Case No.: 21843

SAS No.: SDG No.: MCQY00

Instrument ID Number: JA61E

Method: P

Start Date: 05/05/94

End Date: 05/05/94

				Analytes
EPA	D/F	Time	% R	I A I G I A I B I B I C I C I C I C I F I P I M I M I H I N I K I S I A I N I T I V I Z I C I L I B I S I A I E I D I A I R I O I U I E I B I G I N I G I I I E I G I A I L I I N I N
Sample No.				
IS0	1.00	0521		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
IS	1.00	0524		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
IS	1.00	0526		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
IS	1.00	0529		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
IS	1.00	0531		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
IS	1.00	0533		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
IS	1.00	0536		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
IICV	1.00	0538		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
IICV	1.00	0541		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
IICB	1.00	0543		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
IICSA	1.00	0546		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
IICSA	1.00	0548		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
ICRI	1.00	0550		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
ICCV	1.00	0553		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
ICCV	1.00	0555		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
ICCB	1.00	0558		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
IPBW	1.00	0610		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
ILCSW	1.00	0613		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
ILCSW	1.00	0615		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
IMCQY00	1.00	0619		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
IMCQY00L	5.00	0622		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
IMCQY01	1.00	0624		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
IMCQY02	1.00	0627		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
IMCQY03	1.00	0629		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
IMCQY04	1.00	0632		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
ICCV	1.00	0634		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
ICCV	1.00	0637		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
ICCB	1.00	0639		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
IMCQY05	1.00	0642		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
IMCQY05D	1.00	0644		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
IMCQY05S	1.00	0647		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
IMCQY06	1.00	0649		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I

AR312482.

EPA6203037A

BU 1 NINA GILGAK TIRNA

30059

Lab Name: ITAS PITTSBURGH

Contract #: 58-DE-00044

Lab Code: ITPA Case No.: 21843

SAS No.: SDG No.: MCQY212

Instrument ID Number: JASIE

### Method: C

Entered Date: 05/05/94

End Date: 05/05/94

SA

J00034  
EPA SAMPLE NO.

## SPIKE SAMPLE RECOVERY

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

MCQY056

Lab Code: ITPA

Case No.: 21943

SAS No.:

SDG No.: MCQY00

Matrix (soil/water): WATER

Level (low/med): LOW

% Solids for Sample: 0.0

Concentration Units (ug/L or mg/kg dry weight): ug/L

Analyte	Control	Limit	Spiked Sample	Sample	Spike	%R	QI	M1
			%R	Result (SSR)	C1			
Aluminum	175-125	1967.1900	10.9000101	2000.001	98.41	IP		
Antimony	175-125	483.9500	13.2000101	500.001	96.81	IP		
Arsenic	175-125	2013.1700	2.2000101	2000.001	100.71	IP		
Barium	175-125	1985.7000	0.6000101	2000.001	99.31	IP		
Beryllium	175-125	49.7200	0.1000101	50.001	99.41	IP		
Cadmium	175-125	51.5500	2.6000101	50.001	103.11	IP		
Calcium							INR	
Chromium	175-125	199.5900	1.5000101	200.001	99.81			
Cobalt	175-125	530.3500	1.6000101	500.001	106.11			
Copper	175-125	255.2800	1.0300101	250.001	101.71	IP		
Iron	175-125	1016.8300	7.1100101	1000.001	101.01	IP		
Lead	175-125	495.3700	1.4000101	500.001	99.11	IP		
Magnesium							INR	
Manganese	175-125	514.6100	0.5000101	500.001	102.91	IP		
Mercury	175-125	1.0120	0.2000101	1.001	101.31	ICV		
Nickel	175-125	518.9600	5.9000101	500.001	103.81	IP		
Potassium							INR	
Selenium	175-125	2067.2100	3.0000101	2000.001	103.41	IP		
Silver	175-125	49.4100	1.9000101	50.001	98.81	IP		
Sodium							INR	
Thallium	175-125	1965.9300	3.7000101	2000.001	98.31	IP		
Vanadium	175-125	496.5300	1.5000101	500.001	99.31	IP		
Zinc	175-125	529.8100	4.7400101	500.001	105.01	IP		
Cyanide	175-125	73.9710	5.0000101	100.001	74.01	INIASI		

Comments:

---



---



---



---

J00035

EPA SAMPLE NO.

SB

## POST DIGEST SPIKE SAMPLE RECOVERY

MCQY05A

Lab Name: ITAS PITTSBURGH Contract: 6B-D2-0044

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQY00

Matrix (soil/water): WATER Level (low/med): LOW

Concentration Units: ug/L

Analyte	%R	Control		Sample Result (SR)	C Added (SA)	%R	IQC	MI
		Limit	Spiked Sample Result (SSR)					
Aluminum								INRI
Antimony								INRI
Arsenic								INRI
Barium								INRI
Beryllium								INRI
Cadmium								INRI
Calcium								INRI
Chromium								INRI
Cobalt								INRI
Copper								INRI
Titanium								INRI
Lead								INRI
Magnesium								INRI
Manganese								INRI
Mercury								INRI
Nickel								INRI
Potassium								INRI
Selenium								INRI
Silver								INRI
Sodium								INRI
Thallium								INRI
Vanadium								INRI
Zinc								INRI
Cyanide		18.40	B1	10.00	IU	20.01	92.01	IASI

Comments:

J00028

Lab Name: ITAG PITTSBURGH

Contract: 68-D2-0044

Lab Code: ITFA

Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No.: MCQY00

AA CRDL Standard Source: FISHERRICCAM

ICP CRDL Standard Source: MALLINRICCAA

Concentration Units: ug/L

Analyte	CRDL Standard for AA			CRDL Standard for ICP		
	True	Found	%R	True	Found	%R
Aluminum						
Antimony				120.0	111.73	93.11
Arsenic				20.0	18.78	93.91
Barium						
Beryllium				10.0	9.85	98.51
Cadmium				10.0	9.69	96.91
Calcium						
Chromium				20.0	19.13	95.61
Cobalt				100.0	105.20	105.21
Cooper				50.0	50.21	100.41
Iron						
Lead				6.0	5.20	88.01
Magnesium						
Manganese				30.0	30.52	101.71
Mercury	0.2	0.26	130.0			
Nickel				80.0	78.33	97.91
Potassium						
Selenium				10.0	10.35	103.51
Silver				20.0	19.38	96.91
Sodium						
Thallium				20.0	21.70	108.51
Vanadium				100.0	96.50	96.51
Zinc				40.0	39.68	99.21

FORM AR3 12486 - IN

ILM02.1

EPA 203039 A

## COVER PAGE - INORGANIC ANALYSES DATA PACKAGE

Lab Name: ITAS\_PITTSBURGH

Contract: 68-DE-0044

J00002

Lab Code: ITPA

Case No.: 21843 SAS No.:

SDG No.: MCQY00

SOW No.: ILM02.1

EPA Sample No.

MCQY00  
 MCQY01  
 MCQY02  
 MCQY03  
 MCQY04  
 MCQY05  
 MCQY05D  
 MCQY05S  
 MCQY06  
 MCQY07  
 MCQY08  
 MCQY09  
 MCQY10  
 MCQY11  
 MCQY12  
 MCQY13  
 MCQY14  
 MCQY15  
 MCQY16  
 MCQY17

Lab Sample ID

MCQY00  
 MCQY01  
 MCQY02  
 MCQY03  
 MCQY04  
 MCQY05  
 MCQY05D  
 MCQY05S  
 MCQY06  
 MCQY07  
 MCQY08  
 MCQY09  
 MCQY10  
 MCQY11  
 MCQY12  
 MCQY13  
 MCQY14  
 MCQY15  
 MCQY16  
 MCQY17

Were ICP interelement corrections applied?

Yes/No YES

Were ICP background corrections applied?

Yes/No YES

If yes - were raw data generated before application of background corrections?

Yes/No NO

Comments:

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature: David A. DunlapName: David A. DunlapDate: 5/17/94Title: Project Manager

AR312487

REVIEWED BY: Am- EPA203040  
 DATE: 5/11/94

## COVER PAGE - INORGANIC ANALYSES DATA PACKAGE

Lab Name: ITAS\_PITTSBURGH \_\_\_\_\_

Contract: 68-02-0044

Lab Code: ITPA \_\_\_\_\_

Case No.: 21843 SAS No.: \_\_\_\_\_

SDG No.: MCQY00

SOW No.: ILM02.1

EPA Sample No.  
MCQY20  
MCQY21  


---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

Lab Sample ID  
MCQY20  
MCQY21  


---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

Were ICP interelement corrections applied ?

Yes/No YES

Were ICP background corrections applied ?

Yes/No YES

If yes - were raw data generated before  
application of background corrections ?

Yes/No NO

Comments:

---

---

---

---

---

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature: David A. DunlapName: David A. DunlapDate: 5/10/94Title: Project Manager

OCC01

## CASE NARRATIVE

Laboratory Name: ITAS Pittsburgh, Pennsylvania  
Laboratory Code: ITPA  
Project Name: USEPA/CLP  
Inorganic SOW: ILM02.1  
Project Number: 662004  
Work Order Number: Q404152/218  
Contract Number: 68-D2-0044  
Case Number: 21843  
SDG Number: MCQY00



## Sample Number:

MCQY00	MCQY05	MCQY10	MCQY15
MCQY01	MCQY06	MCQY11	MCQY16
MCQY02	MCQY07	MCQY12	MCQY17
MCQY03	MCQY08	MCQY13	MCQY20
MCQY04	MCQY09	MCQY14	MCQY21

Shipment

Twenty water samples were received at the ITAS Pittsburgh Laboratory on April 15 and 20, 1994, for metals and cyanide analysis.

Metals

A duplicate digestion and a matrix spike were performed on sample MCQY05. A serial dilution was performed on sample MCQY00.

Cyanide Analysis

A duplicate and matrix spike were performed on sample MCQY05.

The matrix spike recovery exceeded the 75 to 125 percent control limit. All associated results were flagged with an "N" qualifier.

**APPENDIX C  
SUPPORT DOCUMENTATION  
SDG MCQY18**

AR312490

EPAZ03041A

J00018

U.S. EPA - CLP

2B

## CRDL STANDARD FOR AA AND ICP

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

Lab Code: ITPA

Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No.: MCQY18

AA CRDL Standard Source: FISHERRICCAM

ICP CRDL Standard Source: MALLINRICCAA

Concentration Units: ug/L

Analyte	CRDL Standard for AA			CRDL Standard for ICP		
	True	Found	%R	True	Found	%R
Aluminum						
Antimony				120.0	115.79	96.51
Arsenic				20.0	16.82	84.16
Barium						
Boron				10.0	9.95	99.51
Cesium				10.0	10.51	105.11
Calcium						
Chromium				20.0	19.49	97.41
Cobalt				100.0	104.00	104.01
Copper				50.0	50.70	101.41
Iron						
Lead				6.0	6.80	113.31
Magnesium						
Manganese				30.0	29.23	97.41
Mercury	0.2	0.21	105.0			
Nickel				80.0	78.62	98.31
Potassium						
Selenium				10.0	9.92	99.21
Silver				20.0	18.17	90.81
Sodium						
Thallium				20.0	21.22	106.11
Vanadium				100.0	96.41	96.41
Zinc				40.0	40.16	100.41

FORM II (PART 2) - IN

ILM02.1

AR312491

EPA203042

J00019

3  
BLANKS

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

Lab Code: ITPA

Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No.: MCQY18

Preparation Blank Matrix (soil/water): WATER

Preparation Blank Concentration Units (ug/L or mg/kg): ug/L

Analyte	(ug/L)	C	Continuing Calibration			C	CII	Blank	CII	M
			1	C	2					
Aluminum	10.9	IUI	10.9	IUI	10.9	IUI	10.9	IUI	10.900	IUIIP
Antimony	13.2	IUI	13.2	IUI	13.2	IUI	13.2	IUI	13.200	IUIIP
Arsenic	2.2	IUI	2.2	IUI	2.2	IUI	2.2	IUI	2.200	IUI
Barium	0.6	IUI	0.6	IUI	0.6	IUI	0.6	IUI	0.600	IUI
Beryllium	0.1	IUI	0.1	IBI	0.2	IBI	0.1	IUI	0.100	IUIIP
Cadmium	2.6	IUI	2.6	IUI	2.6	IUI	2.6	IUI	2.600	IUIIP
Calcium	9.1	IBI	6.3	IBI	5.4	IBI	7.0	IBI	12.830	IBIIP
Chromium	1.5	IUI	1.5	IUI	1.5	IUI	1.5	IUI	1.500	IUTIP
Cobalt	1.6	IUI	1.6	IUI	1.6	IUI	1.6	IUI	1.600	IUIIP
Copper	0.9	IUI	0.9	IUI	1.2	IBI	0.9	IUI	0.900	IUIIP
Iron	4.4	IBI	4.4	IUI	8.3	IBI	4.4	IUI	5.780	IBIIP
Lead	1.4	IUI	1.4	IUI	1.4	IUI	1.4	IUI	1.400	IUIIP
Magnesium	12.1	IUI	12.1	IUI	12.1	IUI	12.1	IUI	12.100	IUIIP
Manganese	0.5	IUI	0.5	IUI	0.5	IUI	0.5	IUI	0.500	IUIIP
Mercury	0.2	IUI	0.2	IUI	0.2	IUI	0.2	IUI	0.200	IUIIP
Nickel	5.9	IUI	5.9	IUI	5.9	IUI	5.9	IUI	5.900	IUIIP
Potassium	244.0	IUI	244.0	IUI	244.0	IUI	244.0	IUI	244.000	IUIIP
Selenium	3.0	IUI	3.0	IUI	3.0	IUI	3.0	IUI	3.000	IUIIP
Silver	1.9	IUI	1.9	IUI	1.9	IUI	-1.9	IBI	1.900	IUIIP
Sodium	9.7	IUI	9.7	IBI	9.7	IUI	9.7	IUI	18.760	IBIIP
Thallium	3.7	IUI	3.7	IUI	3.7	IUI	3.7	IUI	3.700	IUIIP
Vanadium	1.5	IUI	1.5	IUI	1.5	IUI	1.5	IUI	1.500	IUIIP
Zinc	4.4	IBI	4.0	IBI	4.2	IBI	3.8	IBI	7.980	IBIIP
Cyanide	10.0	IUI	10.0	IUI	10.0	IUI	10.0	IUI	5.000	IUIITAS

EPA 203 04/2A

AR312492

3  
BLANKS

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

Lab Code: ITPA

Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No.: MCQY18

Preparation Blank Matrix (soil/water): \_\_\_\_\_

Preparation Blank Concentration Units (ug/L or mg/kg): \_\_\_\_\_

Analyte	Initial Calib. Blank (ug/L)	Continuing Calibration Blank (ug/L)						Prepa- ration Blank		
		C1	1	C	2	C	3	CII	CII	M
Aluminum		10.9	IUI							P
Antimony		13.2	IUI							P
Boron		2.2	IUI							P
Bismuth		0.6	IUI							P
Beryllium		0.1	IUI							P
Cadmium		2.6	IUI							P
Calcium		5.6	IBI							P
Chromium		1.5	IUI							P
Cobalt		1.6	IUI							P
Copper		0.9	IUI							P
Iron		4.4	IUI							P
Lead		1.4	IUI							P
Magnesium		12.1	IUI							P
Manganese		0.5	IUI							P
Mercury		0.2	IUI							HCV
Nickel		5.9	IUI							P
Potassium		-244.3	IBI							P
Selenium		3.0	IUI							P
Silver		-1.9	IBI							P
Sodium		9.7	IUI							P
Thallium		3.7	IUI							P
Vanadium		1.5	IUI							P
Zinc		3.7	IBI							P
Cyanide										NR

J0046

U.S. EPA - CLP

14  
ANALYSIS RUN LOG

Lab Name: ITAS\_PITTSBURGH\_\_\_\_\_

Contract: 68-D2-0044

Lab Code: ITPA\_\_\_\_\_ Case No.: 21843\_\_\_\_\_

SAS No.: \_\_\_\_\_ SDG No.: MCQY18

Instrument ID Number: JA61E\_\_\_\_\_

Method: P\_\_\_\_\_

Start Date: 05/11/94

End Date: 05/11/94

EPA Sample No.	D/F	Time	R	Analytes																																										
				I	A	S	I	B	B	C	I	C	I	C	I	F	P	I	M	H	I	N	K	I	S	I	A	I	N	I	T	I	V	I	Z	C										
IS0	1.00	2055		X	X	X	I	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X								
IS	1.00	2059																																												
IS	1.00	2101		X	X	X	I	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X							
IS	1.00	2103																																												
IS	1.00	2105																																												
IS	1.00	2107																																												
IS	1.00	2110																																												
IICV	1.00	2113																																												
IICV	1.00	2115																																												
IICB	1.00	2117																																												
IICSA	1.00	2120																																												
IICSA	1.00	2122																																												
IICRI	1.00	2125																																												
ICCV	1.00	2127																																												
ICCV	1.00	2130																																												
ICCB	1.00	2132																																												
IPBW	1.00	2135																																												
ILCSW	1.00	2137																																												
ILCSW	1.00	2139																																												
IMCQY18	1.00	2142																																												
IMCQY18D	1.00	2144																																												
IMCQY18S	1.00	2147																																												
IMCQY19	1.00	2149																																												
IMCQY19L	5.00	2152																																												
IMCQY22	1.00	2154																																												
IMCQY23	1.00	2156																																												
ICCV	1.00	2159																																												
ICCV	1.00	2202																																												
ICCB	1.00	2204																																												
IMCQY24	1.00	2206																																												
IMCQY25	1.00	2209																																												
IMCQY26	1.00	2211																																												

300047

## ANALYSIS RUN LOG

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

Lab Code: ITPA Case No.: 21843

SAS No. : \_\_\_\_\_ SDG No. : MCQY18

Instrument ID Number: JA61E

### Method: P

Start Date: 05/11/94

End Date: 05/11/94

14  
ANALYSIS RUN LOG

Lab Name: ITAS\_PITTSBURGH\_\_\_\_\_

Contract: 68-D2-0044

Lab Code: ITPA\_ Case No.: 21843\_

SAS No.: \_\_\_\_\_ SDG No.: MCQY18

Instrument ID Number: TRACE\_\_\_\_\_

Method: P\_

Start Date: 05/16/94

End Date: 05/16/94

EPA Sample No.	D/F	Time	% R	Analytes																											
				A	I	S	I	B	I	B	C	I	F	P	I	M	I	M	H	I	N	K	I	A	I	N	T	I	V	I	Z
IS0	1.00	1118		-	-	X	-	-	-	-	-	-	-	-	-	-	-	X	-	-	X	-	-	-	-	-	-	-	-		
IS	-	1.00	1122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
IS	-	1.00	1124	-	-	-	X	-	-	-	-	-	-	-	-	-	-	-	X	-	-	X	-	-	-	-	-	-	-		
IS	-	1.00	1128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
IICV	1.00	1130		-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
IICV	1.00	1134		-	-	-	-	-	-	-	-	-	-	-	-	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	
IICB	1.00	1137		-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	X	-	-	X	-	-	-	-	-	-	-	-	
IICSA	1.00	1140		-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	X	-	-	X	-	-	-	-	-	-	-	-	-
IICSA	1.00	1143		-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	X	-	-	X	-	-	-	-	-	-	-	-	-
ICRI	1.00	1147		-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	X	-	-	X	-	-	-	-	-	-	-	-	-
ICCV	1.00	1150		-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	X	-	-	X	-	-	-	-	-	-	-	-	-
ICCB	1.00	1153		-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	X	-	-	X	-	-	-	-	-	-	-	-	-
IPBW	1.00	1156		-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	X	-	-	X	-	-	-	-	-	-	-	-	-
ILCSW	1.00	1159		-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILCSW	1.00	1202		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IMCQY18	1.00	1206		-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	X	-	-	X	-	-	-	-	-	-	-	-	-
IMCQY18D	1.00	1209		-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	X	-	-	X	-	-	-	-	-	-	-	-	-
IMCQY18S	1.00	1212		-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	X	-	-	X	-	-	-	-	-	-	-	-	-
IMCQY19	1.00	1215		-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	X	-	-	X	-	-	-	-	-	-	-	-	-
IMCQY19L	5.00	1218		-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	X	-	-	X	-	-	-	-	-	-	-	-	-
IMCQY22	1.00	1222		-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	X	-	-	X	-	-	-	-	-	-	-	-	-
IMCQY23	1.00	1225		-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	X	-	-	X	-	-	-	-	-	-	-	-	-
ICCV	1.00	1228		-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	X	-	-	X	-	-	-	-	-	-	-	-	-
ICCB	1.00	1231		-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	X	-	-	X	-	-	-	-	-	-	-	-	-
IMCQY24	1.00	1234		-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	X	-	-	X	-	-	-	-	-	-	-	-	-
IMCQY25	1.00	1238		-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	X	-	-	X	-	-	-	-	-	-	-	-	-
IMCQY26	1.00	1241		-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	X	-	-	X	-	-	-	-	-	-	-	-	-
IMCQY27	1.00	1244		-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	X	-	-	X	-	-	-	-	-	-	-	-	-
IMCQY28	1.00	1247		-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	X	-	-	X	-	-	-	-	-	-	-	-	-
IMCQY29	1.00	1250		-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	X	-	-	X	-	-	-	-	-	-	-	-	-
IMCQY30	1.00	1254		-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	X	-	-	X	-	-	-	-	-	-	-	-	-
IMCQY31	1.00	1257		-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	X	-	-	X	-	-	-	-	-	-	-	-	-

FORM XIV - IN

AR312496

EPA203044A

ILM02.

301045

## ANALYSIS RUN LOG

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

Lab Code: ITPA Case No.: 21843

SAS No. : \_\_\_\_\_ SDG No. : MCQY18

Instrument ID Number: TRACE

Method: P

Start Date: 05/16/94

End Date: 05/16/94

May 19, 1994

INTERNATIONAL TECHNOLOGY CORPORATION

0000

## CASE NARRATIVE

Laboratory Name:	ITAS Pittsburgh, Pennsylvania			
Laboratory Code:	ITPA			
Project Name:	USEPA/CLP			
Inorganic SOW:	ILM02.1			
Project Number:	662004			
Work Order Number:	Q404219			
Contract Number:	68-D2-0044			
Case Number:	21843			
SDG Number:	MCQY18			
Sample Number:	MCQY18	MCQY24	MCQY27	MCQY30
	MCQY19	MCQY25	MCQY28	MCQY31
	MCQY22	MCQY26	MCQY29	MCQY32
	MCQY23			



### Shipment

Thirteen water samples were received at the ITAS Pittsburgh Laboratory on April 20, 1994, for metals and cyanide analysis.

### Metals

A duplicate digestion and a matrix spike were performed on sample MCQY18. A serial dilution was performed on sample MCQY19.

### Cyanide Analysis

A duplicate and matrix spike were performed on sample MCQY18.

000002

COVER PAGE - INORGANIC ANALYSES DATA PACKAGE

Name: ITAS\_PITTSBURGH

Contract #: 68-02-0044

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQY18

SOW No.: ILM02.1

EPA Sample No. \_\_\_\_\_  
MCQY18 \_\_\_\_\_  
MCQY18D \_\_\_\_\_  
MCQY18S \_\_\_\_\_  
MCQY19 \_\_\_\_\_  
MCQY22 \_\_\_\_\_  
MCQY23 \_\_\_\_\_  
MCQY24 \_\_\_\_\_  
MCQY25 \_\_\_\_\_  
MCQY26 \_\_\_\_\_  
MCQY27 \_\_\_\_\_  
MCQY28 \_\_\_\_\_  
MCQY29 \_\_\_\_\_  
MCQY30 \_\_\_\_\_  
MCQY31 \_\_\_\_\_  
MCQY32 \_\_\_\_\_

Lab Sample ID  
MCQY18 \_\_\_\_\_  
MCQY18D \_\_\_\_\_  
MCQY18S \_\_\_\_\_  
MCQY19 \_\_\_\_\_  
MCQY22 \_\_\_\_\_  
MCQY23 \_\_\_\_\_  
MCQY24 \_\_\_\_\_  
MCQY25 \_\_\_\_\_  
MCQY26 \_\_\_\_\_  
MCQY27 \_\_\_\_\_  
MCQY28 \_\_\_\_\_  
MCQY29 \_\_\_\_\_  
MCQY30 \_\_\_\_\_  
MCQY31 \_\_\_\_\_  
MCQY32 \_\_\_\_\_

Were ICP interelement corrections applied?

Yes/No YES

Were ICP background corrections applied?

Yes/No YES

If yes - were raw data generated before application of background corrections?

Yes/No NO

**Comments:**

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

**Signature:**

5/10/94

Name: \_\_\_\_\_

### Title:

signature.  
David Dunlap  
Project Manager

**APPENDIX C**  
**SUPPORT DOCUMENTATION**  
**SDG MCQA71**

AR312500

EPA203048

J00033

3  
BLANKS

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

Lab Code: ITPA

Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No.: MCQA71

Preparation Blank Matrix (soil/water): WATER

Preparation Blank Concentration Units (ug/L or mg/kg): ug/L

Analyte	(ug/L)	C1	Continuing Calibration			C3	C11	Blank	C111	M	Prepa- ration
			1	C	2						
Aluminum	10.9	IUI	10.9	IUI	10.9	IUI	10.9	IUI	20.530	IBI	IP
Antimony	13.2	IUI	13.2	IUI	13.2	IUI	13.2	IUI	13.200	IUI	IP
Arsenic	2.2	IUI	2.2	IUI	2.2	IUI	2.2	IUI	2.200	IUI	
Barium	0.6	IUI	0.6	IUI	0.6	IUI	0.6	IUI	0.600	IUI	
Beryllium	0.1	IUI	0.1	IUI	0.1	IUI	0.1	IUI	0.100	IUI	IP
Cadmium	2.6	IUI	2.6	IUI	2.6	IUI	2.6	IUI	2.600	IUI	IP
Calcium	4.2	IBI	4.2	IBI	2.7	IUI	2.7	IUI	5.930	IBI	IP
Chromium	1.5	IUI	1.5	IUI	1.5	IUI	1.5	IUI	-1.900	IBI	IP
Cobalt	1.6	IUI	1.6	IUI	1.6	IUI	1.6	IUI	1.600	IUI	IP
Copper	0.9	IUI	0.9	IUI	0.9	IUI	0.9	IUI	0.900	IUI	IP
Iron	4.4	IUI	4.4	IUI	4.4	IUI	4.4	IUI	8.420	IBI	IP
Lead	1.4	IUI	1.4	IUI	1.4	IUI	1.4	IUI	1.400	IUI	IP
Magnesium	12.1	IUI	16.2	IBI	12.1	IUI	12.1	IUI	12.100	IUI	IP
Manganese	0.6	IBI	0.7	IBI	0.5	IUI	0.5	IUI	0.500	IUI	IP
Mercury	0.2	IUI	0.2	IUI	0.2	IUI	0.2	IUI	0.200	IUI	CV
Nickel	5.9	IUI	5.9	IUI	5.9	IUI	5.9	IUI	5.900	IUI	IP
Potassium	-339.5	IBI	244.0	IUI	-337.5	IBI	244.0	IUI	-421.420	IBI	IP
Selenium	3.0	IUI	3.0	IUI	3.0	IUI	3.0	IUI	3.000	IUI	IP
Silver	1.9	IUI	1.9	IUI	1.9	IUI	1.9	IUI	1.900	IUI	IP
Sodium	9.7	IUI	9.7	IUI	9.7	IUI	9.7	IUI	30.960	IBI	IP
Thallium	3.7	IUI	3.7	IUI	3.7	IUI	3.7	IUI	3.700	IUI	IP
Vanadium	1.5	IUI	1.5	IUI	1.5	IUI	1.5	IUI	-2.300	IBI	IP
Zinc	2.4	IBI	4.0	IBI	2.9	IBI	3.3	IBI	17.330	IBI	IP
Cyanide											INR

2B

## CRDL STANDARD FOR AA AND ICP

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQA71

AA CRDL Standard Source: FISHERRICCAM

ICP CRDL Standard Source: MALLINRICCAA

Concentration Units: ug/L

Analyte	CRDL Standard for AA			CRDL Standard for ICP		
	True	Found	%R	Initial	Found	Final
Aluminum						
Antimony						
Arsenic				20.0	16.82	84.11
Barium						17.58
Beryllium						
Cadmium						
Calcium						
Chromium						
Cobalt						
Copper						
Iron						
Lead				6.0	6.80	113.31
Magnesium						7.12
Manganese						
Mercury	0.2	0.26	130.0			
Nickel						
Potassium						
Selenium				10.0	9.92	99.2
Silver						10.64
Sodium						
Thallium				20.0	21.22	106.1
Vanadium						23.00
Zinc						115.01

300030

2B

## CRDL STANDARD FOR AA AND ICP

Lab Name: ITAS\_PITTSBURGH\_\_\_\_\_

Contract: 68-D2-0044

Lab Code: ITPA\_\_\_\_\_

Case No.: 21843\_\_\_\_\_

SAS No.: \_\_\_\_\_

SDG No.: MDQA71

AA CRDL Standard Source: FISHERRICCAM

ICP CRDL Standard Source: MALLINRICCAA

Concentration Units: ug/L

Analyte	CRDL Standard for AA			CRDL Standard for ICP		
	True	Found	%R	Initial	Found	%R
Aluminum						
Antimony						
Arsenic				20.0		
Barium						
Beryllium						
Cadmium						
Calcium						
Chromium						
Cobalt						
Copper						
Iron						
Lead				6.0		
Magnesium						
Manganese						
Mercury						
Nickel						
Potassium						
Selenium				10.0		
Silver						
Sodium						
Thallium				20.0		
Vanadium						
Zinc						

## COVER PAGE - INORGANIC ANALYSES DATA PACKAGE

Lab Name: ITAS\_PITTSBURGH \_\_\_\_\_

Contract: 68-D2-0044

Lab Code: ITPA \_\_\_\_\_

Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No.: MCQA71

SOW No.: ILM02.1

EPA Sample No.

MCQA71  
 MCQA72  
 MCQA73  
 MCQA74  
 MCQA75  
 MCQA76  
 MCQA77  
 MCQA77D  
 MCQA77S  
 MCQA78  
 MCQA79  
 MCQA80  
 MCQA81  
 MCQA81D  
 MCQA81S  
 MCQA82  
 MCQA83  
 MCQA84  
 MCQA85  
 MCQA86

Lab Sample ID

MCQA71  
 MCQA72  
 MCQA73  
 MCQA74  
 MCQA75  
 MCQA76  
 MCQA77  
 MCQA77D  
 MCQA77S  
 MCQA78  
 MCQA79  
 MCQA80  
 MCQA81  
 MCQA81D  
 MCQA81S  
 MCQA82  
 MCQA83  
 MCQA84  
 MCQA85  
 MCQA86

Were ICP interelement corrections applied?

Yes/No YES

Were ICP background corrections applied?

Yes/No YES

If yes - were raw data generated before application of background corrections?

Yes/No NO

Comments:

---



---



---

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature: Dawn A. DornkopfName: DAWN A. DORNKOPFDate: 5/19/94Title: Project Manager

U00003

U.S. EPA - CLP

## COVER PAGE - INORGANIC ANALYSES DATA PACKAGE

Lab Name: ITAS\_PITTSBURGH Contract: 68-D2-0044

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQA71

SOW No.: ILM02.1

## EPA Sample No.

MCQA87

MCQY55

MCQY56

MCQY57

## Lab Sample ID

MCQA87

MCQY55

MCQY56

MCQY57

Were ICP interelement corrections applied?

Yes/No YES

Were ICP background corrections applied?

Yes/No YES

If yes - were raw data generated before  
application of background corrections?

Yes/No NO

Comments:

---



---



---

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature:

Dave A. Dunlap

Name:

DAVID A. DUNLAP  
Project Manager

Date:

5/19/94

Title:

May 19, 1994

INTERNATIONAL TECHNOLOGY CORP.

00001

## CASE NARRATIVE

Laboratory Name: ITAS Pittsburgh, Pennsylvania  
Laboratory Code: ITPA  
Project Name: USEPA/CLP  
Inorganic SOW: ILM02.1  
Project Number: 662004  
Work Order Number: Q404153/226  
Contract Number: 68-D2-0044  
Case Number: 21843  
SDG Number: MCQA71



### Sample Number:

MCQA71	MCQA76	MCQA81	MCQA86
MCQA72	MCQA77	MCQA82	MCQA87
MCQA73	MCQA78	MCQA82	MCQY55
MCQA74	MCQA79	MCQA84	MCQY56
MCQA75	MCQA80	MCQA85	MCQY57

### Shipment

Twenty water samples were received at the ITAS Pittsburgh Laboratory on April 15 and 20, 1994, for metals analysis.

### Metals

A duplicate digestion and a matrix spike were performed on sample MCQA77 and MCQA81. A serial dilution was performed on sample MCQA71.

Mercury for sample MCQA72 was over the calibration range, and required a dilution.

**APPENDIX C**

**SUPPORT DOCUMENTATION**

**SDG MCQA88**

**AR312507**

EPA203053

00021

3  
BLANKS

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

Lab Code: ITPA

Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No.: MCQA88

Preparation Blank Matrix (soil/water): WATER

Preparation Blank Concentration Units (ug/L or mg/kg): ug/L

Analyte	(ug/L)	Initial Calib.			Continuing Calibration			Prepa- ration	Blank	CII	M
		1	C	2	C	3	CII				
		Blank	(ug/L)	Blank	(ug/L)	Blank	(ug/L)				
Aluminum	10.9	IUI	10.9_IUI	10.9_IUI	10.9_IUI	10.9_IUI	IUI	10.900	IUIIP		
Antimony	13.2	IUI	13.2_IUI	13.2_IUI	13.2_IUI	13.2_IUI	IUI	13.200	IUIIP		
Arsenic	2.2	IUI	2.2_IUI	2.2_IUI	2.2_IUI	2.2_IUI	IUI	2.200	IUIIP		
Barium	0.6	IUI	0.6_IUI	0.6_IUI	0.6_IUI	0.6_IUI	IUI	0.600	IUI		
Beryllium	0.1	IUI	0.1_IUI	0.1_IBI	0.1_IBI	0.1_IBI	IUI	0.100	IUI		
Cadmium	2.6	IUI	2.6_IUI	2.6_IUI	2.6_IUI	2.6_IUI	IUI	2.600	IUIIP		
Calcium	4.0	IBI	2.7_IUI	2.7_IUI	2.7_IUI	2.7_IUI	IUI	9.520	IBIIP		
Chromium	1.5	IUI	1.5_IUI	1.5_IUI	1.5_IUI	1.5_IUI	IUI	1.500	IUIIP		
Cobalt	1.6	IUI	1.6_IUI	1.6_IUI	1.6_IUI	1.6_IUI	IUI	1.600	IUIIP		
Copper	0.9	IUI	0.9_IUI	0.9_IUI	0.9_IUI	0.9_IUI	IUI	0.900	IUIIP		
Iron	4.4	IUI	4.4_IUI	4.4_IUI	4.4_IUI	4.4_IUI	IUI	44.590	IBIIP		
Lead	1.4	IUI	1.4_IUI	1.4_IUI	1.4_IUI	1.4_IUI	IUI	1.400	IUIIP		
Magnesium	12.1	IUI	12.1_IUI	12.1_IUI	12.1_IUI	12.1_IUI	IUI	13.110	IBIIP		
Manganese	0.5	IUI	0.5_IUI	0.5_IUI	0.5_IUI	0.5_IUI	IUI	0.500	IUIIP		
Mercury	0.2	IUI	0.2_IUI	0.2_IUI	0.2_IUI	0.2_IUI	IUI	0.200	IUIIP		CV
Nickel	5.9	IUI	5.9_IUI	5.9_IUI	5.9_IUI	5.9_IUI	IUI	5.900	IUIIP		
Potassium	244.0	IUI	244.0_IUI	244.0_IUI	244.0_IUI	244.0_IUI	IUI	244.000	IUIIP		
Selenium	3.0	IUI	3.0_IUI	3.0_IUI	3.0_IUI	3.0_IUI	IUI	3.000	IUIIP		
Silver	1.9	IUI	1.9_IUI	1.9_IUI	1.9_IUI	1.9_IUI	IUI	1.900	IUIIP		
Sodium	9.7	IUI	9.7_IUI	9.7_IUI	9.7_IUI	9.7_IUI	IUI	51.750	IBIIP		
Thallium	3.7	IUI	3.7_IUI	3.7_IUI	3.7_IUI	3.7_IUI	IUI	3.700	IUIIP		
Vanadium	1.5	IUI	1.5_IUI	1.5_IUI	1.5_IUI	1.5_IUI	IUI	1.500	IUIIP		
Zinc	2.0	IUI	2.0_IUI	2.0_IUI	2.0_IUI	2.0_IUI	IUI	8.560	IBIIP		
Cyanide		I	I	I	I	I	I		IINR		

AR312508

EPA2030534

## ICP SERIAL DILUTION

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

MCQA88L

Lab Code: ITPA

Case No.: 21843

SDG No.: MCQA88

Matrix (soil/water): WATER

Level (low/med): LOW

Concentration Units: ug/L

Analyte	Initial Sample Result (I)	Dilution C1	Serial Result (S)	% Differ- ence	Q1 M1
Aluminum	148.99	I81	133.55	I81	10.4
Antimony	13.20	I01	66.00	I01	
Arsenic	2.20	I01	11.00	I01	
Barium	25.24	I81	26.60	I81	5.4
Beryllium	0.10	I01	0.50	I01	
Cadmium	2.60	I01	13.00	I01	
Calcium	7628.50	I11	7791.20	I81	2.1
Chromium	1.50	I01	7.50	I01	
Cobalt	1.60	I01	8.00	I01	
Copper	6.73	I81	16.75	I81	148.9
Iron	255.79	I11	297.45	I81	16.3
Lead	1.40	I01	7.00	I01	
Magnesium	3407.52	I81	3491.90	I81	2.5
Manganese	5.27	I81	5.40	I81	2.5
Mercury					INR
Nickel	5.90	I01	29.50	I01	
Potassium	1362.86	I81	1220.00	I01	100.0
Selenium	3.00	I01	15.00	I01	
Silver	1.90	I01	9.50	I01	
Sodium	3466.77	I81	3463.40	I81	0.1
Thallium	3.70	I01	18.50	I01	
Vanadium	1.50	I01	7.50	I01	
Zinc	41.14	I11	63.80	I81	55.1

EPA203054

FORM IX - IN

ILM02.1

AR312509

500019

2B  
CRDL STANDARD FOR AA AND ICP

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

Lab Code: ITPA

Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No.: MCQA88

AA CRDL Standard Source: FISHERRICCAM

ICP CRDL Standard Source: MALLINRICCAA

Concentration Units: ug/L

Analyte	CRDL Standard for AA			CRDL Standard for ICP					
	True	Found	%R	Initial	Found	%R	Final	Found	%R
Aluminum									
Antimony				120.0	131.8	109.8	128.8	107.3	
Arsenic				20.0	19.25	96.2	17.26	96.3	
Barium									
Beryllium				10.0	9.79	97.9	9.56	95.6	
Cadmium				10.0	9.99	99.9	9.43	94.3	
Calcium									
Chromium				20.0	19.30	96.5	17.94	89	
Cobalt				100.0	107.12	107.11	105.67	105.7	
Copper				50.0	51.06	102.1	50.64	101.3	
Iron									
Lead				6.0	7.69	128.2	7.68	127.0	
Magnesium									
Manganese				30.0	30.89	103.0	30.36	101.2	
Mercury	0.2	0.21	105.0						
Nickel				80.0	78.14	97.7	83.26	104.1	
Potassium									
Selenium				10.0	10.14	101.4	10.13	101.3	
Silver				20.0	18.91	94.6	18.06	90.3	
Sodium									
Thallium				20.0	19.52	97.6	20.41	102.0	
Vanadium				100.0	95.56	95.6	94.92	94.9	
Zinc				40.0	44.47	111.2	44.92	112.3	

000020

2B

## CRDL STANDARD FOR AA AND ICP

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

Lab Code: ITPA

Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No.: MCQA88

AA CRDL Standard Source: FISHERRICCAM

ICP CRDL Standard Source: MALLINRICCAA

Concentration Units: ug/L

Analyte	CRDL Standard for AA			CRDL Standard for ICP				
	True	Found	%R	Initial True	Found	%R	Final Found	%R
Aluminum								
Antimony				120.0			121.12	100.9
Arsenic				20.0			20.16	100.8
Barium								
Beryllium				10.0			9.69	96.9
Cadmium				10.0			9.28	92.8
Calcium								
Chromium				20.0			18.47	92.4
Cobalt				100.0			105.19	105.2
Copper				50.0			51.89	103.8
Iron								
Lead				6.0			7.71	128.5
Magnesium								
Manganese				30.0			30.63	102.1
Mercury								
Nickel				80.0			79.44	99.3
Potassium								
Selenium				10.0			12.10	121.0
Silver				20.0			19.19	96.0
Sodium								
Thallium				20.0			19.65	98.2
Vanadium				100.0			96.00	96.0
Zinc				40.0			44.16	110.4

EPA203055

FORM II (PART 2) - IN

ILM02.1

AR312511

J00046

## ANALYSIS RUN LOG

Lab Name: ITAS\_PITTSBURGH

Contract: 58-DE-0044

Lab Code: ITPA Case No.: 21843

SAS No.: SDG No.: MCQA88

Instrument ID Number: TRACE

Method: P

Start Date: 05/13/94

End Date: 05/13/94

EPA	D/F	Time	% R	Analytes												
Sample No.				I	A	I	S	I	B	I	B	I	C	I	C	I
IS0	1.00	0843	I	X	I	X	I	I	X	I	I	X	I	X	I	I
IS	1.00	0846	I	I	I	I	I	I	I	I	I	I	I	I	I	I
IS	1.00	0849	I	I	X	I	I	I	I	X	I	I	X	I	I	I
IS	1.00	0853	I	I	I	I	I	I	I	I	I	I	I	I	I	I
IICV	1.00	0856	I	I	X	I	I	I	I	I	I	I	I	I	I	I
IICV	1.00	0859	I	I	I	I	I	I	I	I	I	I	I	I	I	I
IICB	1.00	0903	I	I	X	I	I	I	I	X	I	I	X	I	I	I
IICSA	1.00	0906	I	I	X	I	I	I	I	X	I	I	X	I	I	I
IICSA	1.00	0910	I	I	X	I	I	I	I	X	I	I	X	I	I	I
ICRI	1.00	0913	I	I	X	I	I	I	I	X	I	I	X	I	I	I
ICCV	1.00	0917	I	I	X	I	I	I	I	X	I	I	X	I	I	I
ICCB	1.00	0920	I	I	X	I	I	I	I	X	I	I	X	I	I	I
I	1.00	0924	I	I	I	I	I	I	I	I	I	I	I	I	I	I
I	1.00	0927	I	I	I	I	I	I	I	I	I	I	I	I	I	I
I	1.00	0931	I	I	I	I	I	I	I	I	I	I	I	I	I	I
I	1.00	0934	I	I	I	I	I	I	I	I	I	I	I	I	I	I
I	1.00	0938	I	I	I	I	I	I	I	I	I	I	I	I	I	I
I	1.00	0941	I	I	I	I	I	I	I	I	I	I	I	I	I	I
I	1.00	0945	I	I	I	I	I	I	I	I	I	I	I	I	I	I
I	1.00	0948	I	I	I	I	I	I	I	I	I	I	I	I	I	I
I	1.00	0952	I	I	I	I	I	I	I	I	I	I	I	I	I	I
I	1.00	0955	I	I	I	I	I	I	I	I	I	I	I	I	I	I
IICV	1.00	0959	I	I	X	I	I	I	I	X	I	I	X	I	I	I
ICCB	1.00	1002	I	I	X	I	I	I	I	X	I	I	X	I	I	I
I	1.00	1005	I	I	I	I	I	I	I	I	I	I	I	I	I	I
I	1.00	1009	I	I	I	I	I	I	I	I	I	I	I	I	I	I
I	1.00	1012	I	I	I	I	I	I	I	I	I	I	I	I	I	I
IICSA	1.00	1016	I	I	X	I	I	I	I	X	I	I	X	I	I	I
IICSA	1.00	1019	I	I	X	I	I	I	I	X	I	I	X	I	I	I
ICRI	1.00	1023	I	I	X	I	I	I	I	X	I	I	X	I	I	I
ICCV	1.00	1026	I	I	X	I	I	I	I	X	I	I	X	I	I	I
ICCB	1.00	1030	I	I	X	I	I	I	I	X	I	I	X	I	I	I

AR312512

EPA203055A

## ANALYSIS RUN LOG

300047

Name: ITAS PITTSBURGH

Contract: 68-DE-0044

Lab Code: ITPA Case No.: 21843

SAS No.: \_\_\_\_\_ SDG No.: MCQA98

Instrument ID Number: TRACE

Method: F

Start Date: 05/13/94

End Date: 05/13/94

COVER PAGE - INORGANIC ANALYSES DATA PACKAGE · 000002

Lab Name: ITAS\_PITTSBURGH\_\_\_\_\_

Contract: 68-DE-0044

Lab Code: ITPA\_

Case No.: 21843 SAS No.:

SDG No.: MCQA88

SOW No.: ILM02.1

Were ICP interelement corrections applied?

Yes/No YES

Were ICP background corrections applied?

Yes/No YES

If yes - Were raw data generated before application of background corrections?

Yes/No NO

#### Comments:

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this ~~hardcopy~~ data package and in the computer-readable data submitted on floppy diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

**Signature:**

nee, as verified by t  
  
D. S. Dugdale

Name:

Date:

5/7/94

Title

AR3 | 25 | 4

REVIEWED BY: mtw  
DATE: 5/15/84

## CASE NARRATIVE

Laboratory Name: ITAS Pittsburgh, Pennsylvania  
Laboratory Code: ITPA  
Project Name: USEPA/CLP  
Inorganic SOW: ILM02.1  
Project Number: 662004  
Work Order Number: Q404229  
Contract Number: 68-D2-0044  
Case Number: 21843  
SDG Number: MCQA88

Sample Number: MCQA88 MCQA91 MCQA94 MCQA97  
MCQA89 MCQA92 MCQA95 MCQA98  
MCQA90 MCQA93 MCQA96 MCQA99

Shipment

Twelve water samples were received at the ITAS Pittsburgh Laboratory on April 20, 1994, for metals analysis.

Metals

A duplicate digestion and a matrix spike were performed on sample MCQA89. A serial dilution was performed on sample MCQA88.

The serial dilution percent difference exceeded the control limit for iron. All associated results were flagged with an "E" qualifier.

**APPENDIX C**  
**SUPPORT DOCUMENTATION**  
**SDG MCQX79**

**AR312516**

EPA203059

2B  
CRDL STANDARD FOR AA AND ICP

Lab Name: ITAS\_PITTSBURGH\_\_\_\_\_

Contract: 68-DE-0044

Lab Code: ITPA\_\_\_\_\_

Case No.: 21843\_\_\_\_\_

SAS No.: \_\_\_\_\_

SDG No.: MCQX79

AA CRDL Standard Source: FISHERRICCAM

ICP CRDL Standard Source: MALLINRICCAA

Concentration Units: ug/L.

Analyte	CRDL Standard for AA			CRDL Standard for ICP				
	True	Found	%R	Initial True	Found	%R	Final Found	%R
Aluminum				120.01	134.05	111.71	126.791	105.71
Antimony				120.01	134.05	111.71	126.791	105.71
Arsenic				20.01	17.13	85.61	17.781	88.91
Barium								
Beryllium				10.01	9.981	99.81	9.881	98.81
Cadmium				10.01	11.41	114.17	8.831	8
Calcium								
Chromium				20.01	21.121	105.51	18.701	93.51
Cobalt				100.01	104.891	104.91	103.501	103.51
Cooper				50.01	49.921	99.81	50.321	100.61
Irvin								
Lead				6.21	7.261	121.01	6.611	110.21
Magnesium								
Manganese				30.01	30.271	100.91	30.821	102.71
Mercury	0.2	0.17	85.01					
Nickel				80.01	83.771	104.71	82.551	103.21
Potassium								
Selenium				10.01	9.101	91.01	10.281	102.81
Silver				20.01	20.971	104.91	20.961	104.81
Sodium								
Thallium				20.01	20.341	101.71	19.231	96.21
Vanadium				100.01	98.451	98.41	97.581	97.61
Zinc				40.01	40.591	101.51	42.611	106.51

AR312517

EPA2030594

## CRDL STANDARD FOR AA AND ICP

Lab Name: ITAS\_PITTSBURGH

Contract: 68-DE-0044

Lab Code: ITPA

Case No.: 21843

SAS No.:

SDG No.: MCQX79

AA CRDL Standard Source: FISHERRICCAM

ICP CRDL Standard Source: MALLINRICCAA

Concentration Units: ug/L

Analyte	CRDL Standard for AA			CRDL Standard for ICP		
	True	Found	%R	Initial	Found	%R
Aluminum						
Antimony				120.0		
Arsenic				20.0		
Barium						
Beryllium				10.0		
Bismuth				10.0		
Calcium						
Chromium				20.0		
Cobalt				100.0		
Copper				50.0		
Iron						
Lead				6.0		
Magnesium						
Manganese				30.0		
Mercury						
Nickel				80.0		
Potassium						
Selenium				10.0		
Silver				20.0		
Sodium						
Thallium				20.0		
Vanadium				100.0		
Zinc				40.0		

3  
BLANKS

Lab Name: ITAS\_PITTSBURGH

Contract: 68-DE-0044

Lab Code: ITPA

Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No.: MCQX79

Preparation Blank Matrix (soil/water): SOIL

Preparation Blank Concentration Units (ug/L or mg/kg): MG/KG

Analyte	(ug/L)	C	Continuing Calibration			CII	Blank	CII	M
			1	C	2				
Aluminum	10.9	IUI	10.9	IUI	10.9	IUI	10.9	IUII	2.724IBIIIP
Antimony	13.2	IUI	13.2	IUI	13.2	IUI	20.1	IBII	2.640IUUIIP
Arsenic	2.2	IUI	2.2	IUI	2.2	IUI	2.2	IUII	-0.490IBIIIP
Barium	0.6	IUI	0.6	IUI	0.6	IUI	0.6	IUII	0.120IUUI
Beryllium	0.1	IUI	0.1	IUI	0.1	IUI	0.1	IUII	0.020IUUI
Cadmium	2.6	IUI	2.6	IUI	2.6	IUI	2.6	IUII	0.520IUUIIP
Calcium	4.2	IBI	3.6	IBI	3.0	IBI	2.8	IBII	2.364IBIIIP
Chromium	-1.5	IBI	1.5	IUI	1.5	IUI	1.5	IUII	0.300IUUIIP
Cobalt	1.6	IUI	1.6	IUI	1.9	IBI	1.6	IUII	0.320IUUIIP
Copper	0.9	IUI	0.9	IUI	0.9	IUI	0.9	IUII	0.180IUUIIP
Iron	4.4	IUI	4.4	IUI	4.4	IUI	4.4	IUII	7.268IBIIIP
Lead	1.4	IUI	1.4	IUI	1.4	IUI	1.4	IUII	0.364IBIIIP
Magnesium	12.1	IUI	12.1	IUI	12.1	IUI	12.1	IUII	2.420IUUIIP
Manganese	0.5	IUI	0.5	IUI	0.5	IUI	0.5	IUII	0.114IBIIIP
Mercury	0.2	IUI	0.2	IUI	0.2	IUI	0.2	IUII	0.100IUUICV
Nickel	5.9	IUI	5.9	IUI	5.9	IUI	5.9	IUII	1.180IUUIIP
Potassium	244.0	IUI	244.0	IUI	244.0	IUI	244.0	IUII	48.800IUUIIP
Selenium	3.0	IUI	3.0	IUI	3.0	IUI	3.0	IUII	0.600IUUIIP
Silver	1.9	IUI	1.9	IUI	2.0	IBI	2.9	IBII	0.380IUUIIP
Sodium	9.7	IUI	9.7	IUI	9.7	IUI	9.7	IUII	5.002IBIIIP
Thallium	3.7	IUI	3.7	IUI	3.7	IUI	3.7	IUII	-1.188IBIIIP
Vanadium	1.5	IUI	1.5	IUI	1.5	IUI	1.5	IUII	0.300IUUIIP
Zinc	2.5	IBI	2.2	IBI	2.6	IBI	3.2	IBII	0.916IBIIIP
Cyanide	10.0	IUI	10.0	IUI	10.0	IUI	10.0	IUII	2.500IUUIAS

600021

## BLANKS

Lab Name: ITAS\_PITTSBURGH

Contract: 68-DE-0044

Lab Code: ITPA

Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No.: MCQX79

Preparation Blank Matrix (soil/water): \_\_\_\_\_

Preparation Blank Concentration Units (ug/L or mg/kg): \_\_\_\_\_

Analyte	(ug/L)	C	Continuing Calibration			CII	M	Preparation Blank
			1	C	2			
Aluminum			10.9_IUI	12.5_IBI	10.9_IUI			IIP
Antimony			13.2_IUI	13.6_IBI	13.2_IUI			IIP
Arsenic			2.2_IUI	2.2_IUI	2.2_IUI			IIP
Barium			0.6_IUI	0.6_IUI	0.6_IUI			IIP
Beryllium			0.1_IUI	0.1_IUI	-0.1_IBI			IIP
Cadmium			2.6_IUI	2.6_IUI	2.6_IUI			IIP
Calcium			2.7_IUI	13.6_IBI	4.7_IBI			IIP
Chromium			1.5_IUI	1.5_IUI	1.5_IUI			IIP
Cobalt			1.6_IUI	1.6_IUI	1.6_IUI			IIP
Copper			0.9_IUI	0.9_IUI	0.9_IUI			IIP
Iron			4.4_IUI	4.4_IUI	4.4_IUI			IIP
Lead			1.4_IUI	1.4_IUI	1.4_IUI			IIP
Magnesium			12.1_IUI	12.1_IUI	12.1_IUI			IIP
Manganese			0.5_IUI	0.6_IBI	0.5_IUI			IIP
Mercury			0.2_IUI	0.2_IUI	0.2_IUI			ICV
Nickel			5.9_IUI	5.9_IUI	5.9_IUI			IIP
Potassium			244.0_IUI	244.0_IUI	244.0_IUI			IIP
Selenium			3.0_IUI	3.0_IUI	3.0_IUI			IIP
Silver			1.9_IUI	3.4_IBI	1.9_IUI			IIP
Sodium			9.7_IUI	9.7_IUI	9.7_IUI			IIP
Thallium			3.7_IUI	3.7_IUI	3.7_IUI			IIP
Vanadium			1.5_IUI	1.5_IUI	1.5_IUI			IIP
Zinc			3.1_IBI	3.6_IBI	2.8_IBI			IIP
Cyanide								INR

Run Samples  
MCQY53,54

MCQX74-82

MCQX83-86

.30051

## ANALYSIS RUN LOG

Lab Name: ITAS\_PITTSBURGH\_\_\_\_\_

Contract: 68-DE-0044

Lab Code: ITPA        Case No.: 21843

SAS No. : \_\_\_\_\_ SDG No. : MCQX79

Instrument ID Number: JA61E

Method: P

Start Date: 05/16/94

End Date: 05/17/94

## ANALYSIS RUN LOG

Lab Name: ITAS\_PITTSBURGH

Contract: 68-DE-0044

Lab Code: ITPA Case No.: 21843

SAS No.: SDG No.: MCQX79

Instrument ID Number: JA61E

### Method: F

Start Date: 05/16/94

End Date: 05/17/94

14  
ANALYSIS RUN LOG

Lab Name: ITAS\_PITTSBURGH\_\_\_\_\_

Contract: 68-D2-0044

Lab Code: ITPA        Case No.: 21843

SAS No.: \_\_\_\_\_ SDG No.: MCQX79

Instrument ID Number: JA61E\_\_\_\_\_

Method: P

Start Date: 05/16/94

End Date: 05/17/94

500027

5A

EPA SAMPLE NO.

## SPIKE SAMPLE RECOVERY

MCQX86S

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-00441

Lab Code: ITPA

Case No.: 21843

SAS No.:

SDG No.: MCQX79

Matrix (soil/water): SOIL

Level (low/med): LOW

% Solids for Sample: 29.6

Concentration Units (ug/L or mg/kg dry weight): MG/KG

Analyte	Control		Sample C	Spike C	Added (SA)	%R	QI	MI
	Limit	Spiked Sample %R						
Aluminum								INR
Antimony	75-125	176.9869	8.83061U1	334.491	52.9	INP		
Arsenic	75-125	1142.4672	4.28151B1	1337.971	85.11	IP		
Barium	75-125	1410.9981	103.81991B1	1337.971	97.71	IP		
Beryllium	75-125	31.5694	0.55531B1	33.451	92.71	IP		
Cadmium	75-125	31.3286	1.73941U1	33.451	93.71	IP		
Calcium								INR
Chromium	75-125	142.2732	14.83141	133.801	95.21	IP		
Cobalt	75-125	361.6404	21.58821B1	334.491	101.71	IP		
Copper	75-125	178.0573	14.72441B1	167.251	97.71	IP		
Iron								INR
Lead	75-125	331.4490	25.13381	334.491	91.61	IP		
Magnesium								INR
Manganese	75-125	695.6115	297.21031	334.491	119.11	IP		
Mercury	75-125	1.8547	0.33781U1	1.691	109.71	ICVI		
Nickel	75-125	345.6315	16.14261B1	334.491	98.51	IP		
Potassium								INR
Selenium	75-125	1136.4664	2.00701U1	1337.971	84.91	IP		
Silver	75-125	32.5194	1.27111U1	33.451	97.21	IP		
Sodium								INR
Thallium	75-125	1202.2478	2.47521U1	1337.971	89.91	IP		
Vanadium	75-125	338.4332	12.34281B1	334.491	97.51	IP		
Zinc	75-125	398.8761	71.76881	334.491	97.81	IP		
Cyanide	75-125	89.5084	8.44591U1	84.461	106.01	IASI		

Comments:

---



---



---



---

JULY 28

5B

## POST DIGEST SPIKE SAMPLE RECOVERY

EPA SAMPLE NO.

Lab Name: ITAS\_PITTSBURGH Contract: 68-D2-0044 MCQX86A

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQX79

Matrix (soil/water) : SOIL Level (low/med): LOW

Concentration Units: ug/L

Analyte	Control		Spiked Sample		Sample		CIAdded (SA)	%R	IQR	MI
	Limit	%R	Result (SSR)	C1	Result (SR)					
Aluminum										INRI
Antimony			126.10		13.20	U	120.0	105.1	IP	I
Arsenic										INRI
Barium										INRI
Beryllium										INRI
Cadmium										INRI
Calcium										INRI
Chromium										INRI
Cobalt										INRI
Copper										I
Iron										I
Lead										INRI
Magnesium										INRI
Manganese										INRI
Mercury										INRI
Nickel										INRI
Potassium										INRI
Selenium										INRI
Silver										INRI
Sodium										INRI
Thallium										INRI
Vanadium										INRI
Zinc										INRI
Cyanide										INRI

Comments:

---



---



---

## DUPLICATES

Lab Name: ITAS\_PITTSBURGH

Contract: 68-DE-0044

MCQX86D

Lab Code: ITPA

Case No.: 21843

SAS No.:

SDG No.: MCQX79

Matrix (soil/water): SOIL

Level (low/med): LOW

% Solids for Sample: 29.6

% Solids for Duplicate: 27.7

Concentration Units (ug/L or mg/kg dry weight): MG/KG

	Control	Sample (S)	Duplicate (D)	RPD	QI	MI
Analyte	Limit	C	C			
Aluminum		8746.32061	7094.74851	20.9	*IP	
Antimony		8.83061U1	8.83061U1		IP	
Arsenic		4.28151B1	3.28471B1	26.3	IP	
Barium		103.81991B1	85.91781B1	18.9	IP	
Beryllium		0.55531B1	0.46831B1	17.0	IP	
Cadmium		1.73941U1	1.73941U1		IP	
Calcium		1399.25071B1	1393.79851B1	0.4	IP	
Chromium	6.7	14.83141	11.18541	28.0	IP	
Cobalt		21.58821B1	21.03291B1	2.6	IP	
Copper		14.72441B1	12.73751B1	14.5	IP	
Iron		21581.18141	17844.96251	19.0	IP	
Lead		25.13381	21.90931	13.7	IP	
Magnesium		1330.52581B1	1285.31581B1	3.5	IP	
Manganese		297.21031	283.46941	4.7	IP	
Mercury		0.33781U1	0.33781U1		CVI	
Nickel		16.14261B1	14.54381B1	10.4	IP	
Potassium		263.96171B1	482.82711B1	58.6	IP	
Selenium		2.00701U1	2.00701U1		IP	
Silver		1.27111U1	1.27111U1		IP	
Sodium		115.77471B1	132.51271B1	13.5	IP	
Thallium		2.47521U1	2.47521U1		IP	
Vanadium		12.34281B1	11.09181B1	10.7	IP	
Zinc	13.4	71.76881	59.81401	18.2	IP	
Cyanide		8.44591U1	8.44591U1		IASI	

## ICP SERIAL DILUTION

00031  
EPA SAMPLE NO.

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

MCQY53L

Lab Code: ITPA

Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No.: MCQX79

Matrix (soil/water): SOIL

Level (low/med): LOW

Concentration Units: ug/L

Analyte	Initial Sample Result (I)	Serial Dilution C	Result (S)	% Difference	QI	MI
Aluminum	15582.56	15512.90	15512.90	0.4	IP	
Antimony	13.20	1B1	71.70	1B1	IP	
Arsenic	4.59	1B1	11.00	1U1	100.0	IP
Barium	249.16	1B1	241.20	1B1	3.2	IP
Beryllium	0.82	1B1	0.70	1B1	14.6	IP
Cadmium	2.60	1U1	13.00	1U1	IP	
Calcium	2011.67	1B1	2003.60	1B1	0.4	IP
Chromium	18.24	1B1	20.00	1B1	9.6	IP
Cobalt	27.90	1B1	35.80	1B1	28.3	IP
Copper	22.26	1B1	21.40	1B1	3.9	IP
Iron	36424.19	1B1	36489.15	1B1	0.2	IP
Lead	29.90	1B1	36.90	1B1	23.4	IP
Magnesium	2067.08	1B1	2076.60	1B1	0.5	IP
Manganese	1089.38	1B1	1087.55	1B1	0.2	IP
Mercury						INR
Nickel	22.24	1B1	29.50	1U1	100.0	IP
Potassium	1122.25	1B1	1734.90	1B1	54.6	IP
Selenium	3.00	1U1	15.00	1U1	IP	
Silver	2.95	1B1	14.40	1B1	388.1	IP
Sodium	253.53	1B1	289.15	1B1	14.0	IP
Thallium	3.70	1U1	18.50	1U1	IP	
Vanadium	22.63	1B1	23.50	1B1	3.8	IP
Zinc	106.94	1B1	149.65	1B1	39.9	EIP

AR312527 EPA203064A

500032

## Instrument Detection Limits (Quarterly)

Lab Name: ITAS\_PITTSBURGH Contract: 68-DE-0044

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQX79

ICP ID Number: TRACE Date: 04/15/94

Flame AA ID Number:

Furnace AA ID Number:

Analyte	Wave-length (nm)	Back-ground	CRDL (ug/L)	IDL (ug/L)	M
Aluminum			200		NR
Antimony			60		NR
Arsenic	189.04		10	2.21P	
Barium			200		NR
Beryllium			5		NR
Cadmium			5		NR
Calcium			5000		NR
Chromium			10		NR
Cobalt			50		NR
Copper			25		NR
Iron			100		NR
Lead	220.35		3	1.41P	
Magnesium			5000		NR
Manganese			15		NR
Mercury			0.2		NR
Nickel			40		NR
Potassium			5000		NR
Selenium	196.03		5	3.01P	
Silver			10		NR
Sodium			5000		NR
Thallium	190.86		10	3.71P	
Vanadium			50		NR
Zinc			20		NR

Comments:

10

## Instrument Detection Limits (Quarterly)

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

Lab Code: ITPA Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No.: MCQX79

ICP ID Number: JA61E

Date: 04/15/94

Flame AA ID Number: \_\_\_\_\_

Furnace AA ID Number: \_\_\_\_\_

Analyte	Wave-length (nm)	Back-ground	CRDL (ug/L)	IDL (ug/L)	M
Aluminum	308.22		200	10.91P	
Antimony	206.84		60	13.21P	
Arsenic			10	INR	
Barium	493.41		200	0.61P	
Beryllium	313.04		5	0.11P	
Cadmium	228.80		5	2.61P	
Calcium	317.93		5000	2.71P	
Chromium	267.72		10	1.51P	
Cobalt	228.62		50	1.61P	
Copper	324.75		25	0.91P	
Iron	259.94		100	4.41P	
Lead			3	INR	
Magnesium	279.08		5000	12.11P	
Manganese	257.61		15	0.51P	
Mercury			0.2	INR	
Nickel	231.60		40	5.91P	
Potassium	766.49		5000	244.01P	
Selenium			5	INR	
Silver	328.07		10	1.91P	
Sodium	588.99		5000	9.71P	
Thallium			10	INR	
Vanadium	292.40		50	1.51P	
Zinc	213.86		20	2.01P	

Comments:

J00034

10

## Instrument Detection Limits (Quarterly)

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

Lab Code: ITPA Case No.: 21843

SAS No.: SDG No.: MCQX79

ICP ID Number:

Date: 04/15/94

Flame AA ID Number: LEEMAN\_PS200

Furnace AA ID Number:

Analyte	Wave-length (nm)	Back-ground	CRDL (ug/L)	IDL (ug/L)	M
Aluminum			200		INR
Antimony			60		INR
Arsenic			10		INR
Barium			200		INR
Beryllium			5		INR
Cadmium			5		INR
Calcium			5000		INR
Chromium			10		INR
Cobalt			50		INR
Copper			25		INR
Iron			100		INR
Lead			3		INR
Magnesium			5000		INR
Manganese			15		INR
Mercury	253.70		0.2	0.2	ICV
Nickel			40		INR
Potassium			5000		INR
Selenium			5		INR
Silver			10		INR
Sodium			5000		INR
Thallium			10		INR
Vanadium			50		INR
Zinc			20		INR

Comments:

13  
PREPARATION LOG

Lab Name: ITAS\_PITTSBURGH\_\_\_\_\_

Contract: 68-D2-0044

Lab Code: ITPA

Case No.: 21843

SAS No.:

SDG No. : MCQX79

Method: P

U. S. EPA - CLP

300046

一〇

## PREPARATION LOG

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

Lab Code: ITPA\_\_\_\_\_

Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No. : MCQX79

Method: CV

300047

13  
PREPARATION LOG

Lab Name: ITAS\_PITTSBURGH

Contract: 68-DE-0044

Lab Code: ITFA

Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No. : MCQX79

Method: AS

May 19, 1994

INTERNATIONAL TECHNOLOGY CORPORATION

CASE NARRATIVE

COOO /

Laboratory Name: ITAS Pittsburgh, Pennsylvania  
Laboratory Code: ITPA  
Project Name: USEPA/CLP  
Inorganic SOW: ILM02.1  
Project Number: 662004  
Work Order Number: Q404231  
Contract Number: 68-D2-0044  
Case Number: 21843  
SDG Number: MCQX79



Sample Number:

MCQX79  
MCQX80  
MCQX81

MCQX82  
MCQX83  
MCQX84

MCQX85  
MCQX86

MCQY53  
MCQY54

Shipment

Ten soil samples were received at the ITAS Pittsburgh Laboratory on April 20, 1994, for metals and cyanide analysis.

No QC was assigned; lab chose MCQX86 as QC sample.

Metals

A duplicate digestion and a matrix spike were performed on sample MCQX86. A serial dilution was performed on sample MCQY53.

The matrix spike recovery exceeded the 75 to 125 percent control limit for antimony. All associated results were flagged with an "N" qualifier.

The serial dilution percent difference exceeded the control limit for zinc. All associated results were flagged with an "E" qualifier.

The duplicate digestion RPD exceeded the 20 percent control limit for aluminum. All associated results were flagged with a "\*\*" qualifier.

Cyanide Analysis

A duplicate and matrix spike were performed on sample MCQX86.

COVER PAGE - INORGANIC ANALYSES: DATA PACKAGE

Lab Name: ITAB-PITTSBURGH Contract: 68-73-0044

Lab Code: TTP9 Date Issued: 121943 SAS No.: \_\_\_\_\_ SDG No.: MCQX79

SOW No.: ILM02.1

EPA Sample No.

MCQX79 \_\_\_\_\_  
MCQX80 \_\_\_\_\_  
MCQX81 \_\_\_\_\_  
MCQX82 \_\_\_\_\_  
MCQX83 \_\_\_\_\_  
MCQX84 \_\_\_\_\_  
MCQX85 \_\_\_\_\_  
MCQX86 \_\_\_\_\_  
MCQX86D \_\_\_\_\_  
MCQX86S \_\_\_\_\_  
MCQY53 \_\_\_\_\_  
MCQY54 \_\_\_\_\_

Lab Sample ID

\_MCQX79 \_\_\_\_\_  
\_MCQX80 \_\_\_\_\_  
\_MCQX81 \_\_\_\_\_  
\_MCQX82 \_\_\_\_\_  
\_MCQX83 \_\_\_\_\_  
\_MCQX84 \_\_\_\_\_  
\_MCQX85 \_\_\_\_\_  
\_MCQX86 \_\_\_\_\_  
\_MCQX86D \_\_\_\_\_  
\_MCQX86S \_\_\_\_\_  
\_MCQY53 \_\_\_\_\_  
MCQY54 \_\_\_\_\_

Were ICP interelement corrections applied?

Yes/No YES

Were ICP background corrections applied?

Yes/No YES

If yes - were raw data generated before application of background corrections?

Yes/No NO

### Comments:

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

**Signature:**

Name:

Date:

Title:

DRIVER'S NAME IN FPA2D20681-11000

AR312535

REVIEWED BY: mrw  
DATE: 5/12/94

**APPENDIX C**  
**SUPPORT DOCUMENTATION**  
**SDG MCQY33**

**AR312536**

EPA203070

Lab Name: ITAS\_PITTSBURGH \_\_\_\_\_

Contract: 68-D2-0044

Lab Code: ITPA \_\_\_\_\_

Case No.: 21843 \_\_\_\_\_

SAS No.: \_\_\_\_\_

SDG No.: MCQY33

AA CRDL Standard Source: FISHERRICCAM

ICP CRDL Standard Source: MALLINRICCAA

Concentration Units: ug/L

Analyte	CRDL Standard for AA			CRDL Standard for ICP			
	True	Found	%R	Initial	Found	%R	Final
Aluminum							
Antimony				120.0	134.05	111.71	126.79
Arsenic				20.0	15.77	73.31	16.01
Barium							
Beryllium				10.0	9.98	99.81	9.88
Cadmium				10.0	11.41	114.11	8.83
Calcium							
Chromium				20.0	21.10	105.51	18.70
Cobalt				100.0	104.89	104.91	103.50
Copper				50.0	49.92	99.81	50.32
Iron							
Lead				6.0	7.05	117.5	6.90
Magnesium							
Manganese				30.0	30.27	100.9	30.82
Mercury	0.2	0.17	35.0				
Nickel				80.0	83.77	104.7	82.55
Potassium							
Selenium				10.0	11.50	115.01	11.87
Silver				20.0	20.97	104.81	20.96
Sodium							
Thallium				20.0	19.41	97.01	18.76
Vanadium				100.0	98.45	98.41	97.58
Zinc				40.0	40.59	101.51	42.61

AR312537

EPA203070A

• 34329

3  
BLANKS

Lab Name: ITAS\_PITTSBURGH

Contract: 68-DE-0044

Lab Code: ITPA

Case No.: 21843

SAS No.:

SDG No. : MCQY33

Preparation Blank Matrix (soil/water): SOIL

Preparation Blank Concentration Units ( $\mu\text{g/L}$  or  $\text{mg/kg}$ ): MG/KG

Analyte	Initial		Continuing Calibration						Prepara-		
	Calib.	Blank	Blank (ug/L)			C	C	C	Blank	C	M
	(ug/L)	CI	1	C	2	C	3	CI	CI	M	
Aluminum	10.9	IUI	10.9	IUI	10.9	IUI	10.9	IUI	3.712	IBI	IP
Antimony	13.2	IUI	13.2	IUI	13.2	IUI	20.1	IPI	3.690	IBI	IP
Boron	2.2	IUI	2.2	IUI	2.2	IUI	2.2	IUI	0.440	IUI	IP
Bromine	0.6	IUI	0.6	IUI	0.6	IUI	0.6	IUI	0.120	IUI	IP
Beryllium	0.1	IUI	0.1	IUI	0.1	IUI	0.1	IUI	0.020	IUI	IP
Cadmium	2.6	IUI	2.6	IUI	2.6	IUI	2.6	IUI	0.520	IJI	IP
Calcium	4.2	IBI	3.6	IBI	3.0	IBI	2.8	IBII	1.768	IBI	IP
Chromium	-1.5	IBI	1.5	IUI	1.5	IUI	1.5	IUI	0.300	IUI	IP
Cobalt	1.6	IUI	1.6	IUI	1.9	IBI	1.6	IUI	0.584	IBI	IP
Copper	0.9	IUI	0.9	IUI	0.9	IUI	0.9	IUI	0.180	IUI	IP
Iron	4.4	IUI	4.4	IUI	4.4	IUI	4.4	IUI	0.944	IBI	IP
Lead	1.4	IUI	1.4	IUI	1.4	IUI	1.4	IUI	0.332	IBI	IP
Magnesium	12.1	IUI	12.1	IUI	12.1	IUI	12.1	IUI	2.420	IUI	IP
Manganese	0.5	IUI	0.5	IUI	0.5	IUI	0.5	IUI	0.100	IUI	IP
Mercury	0.2	IUI	0.2	IUI	0.2	IUI	0.2	IUI	0.100	IUI	ICV
Nickel	5.9	IUI	5.9	IUI	5.9	IUI	5.9	IUI	1.180	IUI	IP
Potassium	244.0	IUI	244.0	IUI	244.0	IUI	244.0	IUI	82.086	IBD	IP
Selenium	3.0	IUI	3.0	IUI	3.0	IUI	3.0	IUI	0.600	IUI	IP
Silver	1.9	IUI	1.9	IUI	2.0	IBI	2.9	IBI	0.514	IBI	IP
Sodium	9.7	IUI	9.7	IUI	9.7	IUI	9.7	IUI	4.548	IBI	IP
Thallium	3.7	IUI	3.7	IUI	3.7	IUI	3.7	IUI	0.740	IUI	IP
Vanadium	1.5	IUI	1.5	IUI	1.5	IUI	1.5	IUI	0.328	IBI	IP
Zinc	2.5	IBI	2.2	IBI	2.6	IBI	3.2	IBII	0.518	IBI	IP
Cyanide	10.0	IUI	10.0	IUI	10.0	IUI	10.0	IUI	2.500	IUI	IAS

All anhydrides →  
except  
 $\text{As}_2\text{O}_3, \text{Pb}_2\text{O}_3, \text{Se}, \text{Ti}, \text{Hg}, \text{CN}$

Samples  
MCQ 33-  
38

Samples  
MC54/31  
-48

MCQY  
49-52

## ANALYSIS RUN LOG

30060

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

Lab Code: ITPA Case No.: 21843

SAS No.: SDG No.: MCQY33

Instrument ID Number: JA61E

Method: P

Start Date: 05/16/94

End Date: 05/16/94

EPA Sample No.	D/F	Time	* R	Analytes
ISQ	1.00	12112		I A I S I A I B I B I C I C I C I C I F I P I M I M I H I N I K I S I A I N I T I V I Z I C I L I B I S I A I E I D I A I R I O I U I E I B I G I N I G I I I I E I G I A I L I I N I N
IS	1.00	12115		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
IS	1.00	12117		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
IS	1.00	12119		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
IS	1.00	12122		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
IS	1.00	12124		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
IS	1.00	12126		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
IICV	1.00	12129		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
IICV	1.00	12131		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
IICB	1.00	12134		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
IICSA	1.00	12136		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
IICSA	1.00	12139		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
ICRI	1.00	12143		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
ICCV	1.00	12146		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
ICCV	1.00	12149		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
ICCB	1.00	12151		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
IPBS	1.00	12153		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
ILCSS	5.00	12156		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
ILCSS	1.00	12158		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
MCQY33	1.00	12201		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
MCQY33L	5.00	12203		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
MCQY34	1.00	12205		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
MCQY35	1.00	12208		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
MCQY36	1.00	12210		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
MCQY37	1.00	12213		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
MCQY38	1.00	12215		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
ICCV	1.00	12218		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
ICCV	1.00	12220		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
ICCB	1.00	12223		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
MCQY39	1.00	12225		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
MCQY40	1.00	12228		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I
MCQY41	1.00	12230		I X I X I I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I X I

AR312539 EPA 203071A

U.S. EPA - CLEP

-14

## ANALYSIS RUN LOG

20061

Lab Name: ITAS PITTSBURGH

Contract: 68-DE-0044

Lab Code: ITPA Case No.: 21843

SAS No.: SDG No.: MCQY33

Instrument ID Number: JAG1E

### Method: F

Start Date: 05/16/94

End Date: 05/16/94

**FORM XIV - TN**

ILM02.1

AR312540

EPA203072

SA  
SPIKE SAMPLE RECOVERY

EPA SAMPLE NO.

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-00441

MCQY509

Lab Code: ITPA

Case No.: 21843

SAS No.:

SDG No.: MCQY33

Matrix (soil/water): SOIL

Level (low/med): LOW

% Solids for Sample: 37.5

Concentration Units (ug/L or mg/kg dry weight): MG/KG

Analyte	Control		Spiked Sample		Sample		Spike		XR	QI	MI
	Limit	Result (SSR)	CI	Result (SR)	CI	Added (SA)	%R				
Aluminum											NR
Antimony	75-125	143.0987		7.0400	IU	266.671	53.7	NIP			
Arsenic	75-125	920.5973		3.8560	IBI	1066.671	85.91	IP			
Barium	75-125	1102.4533		78.5120	IBI	1066.671	96.01	IP			
Beryllium	75-125	24.9493		0.4640	IBI	26.671	91.81	IP			
Cadmium	75-125	24.9387		1.3867	IU	26.671	93.51	IP			
Calcium											NR
Chromium	75-125	116.4107		16.9013	I	106.671	93.31	IP			
Cobalt	75-125	278.8480		17.4453	IBI	266.671	98.01				
Copper	75-125	152.0320		23.1093	I	133.331	96.71				
Iron											NR
Lead	75-125	273.2853		21.5093	I	266.671	94.41	IP			
Magnesium											NR
Manganese	75-125	619.1413		361.1733	I	266.671	96.71	IP			
Mercury	75-125	1.2960		0.2667	IU	1.331	97.41	ICV			
Nickel	75-125	272.8000		18.8693	IBI	266.671	95.21	IP			
Potassium											NR
Selenium	75-125	963.7760		1.6000	IU	1066.671	90.41	IP			
Silver	75-125	24.8853		1.0133	IU	26.671	93.31	IP			
Sodium											NR
Thallium	75-125	990.8480		1.9733	IU	1066.671	92.91	IP			
Vanadium	75-125	272.0427		17.7920	IBI	266.671	95.31	IP			
Zinc	75-125	349.0240		100.3680	I	266.671	93.21	IP			
Cyanide		74.5353		1971.0720	I	66.671-2844.71	IASI				

Comments:

AR312541

EPA203072A

EPA SAMPLE NO.

SB

## POST DIGEST SPIKE SAMPLE RECOVERY

Lab Name: ITAS\_PITTSBURGH Contract: 68-D2-0044

MCQY50A

Lab Code: ITPA Case No.: 21843 SAS No.: SDG No.: MCQY33

Matrix (soil/water) : SOIL

Level (low/med): LOW

Concentration Units: ug/L

Analyte	Control		Sample C1 Result (SR)	C1 Added (SA)	XR	IQ	MI
	Limit	Spiked Sample Result (SSR)					
Aluminum							INRI
Antimony		117.13	13.20	120.0	97.6	IP	
Arsenic							INRI
Barium							INRI
Beryllium							INRI
Cadmium							INRI
Calcium							INRI
Chromium							INRI
Chloride							INRI
Copper							INRI
Iron							INRI
Lead							INRI
Magnesium							INRI
Manganese							INRI
Mercury							INRI
Nickel							INRI
Potassium							INRI
Selenium							INRI
Silver							INRI
Sodium							INRI
Thallium							INRI
Vanadium							INRI
Zinc							INRI
Cyanide							INRI

Comments:

AR312542

EPA203073

300037

6  
DUPLICATES

EPA SAMPLE NO.

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

MCQY50D

Lab Code: ITPA

Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No.: MCQY33

Matrix (soil/water): SOIL

Level (low/med): LOW

% Solids for Sample: 37.5

% Solids for Duplicate: 43.3

Concentration Units (ug/L or mg/kg dry weight): MG/KG

Analyte	Control	Limit	Sample (S)	C	Duplicate (D)	C	RPD	QI	M
Aluminum			12847.36001	111	12212.70401	111	5.1	IP	
Antimony			7.04001U11		7.04001U11			IP	
Arsenic			3.85601B11		4.04801B11		4.9	IP	
Barium			78.51201B11		76.90671B11		2.1	IP	
Beryllium			0.46401B11		0.49071B11		5.6	IP	
Cadmium			1.38671U11		1.38671U11			IP	
Calcium			2348.60271B11		2162.12801B11		8.3	IP	
Chromium	5.3		16.90131_11		16.09071_11		4.9	IP	
Cobalt			17.44531B11		16.85331B11		3.5	IP	
Copper	13.3		23.10931_11		22.40001_11		3.1	IP	
Iron			27244.25601_11		27648.06931_11		1.5	IP	
Lead			21.50931_11		21.89331_11		1.8	IP	
Magnesium			2493.89331B11		2433.07731B11		2.5	IP	
Manganese			361.17331_11		353.11471_11		2.3	IP	
Mercury			0.26671U11		0.26671U11			ICV	
Nickel			18.86931B11		15.72801B11		18.2	IP	
Potassium			719.08801B11		471.63731B11		41.6	IP	
Selenium			1.60001U11		2.03731B11		200.0	IP	
Silver			1.01331U11		1.01331U11			IP	
Sodium			202.10131B11		181.42401B11		10.8	IP	
Thallium			1.97331U11		1.97331U11			IP	
Vanadium			17.79201B11		17.53071B11		1.5	IP	
Zinc			100.36801_11		97.17871_11		3.2	IP	
Cyanide			1971.07201_11		497.70531_11		119.4	*AS1	

AR312543

EP4203073A

## ICP SERIAL DILUTION

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

MCQY33L

Lab Code: ITPA

Case No.: 21843

SAS No.:

SDG No.: MCQY33

Matrix (soil/water): SOIL

Level (low/med): LOW

Concentration Units: ug/L

Analyte	Result (I)	Serial Dilution	% Difference	QI	MI
Aluminum	26954.22	26633.00	1.2		IP
Antimony	18.76	18.76	0.0	100.0	IP
Arsenic	7.98	7.98	0.0	100.0	IP
Barium	289.67	283.00	2.3		IP
Beryllium	1.41	1.41	0.0	22.0	IP
Cadmium	2.60	13.00			IP
Calcium	2440.11	2390.10	2.0		IP
Chromium	32.41	31.20	3.7		IP
Cobalt	343.78	343.25	0.2		IP
Copper	41.40	36.10	12.8		IP
Iron	44231.18	43879.85	0.8		IP
Lead	38.95	41.40	6.3		IP
Magnesium	4902.66	4871.60	0.6		IP
Manganese	7972.87	7852.15	1.5		IP
Mercury					INR
Nickel	85.29	75.20	11.8		IP
Potassium	1732.95	1407.75	18.8		IP
Selenium	3.99	15.00	100.0		IP
Silver	3.84	10.90	183.9		IP
Sodium	648.50	651.95	0.5		IP
Thallium	3.70	18.50			IP
Vanadium	33.15	31.60	4.7		IP
Zinc	175.16	390.80	123.1	EPP	

10

## Instrument Detection Limits (Quarterly)

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

Lab Code: ITPA

Case No.: 21843

SAS No.:

SDG No.: MCQY33

ICP ID Number:

TRACE

Date:

04/15/94

Flame AA ID Number :

Furnace AA ID Number :

Analyte	Wave-length (nm)	Back-ground	CRDL (ug/L)	IDL (ug/L)	M
Aluminum			200		INR
Antimony			60		INR
Arsenic	189.04		10	2.21P	
Barium			200		INR
Beryllium			5		INR
Cadmium			5		INR
Calcium			5000		INR
Chromium			10		INR
Cobalt			50		INR
Copper			25		INR
Iron			100		INR
Lead	220.35		3	1.41P	
Magnesium			5000		INR
Manganese			15		INR
Mercury			0.2		INR
Nickel			40		INR
Potassium			5000		INR
Selenium	196.03		5	3.01P	
Silver			10		INR
Sodium			5000		INR
Thallium	190.86		10	3.71P	
Vanadium			50		INR
Zinc			20		INR

Comments:

10

## Instrument Detection Limits (Quarterly)

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

Lab Code: ITPA Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No.: MCQY33

ICP ID Number: JA61E

Date: 04/15/94

Flame AA ID Number: \_\_\_\_\_

Furnace AA ID Number: \_\_\_\_\_

Analyte	Wave-length (nm)	Back-ground	CRDL (ug/L)	IDL (ug/L)	M
Aluminum	308.22		200	10.91P	
Antimony	206.84		60	13.21P	
Arsenic			10	INR	
Barium	493.41		200	0.61P	
Beryllium	313.04		5	0.11P	
Cadmium	228.80		5	2.61P	
Calcium	317.93		5000	2.71P	
Chromium	267.72		10	1.51P	
Cobalt	228.62		50	1.61P	
Copper	324.75		25	0.91P	
Iron	259.94		100	4.41P	
Lead			3	INR	
Magnesium	279.08		5000	12.11P	
Manganese	257.61		15	0.51P	
Mercury			0.2	INR	
Nickel	231.60		40	5.91P	
Potassium	766.49		5000	244.01P	
Selenium			5	INR	
Silver	328.07		10	1.91P	
Sodium	588.99		5000	9.71P	
Thallium			10	INR	
Vanadium	292.40		50	1.51P	
Zinc	213.86		20	2.01P	

Comments:

10

## Instrument Detection Limits (Quarterly)

Lab Name: ITAS\_PITTSBURGH\_\_\_\_\_

Contract: 68-D2-0044

Lab Code: ITPA\_\_\_\_\_ Case No.: 21843\_\_\_\_\_

SAS No.: \_\_\_\_\_

SDG No.: MCQY33

ICP ID Number: \_\_\_\_\_

Date: 04/15/94

Flame AA ID Number : LEEMAN\_PSE200

Furnace AA ID Number : \_\_\_\_\_

Analyte	Wave-length (nm)	Back-ground	CRDL (ug/L)	IDL (ug/L)	M
Aluminum			200		INR
Antimony			60		INR
Arsenic			10		INR
Barium			200		INR
Beryllium			5		INR
Cadmium			5		INR
Calcium			5000		INR
Chromium			10		INR
Cobalt			50		INR
Copper			25		INR
Iron			100		INR
Lead			3		INR
Magnesium			5000		INR
Manganese			15		INR
Mercury	253.70		0.2	0.21CV	
Nickel			40		INR
Potassium			5000		INR
Selenium			5		INR
Silver			10		INR
Sodium			5000		INR
Thallium			10		INR
Vanadium			50		INR
Zinc			20		INR

Comments:

20054

13  
PREPARATION LOG

Lab Name: ITAS\_PITTSBURGH

Contract: 68-DE-0044

Lab Code: ITPA \_\_\_\_\_

Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No.: MCQY33

Method: P

34055

13  
PREPARATION LOG

Lab Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

Lab Code: ITFA\_

Case No.: 21843

SAS No.: \_\_\_\_\_

SDG No. : MCQY33

Method: CV

20056

## **PREPARATION LOG**

Lab Name: ITAS\_PITTSBURGH

Contract: 68-DE-0044

Lab Code: ITPA

Case No.: 21843

SAS No.:

SDG No. : MCQY33

### Method: AS

May 19, 1994

INTERNATIONAL TECHNOLOGY CORPORATION

CASE NARRATIVE

Laboratory Name: ITAS Pittsburgh, Pennsylvania  
Laboratory Code: ITPA  
Project Name: USEPA/CLP  
Inorganic SOW: ILM02.1  
Project Number: 662004  
Work Order Number: Q404156/230  
Contract Number: 68-D2-0044  
Case Number: 21843  
SDG Number: MCQY33

Sample Number:

MCQY33	MCQY38	MCQY43	MCQY48
MCQY34	MCQY39	MCQY44	MCQY49
MCQY35	MCQY40	MCQY45	MCQY50
MCQY36	MCQY41	MCQY46	MCQY51
MCQY37	MCQY42	MCQY47	MCQY52



Shipment

Twenty soil samples were received at the ITAS Pittsburgh Laboratory on April 15 and 20, 1994, for metals and cyanide analysis.

The traffic report assigned the same sample IDs to both, the soils and TMCN waters. A memo to file from the sampler assigned new IDs to the soils. Communication records concerning this can be found near the end of the data package.

Metals

A duplicate digestion and a matrix spike were performed on sample MCQY50. A serial dilution was performed on sample MCQY33.

The matrix spike recovery exceeded the 75 to 125 percent control limit for antimony. All associated results were flagged with an "N" qualifier.

The serial dilution percent difference exceeded the control limit for zinc. All associated results were flagged with an "E" qualifier.

Sample MCQY35 was over the linear range for the manganese interelement correction on selenium and was analyzed diluted for selenium.

Cyanide Analysis

A duplicate and matrix spike were performed on sample MCQY50.

The duplicate RPD exceeded the 20 percent control limit. All associated results were flagged with an "\*" qualifier. Samples MCQY50 and MCQY50D were over the calibration range, and were analyzed diluted.

0311002

0311004  
VB51894

## COVER PAGE - INORGANIC ANALYSES DATA PACKAGE

Name: ITAS\_PITTSBURGH

Contract: 68-D2-0044

Lab Code: ITPA

Case No.: 21843

SAS No.: MCQY33

SOW No.: ILM02.1

EPA Sample No.

MCQY33  
 MCQY34  
 MCQY35  
 MCQY36  
 MCQY37  
 MCQY38  
 MCQY39  
 MCQY40  
 MCQY41  
 MCQY42  
 MCQY43  
 MCQY44  
 MCQY45  
 MCQY46  
 MCQY47  
 MCQY48  
 MCQY49  
 MCQY50  
 MCQY50D  
 MCQY50S

Lab Sample ID

MCQY33  
 MCQY34  
 MCQY35  
 MCQY36  
 MCQY37  
 MCQY38  
 MCQY39  
 MCQY40  
 MCQY41  
 MCQY42  
 MCQY43  
 MCQY44  
 MCQY45  
 MCQY46  
 MCQY47  
 MCQY48  
 MCQY49  
 MCQY50  
 MCQY50D  
 MCQY50S

Were ICP interelement corrections applied?

Yes/No YES

Were ICP background corrections applied?

Yes/No YES

If yes - were raw data generated before application of background corrections?

Yes/No NO

Comments:

---



---



---



---

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authorized by the Laboratory Manager or the Manager's designee as verified by the following signature.

Signature:

*David A. Draper*

5/18/94

Name:

*David A. Draper*

Title:

*Project Manager*

000003

## COVER PAGE - INORGANIC ANALYSES DATA PACKAGE

Lab Name: ITAS\_PITTSBURGH

Contract: 68-DE-0044

Lab Code: ITPA

Case No.: 21843

SAS No.:

SDG No.: MCQY33

SOW No.: ILM02.1

EPA Sample No.

MCQY51

MCQY52

Lab Sample ID

MCQY51

MCQY52

Were ICP interelement corrections applied?

Yes/No YES

Were ICP background corrections applied?

Yes/No YES

If yes, were raw data generated before  
application of background corrections?

Yes/No NO

Comments:

---



---



---

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authorized by the Laboratory Manager or the Manager's designee, as verified by the following signature.

Signature:

David A. Dunlop

Name:

DAVID A. DUNLOP  
Project Manager

Date:

5/14/94

Title:



5 Underwood Court  
Delran, NJ 08075

Phone: 609-461-4003  
Fax: 609-461-4916

TECHNICAL ASSISTANCE TEAM FOR EMERGENCY RESPONSE REMOVAL AND PREVENTION  
EPA CONTRACT 68-WO-0036

MEMO TO FILE

\*\*\*\*\*  
\* RE: CLP CASE NUMBER 21843 \*  
\*\*\*\*\*

April 18, 1994

Attn: V

COPY ORIGINAL IS FILED IN  
CSF MCQA71 CASE 21843  
SIGNED Dan Dufp  
DATE 5/11/94

Dear [REDACTED]

This memo is written to correct CLP sample numbers for the sediment samples for Inorganic Traffic Report & Chain of Custody numbers → I350781-87 and to correct the CLP sample number for the corresponding sample tags. The water and sediment samples were assigned the same CLP sample number. The designated QC samples were also incorrect and the correct QC designation will follow on Inorganic Traffic Report & Chain of Custody number I350788 on April 20, 1994. Enclosed are the new CLP sample numbers with tag # indicated. Below is a table with the corrections for both Inorganic Traffic Report & Chain of Custody and sample tag:

ITR/COC #	LINE #'s	NEW CLP #	TAG #'s	STA LOC
I350781	3	MCQY33	T3-1151158	SW/SD SEEP1
I350781	5	MCQY34	T3-1151166	SW/SD2
I350781	9	MCQY35	T3-1151175	SW/SD3
I350782	3	MCQY36	T3-1151184	SW/SD4
I350782	8	MCQY37	T3-1151193	SW/SD5
I350783	1	MCQY38	T3-1151202	SW/SD1
I350783	8	MCQY39	T3-1151217	SW/SD19
I350784	4	MCQY40	T3-1151228	SW/SDSEEP2

Roy F. Weston, Inc.  
MAJOR PROGRAMS DIVISION  
In Association with Foster Wheeler Enviresponse, Inc., Resource Applications, Inc., C.C. Johnson & Malhotra, P.C.,  
R.E. Sarriera Associates, and GRB Environmental Services, Inc.

EPA203079

AR312554

330417

ITR/COC #	LINE #'s	NEW CLP #	TAG #'s	STA LOC
I350784	6	MCQY41	T3-1151235	SW/SD20
I350784	10	MCQY42	T3-1151244	SW/SD25
I350785	6	MCQY43	T3-1151255	SW/SD17
I350785	10	MCQY44	T3-1151264	SW/SD9
I350786	4	MCQY45	T3-1151273	SW/SD7
I350786	8	MCQY46	T3-1151282	SW/SD15
I350787	2	MCQY47	T3-1151291	SW/SD8
I350787	6	MCQY48	T3-1151300	SW/SD6
I350787	10	MCQY49	T3-1152409	SW/SD14

Please note these changes.

Sincerely,  
ROY F. WESTON, INC.

*Marian Murphy*  
Marian Murphy  
For Sampler Travis Helm

COPY ORIGINAL IS FILED IN  
CSF MCQA71 CASE 21843  
SIGNED Dan Murphy  
DATE 5/11/94

cc: Regional Sample Control Center (RSCC)  
EPA RPM Chris Corbitt  
TAT Central Analytical Files  
Region III Sample Coordinator

EPA203079A

AR312555